



GPD GROUP®
Glaus, Pyle, Schomer, Burns & DeHaven, Inc.

Akron Office

520 South Main Street
Suite 2531
Akron, OH 44311

tel 330.572.2100
fax 330.572.2101
www.gpdgroup.com

July 31th, 2012
2012088.29

City of Dublin
Administrative Review Team
5800 Shier Rings Road
Dublin, OH 43016
614-410-4662

**RE: KFC Remodel
6611 Sawmill Rd. . Dublin, OH**

ART,

This project concerns the existing KFC on Sawmill Rd. This store will be going through a remodel scheduled for later this year. The remodel consists of both interior and exterior changes.

The exterior changes will include painting the existing façade with approved colors from the Sherwin Williams Heritage Collection and the existing building colors. The existing brick will remain. KFC would like to add a prototypical ACM (aluminum composite material) tower on the front façade which will cover 26% of the façade. The existing pitched roof will be removed. The existing HVAC units are screened. Screens to remain and be painted.

The exterior will also receive new sconce down/up lights, new canopies/sunshades, and new signage. The proposed signage includes 14 s.f. KFC letter on the front and side entry façade.

The door on the D/T side of the building will be relocated to the front façade in order for the store to become ADA compliant. This will require that a new sidewalk be brought from the parking lot to the new front door. The existing sidewalk and ADA ramp will be replaced due to non compliance. Also, the ADA parking area will be overlaid and restriped to bring into compliance.

All landscaping will be protected throughout construction. No trees will be removed or damaged. The existing landscaping at the front of the building will be relocated to the D/T side or replaced to match existing if damaged.

The interior remodel consists of new finishes, seating, fixtures, and décor in the dining area and restrooms. The front counter will be replaced and the lighting will be updated.

If you need any additional information, please contact me at 330-572-2157 or email at amacke@gpdgroup.com

Sincerely,

Adam Macke
GPD Group



GPD GROUP®
Glaus, Pyle, Schomer, Burns & DeHaven, Inc.

Akron Office

520 South Main Street
Suite 2531
Akron, OH 44311

tel 330.572.2100
fax 330.572.2101
www.gpdgroup.com

Sept 6th, 2012
2012088.29

City of Dublin
Administrative Review Team
5800 Shier Rings Road
Dublin, OH 43016
614-410-4662

**General Description of Conformance to the Bridge Street Code
KFC Remodel
6611 Sawmill Rd. , Dublin, OH**

ART,

Below is a list of the proposed changes to the Building Façade and their conformance to the Bridge Street Code.

153.062 (B) (2) General Building Type Requirements

KFC believes that the remodel of the existing structure meets all the requirements outlined in this section for existing structures.

153.062 (D) (1 & 3) Roof Type Requirements:

KFC proposes to remove the existing, pitched roof at the front entrance and install an "Interrupting Vertical Wall" made of ACM. The remaining structure below the pitched roof will be capped and become a parapet. The space below the pitched roof is already finished as a flat roof and will drain out to the main flat roof.

This "Wall" will be painted to match the existing "Rustic Red" color and will be built to have horizontal seams or reveals at an interval of 4'-8" to break up the mass of the "Wall".

We believe that the proposed removal of the pitched roof and addition of the ACM wall on the front façade meet the intent of the Bridge Street Code by breaking up the roof line and creating an architectural element increasing visibility.

While the proposed ACM "Wall" will cover approximately 26% of the front façade, which is over the maximum square footage for secondary material, it has been designed to fit the façade and keep the correct symmetry.

153.062 (E) (4) Color:

KFC proposes to paint the EIFS portion of the Bldg. Existing Brick is to remain. The colors proposed for the EIFS will be Benjamin Moore, HC-27 "Monterey White", HC-166 "Kendal Charcoal", and SW7593 "Rustic Red". The "Rustic Red" is the existing color of the Building while the others are from Benjamin Moore's Historical Palette. All new canopies, sunshades and ACM (aluminum composite material) will be painted to match these colors.

We believe this color palette meets the intent of the Bridge Street Corridor Code's color requirements and also the general intent of a "vibrant, mixed use environment" while also meeting the new KFC general design intent.

153.062 (F) (3) (a & c) Entrances and Pedestrian Ways

KFC proposes to relocate the entrance on the Drive Thru side of the Bldg, south side, to the front façade, east side. This relocation is required in order for the Bldg to have ADA compliant entrances.

Although the relocation is for ADA purposes, it is in keeping with the intent of the Bridge Street Code to have the main entrance as a focal point on the main façade facing the primary road frontage. The relocation will put the entrance under the new ACM "Wall" and below a proposed Canopy, giving the entrance prominence on the building façade.

The new door and frame will be Medium Bronze Aluminum to match existing.

153.062 (H) (3) Awnings and Canopies

KFC proposes to remove the existing canvas awnings and replace with more modern, cantilevered, aluminum canopies at the entrances and sunshades over the windows. The canopies and sunshades will be painted HC-27 "Monterey White" with Rustic Red accents.

We believe that the proposed canopies and sunshades are in keeping with the new design and architecture of the proposed remodel. The canopies and sunshades will contain down lighting and will be over 8' above the sidewalk.

153.062 (M) Signs


KFC is proposing new "KFC" signs on the front façade and side entry façade. Both facades have road frontage. The signs are 14 s.f. and are designed to fit the architectural theme of the remodel. Signs will be located on the first story and located adjacent to entrances.

The proposed signs meet the square footage requirement of 1/2 s.f / LF of façade set by table 156.065-I.

153.065 (F) (9) (a) Wall Lighting

KFC proposes using decorative wall lighting. This wall lighting will contain a 9 watt CFL lamp that puts out 300 initial lumens.

We believe that this fixture, and it's lamp, meet the requirements for wall lighting being under the wattage limits and producing less light than a 40 watt incandescent lamp.




If you need any additional information, please contact me at 330-572-2157 or email at amacke@gpdgroup.com

Sincerely,

A handwritten signature in black ink, appearing to read 'AM', with a long horizontal stroke extending to the right.

Adam Macke
GPD Group





Case # _____ - _____

APPLICATION FOR DEVELOPMENT

PLEASE CHECK THE TYPE OF REVIEW

- West Innovation Districts
(Zoning Code Sections 153.037 - 153.043)
- Bridge Street Corridor Districts
(Zoning Code Sections 153.057- 153.066)
- Wireless Communication Facility (Chapter 99)

PLEASE CHECK THE APPLICATION TYPE

- Basic Plan Review
- Development Plan Review
- Waiver Review
- Open Space Fee-in-Lieu
- City Council Appeal
- Minor Project
- Site Plan Review
- Master Sign Plan
- Parking Plan
- Administrative Departure

Wireless Applications

- New Tower
- Alternative Structure
- Co-Location
- Temporary

The following applications require review and decision by the **Planning and Zoning Commission, Board of Zoning Appeals, or Architectural Review Board**, but may be submitted concurrently with another application.

Check any that apply:

- Conditional Use
- Administrative Appeal
- Project involving modifications to property within the Architectural Review District
- Other: _____
- Rezoning

SUBMISSION REQUIREMENTS

- Fee** (refer to the approved fees list)
- Electronic Copies** of all application materials (PDF, JPEG, Word, etc. as appropriate)
- Submission Requirements** for each type of application (refer to checklists)
- Legal Description and/or Property Survey** for the subject property

I. PROPERTY INFORMATION:

Provide information to identify properties and the proposed development. Attach additional sheets if necessary.

Property Address(es): 6611 Sawmill Rd.	
Tax ID/Parcel Number(s): 273008334	Parcel Size(s) in Acres: .065
Existing Land Use/Development: General Commercial	Zoning District: BSC-SCN

- Check this box if any **Administrative Departures** are requested and attach an Administrative Departure request form.
- Check this box if any **Waivers** are requested as part of the application for development and attach a Waiver Request form.

II. PROPERTY OWNER INFORMATION:

Indicate the person(s) or organization(s) who own the property proposed for development. Attach additional pages if there are multiple property owners.

Name (Individual or Organization): KFC US Properties - Dave Zimmerman	
Mailing Address: 1900 Colonel Sanders Lane Louisville, KY 40213	
Daytime Telephone: 330-572-2157	Fax: 330-572-2101
Email or Alternate Contact Information: amacke@gpdgroup.com	

FOR OFFICE USE ONLY: DIRECTOR'S ACCEPTANCE

Date of Acceptance:	Next Decision, Due Date:
Final Date of Decision:	Determination:
Director's (or Designee's) Signature:	

III. APPLICANT(S): Indicate person(s) submitting the application if different than the property owner(s).

Name: (Individual or Organization) <u>Adam Macke - GPD Group</u>	
Mailing Address: <u>520 S. Main St., Suite 2531, Akron, OH 44311</u>	
Daytime Telephone: <u>330-572-2157</u>	Fax: <u>330-572-2101</u>
Email or Alternate Contact Information: <u>amacke@gpdgroup.com</u>	

IV. AUTHORIZED REPRESENTATIVE(S): Indicate the person(s) authorized to represent the property owner and/or applicants.

Name: (Individual or Organization) <u>GPD Group</u>	
Mailing Address: <u>520 S. Main St., Suite 2531, Akron, OH 44311</u>	
Daytime Telephone: <u>330-572-2157</u>	Fax: <u>330-572-2101</u>
Email or Alternate Contact Information: <u>amacke@gpdgroup.com</u>	

V. AUTHORIZATION FOR OWNER'S APPLICANT(S)/REPRESENTATIVE(S): Complete if applicable.

I, <u>Dave Zimmerman - KFC US Properties</u> , the owner , hereby authorize <u>Adam Macke - GPD Group</u> to act as a representative(s) in all matters pertaining to the processing and approval of this application, including modifying the application. I agree to be bound by all representations and agreements made by the designated representative.	
Signature of Current Property Owner:	Date:

Check this box if the original Authorization for Owner's Applicant(s)/Representative(s) is attached as a separate document.

VI. AUTHORIZATION TO VISIT THE PROPERTY: Site visits to the property by City representatives are essential to process this application. The Owner/Applicant, as noted below, hereby authorizes City representatives to enter, photograph and post a notice on the property described in this application. This is optional, but recommended.

I, <u>Adam Macke - GPD Group</u> , the owner or authorized representative , hereby authorize City representatives to enter, photograph and/or post a notice on the property described in this application.	
Signature of Owner or Authorized Representative:	Date:

VII. APPLICANT'S AFFIDAVIT: This section must be completed and notarized.

I, <u>Adam Macke- GPD Group</u> , the owner or authorized representative , have read and understand the contents of this application. The information contained in this application, attached exhibits and other information submitted, is complete and in all respects true and correct, to the best of my knowledge and belief.	
Signature of Current Property Owner or Authorized Representative:	Date:

Check this box if the Applicant's Affidavit and Acknowledgement is attached as a separate document.

Subscribed and sworn to before me this 10th day of September
 State of Ohio
 County of Summit


 Chantelle Penberton
 Resident Stark County
 Notary Public, State of Ohio
 My Commission Expires 11/14/14
C Penberton



MINOR PROJECT REVIEW CHECKLIST

MINOR PROJECT OVERVIEW

The purpose of the Minor Project Review is to provide an efficient review process for smaller projects that do not have significant community effects. The Minor Project Review is necessary to ensure that applications meet the requirements of Chapter 153 of the Dublin Code of Ordinances.

PLEASE CHECK THE MINOR PROJECT TYPE

Refer to Zoning Code Section 153.066(G):

- Single-family detached building
- Multiple-family/single-family attached buildings (eight dwelling units or fewer)
- Non-residential structures 10,000 square feet or less
- Principal structure additions of less than 10,000 square feet or 25%, whichever is less
- Exterior modifications involving not more than 25% of the total façade area of the structure
- Signs, landscaping, parking, and other site improvements without a principal structure
- Accessory structures and uses
- Modifications to an Existing Structure
- Master Sign Plan
- Parking Plan

I. GENERAL APPLICATION REQUIREMENTS

<input type="checkbox"/>	Completed original application form and fee
<input type="checkbox"/>	Project Description (generally outline the project)
<input type="checkbox"/>	General description of conformance to the Bridge Street Corridor Vision Report, Zoning Code Sections 153.057 - 153.065, and any approved Development Plans and/or Site Plans, where applicable
<input type="checkbox"/>	List of proposed Site Plan Waivers and/or Administrative Departures (if known). If applicable, attach a Site Plan Waiver or Administrative Departure Request Form .

II. MINOR PROJECT PLAN: All plans shall be labeled and include the name of the development, developer, plan scale, plan date, date(s) of revisions, location key map, and north arrow on each page. 10 scaled, folded, and collated copies (11x17 and/or 22x34 as appropriate) shall be submitted including the following information. If Planning and Zoning Commission or Architectural Review Board review is required, additional copies of materials may be requested. **Plans shall include the following information, unless otherwise waived by the Director for items determined to be unnecessary to the application.**

General Site Plan Elements	
<input type="checkbox"/>	Existing conditions and site features drawn to scale, including rights-of-way, vehicular and pedestrian access points, all known easements, utilities, buildings and structures, pavement, topographical features, vegetation, bodies of water, and any other relevant existing site features
<input type="checkbox"/>	Proposed site plan, including project area and dimensions, area of approved Development Plan and/or Site Plan with which the project is associated, and proposed vehicular and pedestrian lot and block access configurations

Site Development

A. Use No change of use proposed <input type="checkbox"/>	
<input type="checkbox"/>	List the proposed uses (refer to §153.059), number of dwelling units, and square footage of each use. Identify whether any use specific standards apply (refer to §153.059(C)).
B. Open Space No open spaces proposed/required <input type="checkbox"/>	
<input type="checkbox"/>	Required open space computation and method(s) of provision identified on the plans (refer to §153.064)
<input type="checkbox"/>	Open Space Types proposed (refer to §153.064(F))
<input type="checkbox"/>	Request for fee-in-lieu application Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, attach an Open Space Fee in Lieu Request form
<input type="checkbox"/>	For each Open Space Type, identify the total acreage and dimensions (refer to §153.064(G)(1)(a)); percentage perimeter of each Open Space Type along buildings and rights-of-way; percentage of impervious and semi-pervious surfaces; and any plans for proposed improvements, including structures, water features, site amenities, etc. Provide specification sheets for all pre-fabricated site amenities, and elevations and material specifications for all other site improvements.
C. Parking and Loading No changes to parking/loading proposed <input type="checkbox"/>	
<input type="checkbox"/>	Required parking computation (vehicular and bicycle) based on the proposed mix of uses (refer to § 153.065(B))
<input type="checkbox"/>	Parking location and layout, including all on-site, off-site, on-street and accessible vehicular spaces, and all bicycle parking
<input type="checkbox"/>	Required loading space computation (refer to § 153.065(B)(7)) and location and layout of all loading facilities
<input type="checkbox"/>	Parking plan proposed Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, provide a description and demonstration of all proposed Adjustments to Required Vehicle Parking (refer to § 153.065(B)(2)(b)), including a Demonstration of Parking Need, and evidence of any shared parking arrangements or agreements

II. MINOR PROJECT PLAN, CONTINUED

Site Development, Continued	
D. Landscaping and Tree Preservation No changes to existing landscaping proposed <input type="checkbox"/>	
<input type="checkbox"/> i	Tree survey, including location, sizes, and types of existing trees 6 inches or greater in diameter, measured at 3½ feet off the ground, and the general location of all other existing plant materials, with an identification of materials to be removed and materials to be preserved, including any landmark trees identified on the property
<input type="checkbox"/> ii	Tree preservation plan (refer to §153.065(D)(9))
<input type="checkbox"/> iii	Landscape plan, including calculations showing required landscaping, and location and type of all proposed shrubs, trees, and other live plant material (refer to §153.065(D)). Indicate the proposed perimeter landscape buffering, if applicable (refer to §153.065(D)(4)), proposed surface parking and circulation area landscape treatments (refer to §153.065(D)(5)), Required Building Zone treatment (refer to §153.065(D)(6)), and all building foundation landscaping (refer to §153.065(D)(7)). Indicate any landscape areas specifically dedicated for stormwater management purposes.
<input type="checkbox"/> iv	Planting list for proposed landscape materials with caliper size or height of material, method of installation, dates of plant installation, botanical and common names, and quantity
<input type="checkbox"/> v	Landscape maintenance plan and schedule including contact information of the party responsible for maintenance
<input type="checkbox"/> vi	Street trees (refer to §153.065(D)(3)), including type, locations, and method of installation
E. Signs No signs proposed <input type="checkbox"/>	
<input type="checkbox"/> i	Number of proposed signs and proposed locations, including any potential ground signs or building-mounted signs. Provide elevations indicating all proposed and/or potential building-mounted signs and any other proposed signs (refer to §153.066(H))
<input type="checkbox"/> ii	Sign design and lighting, including dimensions for all sign copy, logos, and secondary text and/or images, colors, and material specifications
<input type="checkbox"/> iii	Master sign plan proposed Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, include, at a minimum, all proposed locations, types, number, heights, and sizes of signs, indicated on scaled plans and/or building elevation drawings, proposed materials, colors, types of illumination, and fabrication details (refer to §153.065(H)(2)(c)6). Include a statement addressing the Master Sign Plan criteria, and identify any proposed departures from the sign regulations of §153.065(H)
F. Site Management No site modifications proposed <input type="checkbox"/>	
<input type="checkbox"/> i	Dumpster location(s), including elevations and construction details, and waste removal plan including frequency and type of removal
<input type="checkbox"/> ii	Proposed fences, walls, and screening methods, including types, materials, and locations (refer to §153.065(E))
<input type="checkbox"/> iii	Site lighting plan (refer to §153.065(F)), including locations of all site, building, and pedestrian lighting, and pole and light fixture specification sheets
Access and Circulation Not Applicable <input checked="" type="checkbox"/>	
<input type="checkbox"/> i	Proposed driveways (show all driveways and intersections within 250 feet of the site) and all vehicular circulation areas. Include sight visibility triangle measurements and curb radii for all driveways and parking lot islands.
<input type="checkbox"/> ii	Traffic regulatory signs and pavement markings
<input type="checkbox"/> iii	Designation of fire lanes
<input type="checkbox"/> iv	Location, width and materials for proposed sidewalks and non-motorized paths within the site, rights of way, or easements
Grading and Utilities Not Applicable <input checked="" type="checkbox"/>	
<input type="checkbox"/> i	Site grading plan, including locations of existing drainage courses, floodplains, streams, and wetlands with elevations, and method of mitigation or protection
<input type="checkbox"/> ii	Stormwater drainage and management consistent with the requirements of Chapter 53 of the Dublin City Codes
<input type="checkbox"/> iii	Location(s) of sanitary sewers, existing and proposed
<input type="checkbox"/> iv	Location(s) and size(s) of existing and proposed water mains, well sites, water service and fire hydrants
<input type="checkbox"/> v	Location(s) of above and below ground gas, electric and telephone lines, existing and proposed (refer to §153.065(G))
<input type="checkbox"/> vi	Location(s) of transformers and utility boxes

II. MINOR PROJECT PLAN, CONTINUED

Building Types and Architecture		Not Applicable <input type="checkbox"/>
<input type="checkbox"/>	List and identify on the plans the building type(s) proposed (refer to §153.062). For each building type, complete and attach an Individual Building Type Requirement Table .	
<input type="checkbox"/>	The proposal involves an Existing Structure (refer to §153.062(B)(2)) Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, provide the original gross floor area of the Existing Structure, any proposed expansions to the Existing Structure (percentage and square footage), and/or a description of any proposed exterior architectural modifications (including percentage of modifications to the original building façades)	
<input type="checkbox"/>	Roof plans (refer to §153.062(D)), including slopes of pitched roofs and parapet height where applicable	
<input type="checkbox"/>	Building sections indicating story height (refer to §153.062(N)(2))	
<input type="checkbox"/>	Building façade elevations for all sides, dimensioned and drawn at an appropriate scale. Include all proposed vents, gutters, downspouts, air conditioning units, and utility elements.	
<input type="checkbox"/>	Building materials and colors labeled on all building elevations, including material specifications (refer to §153.062(E)). Identify the percentage of each type of material on each elevation, and the percentage used on the overall building.	
<input type="checkbox"/>	Conceptual building floor plans	
<input type="checkbox"/>	Provision of architectural details and material specification sheets (as appropriate), including building entrance design, mid-building pedestrianways, windows, shutters, awnings, canopies, balconies, porches, stoops, chimneys, vehicular canopies, etc. (refer to §153.062 for general building type requirements)	
<input type="checkbox"/>	Terminal vista treatments (if applicable) (refer to §153.062(J))	
<input type="checkbox"/>	Method of meeting building variety requirements (if applicable) (refer to §153.062(K))	

III. MINOR PROJECT REVIEW CRITERIA: The Administrative Review Team shall review the application for a Minor Project and approve, deny, or approve with conditions, based on the criteria of §153.066(F)(5) applicable to Site Plan Reviews. The decision on the Minor Project shall be provided not more than 14 days from the filing of the Minor Project Review application, unless otherwise agreed to in writing by the City and the applicant.

Review Criteria for Minor Projects (Site Plans)	
(a)	The Site Plan shall be substantially similar to the approved Basic Plan;
(b)	If a Development Plan has been approved that includes the property, the application is consistent with the Development Plan;
(c)	The application meets all applicable requirements of §153.059 and §§153.062 through 153.065 except as may be authorized by Administrative Departure(s) pursuant to §153.066(H);
(d)	The internal circulation system and driveways provide safe and efficient access for residents, occupants, visitors, emergency vehicles, bicycles, and pedestrians;
(e)	The relationship of buildings and structures to each other and to other facilities provides for the coordination and integration of the development within the surrounding area and the larger community and maintains the image of Dublin as a high quality community;
(f)	The application is consistent with the requirements for types, distribution, and suitability of open space in §153.064 and the site design incorporates natural features and site topography to the maximum extent practicable;
(g)	The scale and design of the proposed development allows the adequate provision of services currently furnished by or that may be required by the City or other public agency including, but not limited to, fire and police protection, public water and sanitary sewage services, recreational activities, traffic control, waste management, and administrative services;
(h)	Stormwater management systems and facilities will not cause alterations that could increase flooding or water pollution on or off the site, and removal of surface waters will not adversely affect neighboring properties;
(i)	If the development is to be implemented in phases, each phase is able to be considered independently, without the need for further phased improvements; and
(j)	The application demonstrates consistency with the BSC Vision Report, Community Plan and other related policy documents adopted by the City.



Letter of Authorization

25-June-12

Please accept this letter as authorization for Glaus, Pyle, Schomer, Burns & DeHaven, Inc. d.b.a. GPD Group (logo attached), as well as their Agents or Subcontractors, to act on behalf of KFC in all matters relating to the submission of application for construction permits and representation. These permits will allow us to perform improvements and / or maintenance in conformance with State and applicable City Codes and regulations.

I authorize this said contractor or authorized agent to sign permits and / or apply for applications(s). This authorization is for the following project(s):

KFC Restaurant W656078
1990 E. Main St., Columbus, OH

KFC Restaurant W656082
2601 Brice Rd., Reynoldsburg, OH

KFC Restaurant W656084
6611 Sawmill Rd., Dublin, OH

KFC Restaurant W656087
4449 E. Main St., Whitehall, OH

KFC Restaurant W656214
711 Bethel Rd., Columbus, OH

KFC Restaurant Y335019
3663 S. High St., Columbus, OH

KFC Restaurant Y335035
6900 E. Broad St. Columbus, OH


KFC Restaurant Y335090
3819 E. Broad St., Whitehall, OH




If you have any questions or concerns, please feel free to contact me at any time.

David Zimmerman

Construction Manager, KFC
On behalf of KFC U.S. Properties
1900 Colonel Sanders Lane
Louisville, KY 40213
Phone: (630) 258-3001
Email: david.zimmerman@yum.com



EXISTING ENTRY SIDE ELEVATION 1/4" = 1'-0" A



PROPOSED ENTRY SIDE ELEVATION 1/4" = 1'-0" A

ISSUED FOR BID	08.20.12
△	
△	
△	
△	
△	
△	
△	

CONTRACT DATE:	5/30/12
BUILDING TYPE:	KFC
PLAN VERSION:	-
SITE NUMBER:	W656084
STORE NUMBER:	2012088.29


KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017




EXTERIOR ELEVATIONS

A4.5

- ### DEMOLITION KEYNOTES
- 1 EXISTING ADA RAMP TO BE REMOVED.
 - 2 EXISTING CONCRETE TO BE REMOVED.
 - 3 EXISTING ADA PARKING SIGN TO BE RELOCATED.
 - 4 EXISTING HANDRAIL TO BE REMOVED.
 - 5 EXISTING LANDSCAPING TO BE RELOCATED OR REPLACED PER LANDSCAPE PLAN.
 - 6 EXISTING LANDSCAPING TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 7 EXISTING CONCRETE WHEELSTOPS TO BE REALIGNED WITH NEW PARKING SPACES.
 - 8 EXISTING CONCRETE TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 9 EXISTING TRANSFORMER TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 10 EXISTING RAMP TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 11 EXISTING SIGNS TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 12 EXISTING LIGHT POLES TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.
 - 13 APPROXIMATELY 31 L.F. OF CURB TO BE REMOVED.
 - 14 EXISTING CURB TO REMAIN AND BE PROTECTED THROUGHOUT CONSTRUCTION.




- ### LEGEND
- CONSTRUCTION KEYNOTE
 - EXISTING CONCRETE TO BE REMOVED




DEMOLITION PLAN

- ### CONSTRUCTION KEYNOTES
- 1 PROPOSED ADA ACCESSIBLE RAMP PER DETAIL 4, SHEET C-501. MATCH EXISTING SIDEWALK WIDTH.
 - 2 NEW CONCRETE LANDING. SLOPES TO MEETS ADA REQUIREMENTS:
 - LONGITUDINAL SLOPE: 2.0% MAX
 - CROSS SLOPE: 2.0% MAX
 SEE DETAIL 6, SHEET C-501.
 - 3 PROPOSED REPLACEMENT OF CONCRETE SIDEWALK. CONTRACTOR TO VERIFY LANDING SLOPE MEETS ADA REQUIREMENTS:
 - LONGITUDINAL SLOPE: 2.0% MAX
 - CROSS SLOPE: 2.0% MAX
 SAWCUT, REMOVE AND REPLACE CONCRETE PAVEMENT AND CURB AS NEEDED. CURB EXPOSURE SHALL NOT EXCEED 6" ON PARKING LOT SIDE. SEE DETAIL 6, SHEET C-501. MATCH EXISTING SIDEWALK WIDTH.
 - 4 OVERLAY EXISTING ASPHALT PAVEMENT AS REQUIRED. MILL 1 1/2" AROUND PERIMETER OF OVERLAY. RECONSTRUCT THE ADA PARKING SPACES & AISLE TO MEET THE FOLLOWING REQUIREMENTS:
 - LONGITUDINAL SLOPE: 2.0% MAX.
 - CROSS SLOPE: 2.0% MAX.
 RESTRIPE ADA STALLS AND ACCESS AISLE PER ADA REQUIREMENTS AND DETAIL 1&2, SHEET C-501 (EXACT AREA OF PAVEMENT REPLACEMENT TO BE FIELD VERIFIED). OVERLAY 4' BEYOND STRIPING TO SLOPE INTO EXISTING PAVEMENT.
 - 5 NEW CONCRETE WALK PER DETAIL 6, SHEET C-501.
 - LONGITUDINAL SLOPE: 5.0% MAX
 - CROSS SLOPE: 2.0% MAX
 - 6 NEW LOCATION OF RELOCATED ADA PARKING SIGN.
 - 7 NEW LOCATOR FOR RELOCATED LANDSCAPING FROM BUILDING FRONT TO THIS LOCATION.
 - 8 PROPOSED WHEELSTOP PER DETAIL 9 SHEET C-501
 - 9 NEW ADA PARKING SIGN PER DETAIL 5 & 7, SHEET C-501.
 - 10 ADJUST EXISTING WHEELSTOP TO BE CENTERED WITHIN NEW SPACE. SEE DETAIL 8 SHEET C-501



- ### LEGEND
- CONSTRUCTION KEYNOTE
 - OVERLAY EXISTING ASPHALT
 - PROPOSED CONCRETE



PROPOSED SITE PLAN

- ### SITE PLAN NOTES
1. ALL PAVEMENT REPLACEMENT SHALL MAINTAIN PROPER DRAINAGE AND SHALL NOT CAUSE WATER TO POND.
 2. ALL PAINT BY SIGN VENDOR. SIGNS SHALL BE PAINTED BLACK.
 3. CONTRACTOR TO VERIFY IRRIGATION IS OPERATIONAL AND REPAIR IF NECESSARY.
 4. WINNING BIDDER TO VERIFY LANDSCAPE, IRRIGATION AND EXTERIOR LIGHTING CONDUIT.
 5. ANY DAMAGED OR REMOVED LANDSCAPING IS TO BE REPLACED LIKE FOR LIKE.


ISSUED FOR BID	08.20.12
CONTRACT DATE:	5/30/12
BUILDING TYPE:	KFC
PLAN VERSION:	-
SITE NUMBER:	W656084
STORE NUMBER:	2012088.29

KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017



SITE PLAN


C-111



NOTE:
SEE SITE PLAN FOR LOCATION AND QUANTITY OF WHEELSTOPS.

P.C.C. WHEELSTOP
N.T.S.


13



NOTES:
1. CONTRACTOR SHALL INSTALL SIGN ON EXISTING WALL.
2. CONTRACTOR SHALL VERIFY SIGN WITH CITY REQUIREMENTS AND SPECIFICATIONS BEFORE INSTALLATION. CITY-SPECIFIED SIGN SHALL TAKE PRECEDENCE OVER THIS DETAIL.
3. SIGNS SHALL BE LOCATED SO THAT THEY CANNOT BE OBTSCURED BY A VEHICLE PARKED IN THE SPACE.


ADA PARKING SIGN
N.T.S.

9



TRANSVERSE STRIPING
N.T.S.

1




NOTES:
1. CONTRACTOR SHALL INSTALL 1/2" PRE-FORMED EXPANSION JOINT MATERIAL AND JOINT SEALER WHERE PAVEMENT ABUTS BUILDING.

P.C.C. CURBED WALK
N.T.S.

10


- KEYED NOTES
- ① PAINT BACKGROUND BENJAMIN MOORE M58 SAFETY & ZONE MARKING LATEX M58-30 - BLUE
 - ② PAINT SYMBOL BENJAMIN MOORE M58 SAFETY & ZONE MARKING LATEX M58-01 - WHITE
 - ③ BOTTOM EDGE OF SYMBOL BOX SHALL MATCH END OF STALL STRIPE AT DRIVE AISLE END OF STALL.



ADA PAVEMENT SYMBOL
N.T.S.


2

- ① ADA PARKING SIGN.
- ② 2" X 2" STEEL TUBE EXTENDED INTO CONCRETE FILLED 4" PIPE.
- ③ 12" DIA. CONCRETE FOUNDATION 6" BELOW FROST LINE. CONCRETE PER SPEC.
- ④ FINISHED GRADE.




FREESTANDING TRAFFIC SIGN
N.T.S.

11



PARALLEL RAMP




DETECTABLE WARNINGS

- 1. WHITACRE GREER PAVERS, COLOR 30, INSTALLED ON A 1/2" DEEP LATEX MODIFIED CEMENT MORTAR SETTING BED OR ARMOR-TILE TACTILE SYSTEMS DETECTABLE WARNING SURFACE TILE PER ARMOR-TILE SPECIFICATIONS FOR INSTALLATION (WWW.ARMOR-TILE.COM)
- 2. DETECTABLE WARNING COLOR SHALL CONTRAST VISUALLY WITH ADJOINING SURFACES, EITHER LIGHT-ON-DARK, OR DARK-ON-LIGHT.

ADA ACCESSIBLE RAMP
N.T.S.

4



NOTE:
SEE SITE PLAN FOR LOCATION AND QUANTITY OF WHEELSTOPS.

RE-USED EXISTING WHEELSTOP
N.T.S.

12

16

ISSUED FOR BID 08.20.12

- △
- △
- △
- △
- △
- △
- △
- △

CONTRACT DATE: 5/30/12
 BUILDING TYPE: KFC
 PLAN VERSION: -
 SITE NUMBER: W656084
 STORE NUMBER: 2012088.29


KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017




DETAILS

C-501

PLOT DATE: 9/10/2012 3:33 PM



LANDSCAPE REMOVAL PLAN




LEGEND


CONSTRUCTION KEYNOTE

DEMOLITION KEYNOTES

- ① EXISTING "LITTLE PRINCESS SPIREA" TO REMAIN AND BE PROTECTED THROUGH OUT CONSTRUCTION.
- ② EXISTING "BLUE PRINCESS HOLLY" TO BE REMOVED FOR INSTALLATION OF ADA ACCESSIBLE SIDEWALK.
- ③ EXISTING "LITTLE PRINCESS SPIREA" TO BE REMOVED FOR INSTALLATION OF ADA ACCESSIBLE SIDEWALK.
- ④ EXISTING "BLUE PRINCESS HOLLY" TO REMAIN AND BE PROTECTED THROUGH OUT CONSTRUCTION.



PROPOSED LANDSCAPE PLAN



LEGEND


① CONSTRUCTION KEYNOTE

CONSTRUCTION KEYNOTES

- ① EXISTING "LITTLE PRINCESS SPIREA" TO REMAIN AND BE PROTECTED THROUGH OUT CONSTRUCTION.
- ② EXISTING "BLUE PRINCESS HOLLY" TO REMAIN AND BE PROTECTED THROUGH OUT CONSTRUCTION.
- ③ PROPOSED "LITTLE PRINCESS SPIREA"

SITE PLAN NOTES

- 1. WINNING BIDDER TO VERIFY LANDSCAPE, IRRIGATION AND EXTERIOR LIGHTING CONDUIT.
- 2. ANY DAMAGED LANDSCAPING IS TO BE REPLACED LIKE FOR LIKE.



SHRUB PLANTING

N.T.S.



ISSUED FOR BID 08.20.12

- △
- △
- △
- △
- △
- △
- △
- △

CONTRACT DATE: 5/30/12
 BUILDING TYPE: KFC
 PLAN VERSION: -
 SITE NUMBER: W656084
 STORE NUMBER: 2012088.29


KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017




Landscape Plan

C-502

PLOT DATE: 9/10/2012 4:16 PM



EXISTING ROOF PLAN 3/16"=1'-0" A



PROPOSED ROOF PLAN 3/16"=1'-0" A

ISSUED FOR BID	08.20.12
△	
△	
△	
△	
△	
△	
△	


CONTRACT DATE:	5/30/12
BUILDING TYPE:	KFC
PLAN VERSION:	-
SITE NUMBER:	W656084
STORE NUMBER:	2012088.29

KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017



EXISTING
 ROOF
 PLAN

A3.1



TOTAL SEATING CAPACITY = 48

EQUIPMENT/SEATING PLAN 1/4"=1'-0" A

EQUIPMENT SCHEDULE XXX

NO.	QTY	G.C. INST.	ITEM DESCRIPTION	MFR. & MODEL NUMBER	PLUMB	ELECT	GAS	REMARKS	NO.
F-915	2	X	FLOOR MAT 3' x 5'	ENTRANCE, INC. #41150012				RUBBERIZED	F-915
S-483	1	X	CUP DISPENSER 22"x19"H x5 5/8"D	DIVERSIFIED METAL #WR-CC-22RD					S-483
S-504	1	X	LID AND STRAW DISPENSER	DISPENSE-RITE #DMP TLD-3BT-2STR					S-504
S-x01	1	X	NAPKIN DISPENSER	EXPRESSNAP TOWER DISPENSER #P32XP5				BY DISTRIBUTOR	S-x01

- ① GC TO REINSTALL PEPSI MACHINE AND ICE CUBER.
- ② ADA COMPLIANT RESTROOM SIGN. CENTERLINE OF SIGN @ 5'-0" A.F.F.
- ③ NEW WALL FINISHES TYP. SEE A7.2, A8.0, A8.1 AND A8.2.
- ④ MAINTAIN 36" CLEAR AISLE FOR EGRESS.
- ⑤ 30"x48" ACCESSIBLE SEATING LOCATION. PROVIDE INTL. SYMBOL OF ACCESS. ON TOP SURFACE OF TABLE.
- ⑥ ACCESSIBLE ENTRANCE.
- ⑦ TRASH RECEPTACLE/TRAY RETURN BY DECOR VENDOR.
- ⑧ 48" X 48" CLEAR FLOOR SPACE PER ADA.
- ⑨ NEW TABLES AND SEATING PROVIDED BY DECOR VENDOR. CHAIRS PROVIDED BY DISTRIBUTOR.
- ⑩ EXISTING POS, CASH DRAWERS & RECEIPT PRINTER. G.C. TO COORDINATE THIRD PARTY RE-INSTALLATION WITH OWNER.
- ⑪ EXISTING SAFE.
- ⑫ NO NEW WORK THIS AREA.
- ⑬ CORE DRILL LOCATION.
- ⑭ HIGH CHAIRS BY SEATING VENDOR.
- ⑮ NEW GRAPHICS. SEE SHEETS A7.2-A8.2.
- ⑯ POST MAX. OCCUPANT LOAD ON WALL ADJACENT TO MAIN ENTRY.

EQUIPMENT SCHEDULE D

KEYNOTES C

NOT USED N.T.S. B

ISSUED FOR BID 08.20.12
 △
 △
 △
 △
 △
 △
 △

CONTRACT DATE: 5/30/12
 BUILDING TYPE: KFC
 PLAN VERSION: -
 SITE NUMBER: W656084
 STORE NUMBER: 2012088.29

KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017



**FIXTURE
 AND
 SEATING
 PLAN**

A2.0


PLOT DATE: 9/10/2012 1:38 PM

CONTACT INFORMATION		
COMPANY	CONTACT INFO	SCOPE OF WORK
SHERWIN WILLIAMS	BRAD HARRINGTON PHONE: 216.341.5553 x115 EMAIL: BRAD.E.HARRINGTON@SHERWIN.COM	
BENJAMIN MOORE	DOROTHY HAZNSKI PHONE: 800.635.5147 x1841	
KOROSEAL	WALT WELDER PHONE: C. 502.648.8245 EMAIL: W.WELDER@KOROSEAL.COM	KOROSEAL SCUFFMASTER PAINT OPTION KORAGUARD WAALL PROTECTION AND CORNER GUARD OPTION KOROSEAL CUSTOM WALL COVERING
NUDO PRODUCTS (ALLURE)	MARIA GOMES PHONE: 818.530.8008 EMAIL: MGOMES@NUDD.COM	FABRICATION OF ALLURE WALL PANEL SYSTEM
PIONITE	TOM CARTWRIGHT PHONE: C. 937.477.7837 EMAIL: TOM_CARTWRIGHT@PANOLAM.COM	LAMINATE FOR WALL PANEL SYSTEM FRL WALL PANEL SYSTEM ALTERNATE
ARBORITE	ERIN FAIRFIELD PHONE: C. 513.284.0579 EMAIL: ERIN.FAIRFIELD@ARBORITE.COM	LAMINATE WAINSCOT PANEL SYSTEM
ACCUSERV FLOOR TILE	JAY COOPER PHONE: C. 434.851.7388 OFFICE: JCOOPER@ACCUSERV.COM	
LTD WALL TILE	MIKE MATTHEWS AND HARRY PHILLIPS PHONE: 502.452.2037	
FORMICA	MICHEAL HERTENSTEINER PHONE: 440.668.7030 EMAIL: MICHEAL.HERTENSTEINER@FORMICA.COM	

PAINT		
SYM	DESCRIPTION	ALTERNATE / NOTE
P-1	MFR: KOROSEAL TYPE: SCUFFMASTER PAINT COLOR: CUSTOM SCRUBTOUGH FINISH: KFC RED QL 091 CATALYZED	SHERWIN WILLIAMS SW #6594 POINSETTIA LATEX SATIN/EGGSHELL TEST
P-2	MFR: SHERWIN WILLIAMS TYPE: SW #7048 URBANE BRONZE COLOR: LATEX SATIN/EGGSHELL FINISH:	LOCATION: DINING ROOM WALLS
P-3	MFR: SHERWIN WILLIAMS TYPE: SW #6385 DOVER WHITE COLOR: LATEX SATIN/EGGSHELL FINISH:	LOCATION: DINING ROOM WALLS, BULKHEADS, SOFFITS AND CEILINGS RESTROOM WALLS AND CEILING
P-4	MFR: SHERWIN WILLIAMS TYPE: SW #6095 TOASTY COLOR: LATEX SATIN/EGGSHELL FINISH:	LOCATION: DINING ROOM WALLS AND CEILINGS
P-5	MFR: BENJAMIN MOORE TYPE: BM#146 GOLDEN ARCHWAY COLOR: LATEX SATIN/EGGSHELL FINISH:	LOCATION: DINING ROOM WALLS
P-6	MFR: SHERWIN WILLIAMS TYPE: SW #6095 TOASTY COLOR: ENAMEL FINISH:	LOCATION: DOOR FRAMES
P-7	MFR: SHERWIN WILLIAMS TYPE: STAIN 1 X 4 WOOD CHAIR RAIL COLOR: SW 3132-B BEECHWOOD	LOCATION: DINING ROOM WOOD CHAIR RAIL

CEILINGS		
SYM	DESCRIPTION	ALTERNATE / NOTE
CL-1	MFR: ARMSTRONG FINE FISSURED TYPE: 24" x 24" COLOR: WHITE GRID: PRELUDE 1 STANDARD DUTY LOAD - WHITE EXPOSED TEE NOTE: FLAME SPREAD RATING 0-25, CLASS A	
CL-2	MFR: GYPSUM BOARD TYPE: 1/2" THICK COLOR: SEE SHEET A7.1 NOTE: OVER 2x FRAMING AT 24" O.C. COORDINATE FRAMING WITH MECHANICAL AND ELECTRICAL FIXTURES	
CL-3	MFR: USG TYPE: VINYL FACED, STIPPLE SHELL FIRECODE COLOR: WHITE GRID: USG INT. INC. BY DONN #272606-ZXA GRID COLOR: FLAT WHITE #050	

DOOR AND FRAMES TYPES



WALL FINISH COVERINGS

SYM	DESCRIPTION	ALTERNATE / NOTE
WC-1	MFR: NUDD TYPE: ALLURE WALL PANEL SYSTEM COLOR: PIONITE WP115 APPEARS LIKATRE NOTE: GRAIN TO RUN VERTICALLY	MFR: PANOLAM TYPE: FRL WALL PANEL SYSTEM COLOR: PIONITE WP115 APPEARS LIKATRE NOTE: GRAIN TO RUN VERTICALLY
WC-2	MFR: NUDD TYPE: ALLURE WALL PANEL SYSTEM COLOR: ARBORITE P-372 CA LIMESTONE ASHLAR FINISH: GRAIN TO RUN HORIZONTALLY NOTE:	LOCATION: DINING ROOM WALL WAINSCOT
FRP-1	MFR: MARLITE TYPE: FIBERGLASS REINFORCED PANEL COLOR: FP-100 WHITE NOTE: NO COLOR VARIATIONS ACCEPTED	
FRP-2	MFR: MARLITE TYPE: FIBERGLASS REINFORCED PANEL COLOR: FP0100 WHITE NOTE: NO COLOR VARIATIONS ACCEPTED TEXTURE: SMOOTH	LOCATION: CHICKEN BREADING AREA ONLY.

DOORS AND PARTITIONS

SYM	DESCRIPTION	ALTERNATE / NOTE
DL-1	MFR: PIONITE TYPE: LAMINATE COLOR: WP115 APPEARS LIKATRE	NOTE: GRAIN TO RUN VERTICALLY
DL-2	MFR: METPAR TYPE: THE LUXOR FT-700 FLOOR MOUNTED COLOR: STAINLESS STEEL #304 SERIES FINISH: #4 SATIN FINISH LOCATION: RESTROOM PARTITIONS	MFR: BRADLEY TYPE: FLOOR BRACED - SERIES 500 COLOR: STAINLESS STEEL FINISH: BRUSHED FINISH LOCATION: RESTROOM PARTITIONS NOTE: DISTRIBUTOR PROVIDED G.C. INSTALLED

HARDWARE SCHEDULE

SET#	ITEM	QTY.	MODEL #
SET 1	HINGES	1 1/2 PR.	1 1/2 PR. HINGES - HAGER BB1279 4.5X4.5 626 AMS
	LOCK DEVICE	1	FALCON D271
	KICK PLATE	1	TRIMCO K0038 12\"X34\" STAINLESS STEEL (BOTH SIDES)
	DOOR STOP CLOSER	1	TRIMCO W1211 STAINLESS STEEL DORMA 7414 ARP&SNB689
SET 3	HINGES	1 1/2 PR.	1 1/2 PR. HINGES - HAGER BB1279 4.5X4.5 626 AMS
	LOCK DEVICE	1	1 LEVER LOCKSET YALE CODED ACCESS
SET 4	HINGES	1 PR.	OFFSET PIVOTS PER DOOR MANUFACTURER, TOP & BOTTOM
	LOCK DEVICE	1	FALCON C953-7 OR C987-7 AS REQUIRED
	KICK PLATE	1	FALCON 1690 CONCEAL VERTICAL PANIC HARDWARE
	CLOSERS	1	L.D.C. 8051
	THRESHOLD	1	ACCESSIBLE ALUMINUM THRESHOLD BT DOOR MANUFACTURER

FLOOR

SYM	DESCRIPTION	ALTERNATE / NOTE
T-1	MFR: ACCUSERV TYPE: PT PASTRELLE Sfuse COLOR: FT798 NOCE GRIP SIZE: 12X24 GROUT: LATRICRETE - #66 CHESTNUT BROWN	LOCATION: DINING ROOM GROUT: W/ GROUT BOOST ADDITIVE NOTE: DISTRIBUTOR PROVIDED/G.C. INSTALLED GROUT AND THINSET PROVIDED BY G.C.
T-2	MFR: ACCUSERV TYPE: PT PASTRELLE Sfuse COLOR: FT798 NOCE GRIP SIZE: 12X12 GROUT: LATRICRETE - #66 CHESTNUT BROWN	LOCATION: RESTROOMS GROUT: W/ GROUT BOOST ADDITIVE NOTE: DISTRIBUTOR PROVIDED/G.C. INSTALLED GROUT AND THINSET PROVIDED BY G.C.

GRAPHICS

REF.	ARTWORK SCHEDULE DESCRIPTION	SELECTION	REF.	ARTWORK SCHEDULE DESCRIPTION	SELECTION
av-1	"KFC" Letters on 1/2" Thick Sintra	X 8'H	av-8h	"MAN OF VISION" Artwork Panel on PLEX w/ STAND-OFF	X A. 82.5\"W x 30\"H B. 66\"W x 24\"H C. 99\"W x 36\"H
av-2	"RED Stripes" on 1/4" Thick Sintra	X 5'W (Qty. 3)	av-9h	"SECRET RECIPE" Artwork Panel on PLEX w/ STAND-OFF	X A. 82.5\"W x 30\"H B. 66\"W x 24\"H C. 99\"W x 36\"H
av-3	"WE DO CHICKEN RIGHT" Letters and Stripes on 1/2" Thick Sintra	X 5'W Letters 1'W x 18\"H Stripes (3) Note: Coordinate Ht. of Stripes w/ Soffit Ht.	av-10	"TRUE ORIGINAL" Artwork Panel on PLEX w/ STAND-OFF	X A. 82.5\"W x 30\"H B. 66\"W x 24\"H C. 99\"W x 36\"H
av-4	"FINGER LICKIN' GOOD generation after generation" Letters on 1/2" Thick Sintra	X 48'W	av-11	"11" Artwork Panel on WOOD w/ CLEATS	X A. 30\"W x 45\"H B. 24\"W x 36\"H C. 36\"W x 57.6\"H
av-5	WOMEN'S + MEN'S Door Sign on 1/4" Thick Sintra	X A. 10\"DIA. (MEN) B. 10\"DIA. (WOMEN)	av-12v	"HANDMADE" Artwork Panel on PLEX w/ STANDOFF	X A. 24\"W x 60\"H B. 20\"W x 50\"H C. 30\"W x 75\"H
av-6	"WASH HANDS" Restroom Sign on 1/8" Thick Sintra	X A. 8\"W x 5\"H	av-13s	"1965" Artwork Panel on PLEX w/ STANDOFF	X A. 42\"W x 42\"H B. 36\"W x 36\"H C. 48\"W x 48\"H
av-7	"KFC CARES" Door Sign on 1/8" Thick Sintra	X A. 8\"W x 12\"H	av-14	"FLG BUCKET" Artwork Panel on WOOD w/ CLEATS	X A. 30\"W x 45\"H B. 24\"W x 36\"H C. 48\"W x 57.6\"H
			av-16	"ICONS" Artwork Panel on WOOD w/ CLEATS	X A. 24\"W x 10\"H (3)

DOOR AND FRAME SCHEDULE

DOOR				FRAME			HW	REMARKS	
MARK	SIZE	TYPE	MATL	FINISH	TYPE	MATL	FINISH		SET #
1	3'-0\"x 6'-8\" TOILET	A	WOOD CORE	F.F. LAMINATE	1	H.M.	PAINT	1	NOTE 1, 3, 4, 7, 8, 9, 11
2	3'-0\"x 7'-0\"	B	ALUMINUM	MEDIUM BRONZE	2	ALUMINUM	MEDIUM BRONZE	4	NOTE 1, 3, 4, 5, 6, 8, 11.
3	3'-0\"x 6'-8\"	A	WOOD CORE	F.F. LAMINATE	1	H.M.	PAINT	3	NOTE 1, 3, 4, 7, 8, 11, 12
4									
5									
6									

WALL BASE

SYM	DESCRIPTION	ALTERNATE / NOTE
B-1	MFR: DAL TILE TYPE: PORCEALTA S3689T COLOR: NERO #CD11 SIZE: 6X8 COVED BASE GROUT: CUSTOM BUILDING PRODUCTS #60 CHARCOAL	

WALL TILE

SYM	DESCRIPTION	ALTERNATE / NOTE
WT-1	MFR: LTD TILE TYPE: LTD PORCELAIN COLOR: GREY SIZE: 5x24 GROUT: LATRICRETE - #78 STERLING SILVER	LOCATION: DINING ROOM
WT-2	MFR: LTD TILE TYPE: LTD PORCELAIN COLOR: GREY SIZE: 12x24 GROUT: LATRICRETE - #78 STERLING SILVER	LOCATION: RESTROOMS
WT-3	MFR: LTD TILE TYPE: LTD PORCELAIN COLOR: SNOW SIZE: 12x24 GROUT: LATRICRETE - #78 STERLING SILVER	LOCATION: RESTROOMS
WT-4	MFR: LTD TILE TYPE: LTD PORCELAIN COLOR: ROSSO SIZE: 8x20 GROUT: LATRICRETE - #78 STERLING SILVER	LOCATION: RESTROOMS UNSANDED
WT-5	MFR: LTD TILE TYPE: LTD PORCELAIN MOSAICO LINEA COLOR: NERO SIZE: 12x24 GROUT: N/A	LOCATION: DINING ROOM AND CUSTOMER COUNTER

SILLS

SYM	DESCRIPTION	ALTERNATE / NOTE
SS-1	MFR: FORMICA TYPE: TRADITIONS, 1/2\" SOLID SURFACE COLOR: 601 BLEACHED CONCRETE SIZE: PER PLAN GC INSTALLED	NOTE: OWNER PROVIDED G.C. INSTALLED

FINISH SCHEDULE NOTES

- REFER TO INTERIOR ELEVATIONS FOR LOCATIONS OF TILE AND FRP.
- FOR FINISH LOCATIONS REFER TO: SHEET A7.0 - FLOOR FINISH PLAN; SHEET A7.1 - REFLECTED CEILING PLAN; SHEETS A8.0 TO A8.3 - INTERIOR ELEVATIONS.
- APPROVED PAINT MANUFACTURERS: BENJAMIN MOORE, PORTER, SHERWIN WILLIAMS, ICI & PITTSBURGH PAINTS. ALTERNATE MFRS. SHALL MATCH SPECIFIED SCHEDULE COLORS EXACTLY.
- ALL GRAPHIC ELEMENT COMPUTER FILES CAN BE SUPPLIED BY KFC FOR PRINTING.

- ALL LATCHING DOOR HARDWARE TO BE LEVER TYPE.
- NOT USED
- MAXIMUM EFFORT REQUIRED TO OPERATE DOORS SHALL NOT EXCEED:
A. 8.5 LBS FOR EXTERIOR DOORS
B. 5.0 LBS FOR INTERIOR DOORS.
- ALL HARDWARE MOUNTING HEIGHTS SHALL CONFORM TO ALL APPLICABLE AND LOCAL ACCESSIBILITY CODES.
- GC TO REMOVE DECOR PANEL AND INSTALL NEW PROVIDED BY DECOR VENDOR.
- EVERY EXIT DOOR SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY, TOOL OR SPECIAL KNOWLEDGE OR EFFORT. PROVIDE SIGNAGE ON DOOR IN 1' HIGH CONTRASTING COLOR TO BACKGROUND STATING "THIS DOOR TO REMAIN UNLOCKED WHEN OCCUPIED".
- LAMINATED DOOR TO BE PLASTIC LAMINATE CLAD ALL EXPOSED EDGES AND SIDES. LAMINATE TO BE DL-1, WILSONART, 'SLATE GREY'.
- FRAMES TO BE PAINTED.
- ART VENDOR RESPONSIBLE FOR ALL REQUIRED HANDICAP AND GENDER SIGNAGE.
- NOT USED.
- NEW DOOR. FIELD VERIFY EXISTING OPENING PRIOR TO ORDERING. ENSURE FRAME IS TRUE & PLUMB.
- REUSED EXISTING CODED LOCK IF IN GOOD CONDITION. VERIFY WITH CM.

ISSUED FOR BID	08.20.12
△	
△	
△	
△	
△	
△	
△	
△	
△	

CONTRACT DATE: 5/30/12
 BUILDING TYPE: KFC
 PLAN VERSION: -
 SITE NUMBER: W656084
 STORE NUMBER: 2012088.29

KFC
 6611 SAWMILL ROAD
 DUBLIN, OHIO 43017




DOOR, FINISH & CONTACT SCHEDULES

A7.2




0 32 64 Feet





SCOPE OF WORK		
SQ. FT.	QTY	ITEM
N/A	1	19'-0" X 15'-4" TOWER
14.3	2	24" CHANNEL LETTERS
N/A	1	18'-8" SOLAR SHADE W/STRIPES
N/A	1	6'-8" SOLAR SHADE
N/A	1	20'-1 1/2" SOLAR SHADE
N/A	1	8'-0" ENTRY CANOPY
N/A	1	11'-0" DT CANOPY
N/A	1	12'-4" SOLAR SHADE
N/A	4	MONUMENT REPLACEMENT FACES
N/A	1	DIRECTIONAL REPLACEMENT FACE





THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL: _____
 DATE: _____

Rev. #	DATE	BY	Rev. #	DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578
ARTIST: AAAJ **DATE:** 9/13/12
SHEET: 1 OF 13



Exterior Finish Schedule SW = Sherwin Williams / BM = Benjamin Moore

HC-27 MONTEREY WHITE
SW7593 RUSTIC RED
HC-166 KENDAL CHARCOAL

- ALL EXTERIOR PAINT APPLIED TO BLDG. SHALL BE EXTERIOR LATEX MOORGLO SOFT GLOSS FINISH #096 OR EQUAL.
- P1 & P2 SHALL RECEIVE FINISH COAT OF SHER CLEAR 1K B666C380
- PAINT PURCHASED THROUGH BM NATIONAL ACCOUNTS PROGRAM CAN BE DELIVERED TO JOB SITE BY THE END OF THE FOLLOWING BUSINESS DAY.

NOTE: PRINTED COLORS MAY NOT DISPLAY A TRUE REPRESENTATION OF ACTUAL BM & SW PAINT. REFERENCE BM & SW COLOR SWATCH OR SAMPLES.




THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL: _____
 DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578
 ARTIST: AAAJ DATE: 9/13/12
 SHEET: 2 OF 13



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:


 DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____


KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578
ARTIST: AAAJ **DATE:** 9/13/12
SHEET: 3 OF 13

THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT



NOTES:
 TOWER - 4MM REYNOBOND ACM PANELS TO MATCH SW7593 RUSTIC RED
 TOWER CAP - .090 ALUMINUM. PAINT HC-27 MONTEREY WHITE
 TOWER FRAME - 16 GAGE GALVANIZED STEEL
 REVEALS - PAINT TO MATCH SW7593 RUSTIC RED
 DOWNLIGHTS - ACCUSERV UP/DOWN WET LOCATION CYLINDER LIGHT (ITEM #05247-001)



WALL ATTACHMENT METHODS TO BE DETERMINED BY SITE CONDITIONS

SPECIFICATIONS

TOWER:
 ALUMINUM COMPOSITE MATERIAL (ACM) PANELS
 PAINTED SW7593 RUSTIC RED

TOWER CAP:
 .090 ALUMINUM PAINTED_HC-27 MONTEREY WHITE

TOWER FRAME:
 16 GAGE GALVANIZED STEEL

DOWN LIGHTS:
 ACCUSERV UP/DOWN WET LOCATION CYLINDER
 LIGHT (ITEM# 05247-001)

REFERENCE ENGINEERED DRAWING PACKAGE

**REFER TO ACTUAL ENGINEERING
 NOT FOR MANUFACTURING**



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.


CUSTOMER APPROVAL:

 DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578
 ARTIST: AAAJ DATE: 9/13/12
 SHEET: 4 OF 13



COLOR NOTES:


- FACES - .150 #7328 WHITE ACRYLIC
- LETTER TRIM CAP - 1" WHITE JEWELITE
- LED'S - 777 WHITE A6 PERMLITE
- BACKS - .063 ALUMINUM PAINTED BM WINTER WHITE
- RETURNS - 5.750" X .050 ALUMINUM COIL PAINTED BM WINTER WHITE
- ® - .125 ALUMINUM PAINTED WHITE WITH 3M #3630-22 WHITE SCOTCHCAL APPLIED FIRST SURFACE
- PAINT INTERIOR OF CANS WITH LIGHT ENHANCEMENT PAINT

GENERAL NOTES:

MINIMUM #8 SHEET METAL SCREWS ARE TO BE USED FOR SECURING THE FACE TO THE LETTER RETURN. THE MAXIMUM SPACING SHALL NOT EXCEED 18" AND NO FEWER THAN (4) SCREWS ARE TO BE USED PER FACE NEON SHOULD BE TIED TO TUBE SUPPORT COPPER WIRE. SHELLAC IS APPLIED TO EACH WIRE TIE TO PREVENT LOOSENING OF THE WIRE

ELECTRICAL NOTES:

- TOTAL AMPS - .5A
- TOTAL CIRCUITS - 1 20A REQUIRED
- VOLTS - 120V
- THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN
- **φ1/4" DRAINAGE/WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL. MIN 18 MTW/THHN 1011/1015/1230/1335 600V or 1032 1000V 105C WIRE



PART #300KV-24KFCLTRS-WF



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.


CUSTOMER APPROVAL:

DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
6611 SAWMILL ROAD
DUBLIN, OH 43017

DRAWING NO:
D-ORDER# 070343.00
12-578
ARTIST: AAAJ DATE: 9/13/12
SHEET: 5 OF 13



NOTE: ALL FASTENERS ON FACE SIDE TO BE COUNTERSINK AND FILLED PRIOR TO PAINT

NOTE: ELECTRICAL SWITCH AND CONDUIT PAINTED TO MATCH ADJOINING COLOR HC-27 MONTEREY WHITE

(A) STRIPE - SW7593 RUSTIC RED

ELECTRICAL NOTES:

TOTAL AMPS - 0.99A

TOTAL CIRCUITS - 1 20A REQUIRED

VOLTS - 120V

THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN

**Ø 1/4" DRAINAGE / WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL. MIN 18 MTW/THHN 1011/1015/1230/1335 600V or 1032 1000V 105C WIRE



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____


KFC
6611 SAWMILL ROAD
DUBLIN, OH 43017

DRAWING NO:

D-ORDER# 070343.00
12-578

ARTIST: AAAJ DATE: 9/13/12

SHEET: 6 OF 13



NOTE: ALL FASTENERS ON FACE SIDE TO BE COUNTERSINK AND FILLED PRIOR TO PAINT

NOTE: ELECTRICAL SWITCH AND CONDUIT PAINTED TO MATCH ADJOINING COLOR HC-27 MONTEREY WHITE

ELECTRICAL NOTES:

TOTAL AMPS – 0.8 A

TOTAL CIRCUITS – 1 20A REQUIRED

VOLTS – 120 V

THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN. ** $\phi 1/4$ " DRAINAGE/WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____


KFC
6611 SAWMILL ROAD
DUBLIN, OH 43017

DRAWING NO:

D-ORDER# 070343.00
12-578

ARTIST: AAAJ DATE: 9/13/12

SHEET: 7 OF 13



NOTE: ALL FASTENERS ON FACE SIDE TO BE COUNTERSINK AND FILLED PRIOR TO PAINT

NOTE: ELECTRICAL SWITCH AND CONDUIT PAINTED TO MATCH ADJOINING COLOR HC-27 MONTEREY WHITE

ELECTRICAL NOTES:

TOTAL AMPS - 0.99A
 TOTAL CIRCUITS - 1 20A REQUIRED
 VOLTS - 120V

THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN
 **Ø 1/4" DRAINAGE / WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL. MIN 18 MTW/THHN 1011/1015/1230/1335 600V or 1032 1000V 105C WIRE



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

 DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578
 ARTIST: AAAJ DATE: 9/13/12
 SHEET: 8 OF 13

8'-0" ENTRY CANOPY

KV215801

COLOR NOTES:






- (A) — FACE/BOTTOM/SIDE EDGE — HC-27 MONTEREY WHITE
- (B) — SIDE FILLER — SW7593 RUSTIC RED
- (C) — STRIPE — SW7593 RUSTIC RED

ELECTRICAL NOTES:

TOTAL AMPS — 6.0A
 TOTAL CIRCUITS — 1 20A REQUIRED
 VOLTS — 120V

THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN. **Ø1/4" DRAINAGE/WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL

**REFERENCE ENGINEERING PACKAGE
NOT FOR MANUFACTURING**



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

DATE: _____


Rev. #	DATE	BY	Rev. #	DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017


DRAWING NO:
 D-ORDER# 070343.00
 12-578

ARTIST: AAAJ DATE: 9/13/12
 SHEET: 9 OF 13


11'-0" DRIVE THRU CANOPY



TOP VIEW



FRONT VIEW




BOTTOM VIEW

SPECIFICATIONS:
 FABRICATED ALUMINUM CANOPY
 CHANNEL & ANGLE FRAME.
 WEEP HOLES AS REQUIRED FOR
 PROPER DRAINING.

ELECTRICAL:
 LAMPS(3) 50WATT DOWN LIGHT
 (2) F L UORESCENT UP-LIGHTS
 AMPLOAD: 5.5 AMPS / 120 VOLT
 CIRCUITS: (1) 20 AMP CIRCUIT

COLORS:
 FACE PAINTED HC-27 MONTEREY WHITE
 TOP, AND BOTTOM
 PAINTED SW7593 RUSTIC RED



SIDE VIEW



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:


DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____


KFC
 6611 SAWMILL ROAD
 DUBLIN, OH 43017

DRAWING NO:
 D-ORDER# 070343.00
 12-578


ARTIST: AAAJ DATE: 9/13/12
 SHEET: 10 OF 13



TOP VIEW



FRONT VIEW



NOTE: ALL FASTENERS ON FACE SIDE TO BE COUNTERSINK AND FILLED PRIOR TO PAINT

NOTE: ELECTRICAL SWITCH AND CONDUIT PAINTED TO MATCH ADJOINING COLOR HC-27 MONTEREY WHITE

ELECTRICAL NOTES:

TOTAL AMPS - 0.8 A

TOTAL CIRCUITS - 1 20A REQUIRED

VOLTS - 120 V

THIS SIGN WILL BE UL OR cUL LISTED AND IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN. **ø1/4" DRAINAGE/WEEP HOLES @ 4' ON CENTERS OR AS REQUIRED BY UL



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

DATE: _____

	DATE	BY		DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
6611 SAWMILL ROAD
DUBLIN, OH 43017

DRAWING NO:
D-ORDER# 070343.00
12-578
ARTIST: AAAJ DATE: 9/13/12
SHEET: 11 OF 13



EXISTING MONUMENT #1



EXISTING MONUMENT #2



PROPOSED MONUMENT #1



PROPOSED MONUMENT #2



REPLACEMENT FACES (4) REQUIRED, FOR EXISTING MONUMENT SIGNS

PANNED ONLY POLYCARBONATE FACE WITH VINYL GRAPHICS 2ND SURFACE

	SILKSCREEN	VINYL
 Deep Burgundy	LACRYL C8-2413	3M 3630-2395
 Rich Red	LACRYL C8-2410	3M 3630-53
 Black		3M 3630-22
 White	LACRYL C8-2412	3M 3630-20



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS.

CUSTOMER APPROVAL:

DATE: _____

Rev. #	DATE	BY	Rev. #	DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____

KFC
6611 SAWMILL ROAD
DUBLIN, OH 43017


DRAWING NO:
D-ORDER# 070343.00
12-578
ARTIST: AAAJ DATE: 9/13/12
SHEET: 12 OF 13



EXISTING DIRECTIONAL



PROPOSED DIRECTIONAL



REPLACEMENT FACES (1) REQUIRED, FOR EXISTING DIRECTIONAL SIGN

FLAT POLYCARBONATE FACE WITH VINYL GRAPHICS 2ND SURFACE

	SILKSCREEN	VINYL
 Rich Red	LACRYL C8-2410	3M 3630-53
 White	LACRYL C8-2412	3M 3630-20

Yum Brands!, INC

INTERIOR SPECIFICATION



Recessed Lighting

PROJECT:

KFC Vision



ACCUSERV
LIGHTING & EQUIPMENT

3865 Produce Rd

Suite 208

Louisville, KY 40218

Toll Free: 877-707-7378

Phone: 502-961-0096

Fax: 502-961-0357

Web: www.accu-serv.com

Type L1



*Metallic Gray Shown

Item # 05247-001

Classification: Up / Down (2) light Wet location
wall mounted cylinder

Dimensions: Diameter - 5"

Height - 14"

Depth - 8"

Finish: TBD

Lamp Type: (2) 75PAR30FL

Location

Exterior

E / PCN # - TBD

Leadtime

In Stock

Lamp Type:



SPIRAL-PAR™ LOW PROFILE Compact Fluorescent Lamps



PAR20



PAR30



PAR38

LAMP	WATTS	BASE	VOLTS	DESCRIPTION	ORDERING CODE	QTY/ CASE	AVERAGE RATED LIFE	CRI	CORRELATED COLOR TEMP(K)	INITIAL LUMENS	MEAN LUMENS	M.O.L.**
PAR20	9 \$	MED	120	9W SPLP PAR20 27	L-1471	15	8,000	82	2700	300	275	3.82"
	9 \$	MED	120	9W SPLP PAR20 35	L-1475	15	8,000	82	3500	300	275	3.82"
	9 \$	MED	120	9W SPLP PAR20 41	L-1472	15	8,000	82	4100	300	275	3.82"
PAR30	15 \$	MED	120	15W SPLP PAR30 27	L-1381-1	15	8,000	82	2700	800	675	5.15"
	15 \$	MED	120	15W SPLP PAR30 35	L-1385	15	8,000	82	3500	775	675	5.15"
	15 \$	MED	120	15W SPLP PAR30 41	L-1382	15	8,000	82	4100	775	675	5.15"
PAR38	23 \$	MED	120	23W SPLP PAR38 27	L-1571	15	8,000	82	2700	1,350	1,225	5.51"
	23 \$	MED	120	23W SPLP PAR38 35	L-1575	15	8,000	82	3500	1,200	1,075	5.51"
	23 \$	MED	120	23W SPLP PAR38 41	L-1572	15	8,000	82	4100	1,200	1,075	5.51"

SPECIFICATIONS

INPUT LINE FREQUENCY	50/60 HZ
RELIABLE OPERATING TEMP.	5°F – 105°F
POWER FACTOR	> .50

CONVERSION CHART

CFL	=	HALOGEN	=	INCANDESCENT
9-watt	=	35-watt	=	50-watt
15-watt	=	50-watt	=	75-watt
23-watt	=	90-watt	=	120-watt

ENERGY STAR® qualified

\$ Energy Savings

** Maximum Overall Length (in inches)



EPA Updates CFL Clean Up Guidance

By Roger Wick

U.S. EPA recently updated guidance on how to safely clean up a broken compact fluorescent lamp (CFL). To make the lamp illuminate, CFLs contain around three to five milligrams of mercury that vaporizes when the CFL is turned on. If the tubing breaks, the mercury vapor, which poses a potential health risk if inhaled, is released.

The new cleanup guidance can be found on the U.S. EPA website: www.epa.gov/cflcleanup
More information on CFLs can be found on Ohio EPA's webpage [Compact Fluorescent Light Bulbs – What Consumer Need to Know](#).

Choosing the Right CFL

Here is some information to help you make the right choices when buying incandescent bulbs.

Wattage: Energy Star provides the following conversion chart for people looking to replace an incandescent bulb with an Energy Star-qualified CFL bulb.

- 40-watt incandescent = 450 lumens (minimum light output) = 9 to 13 watt CFL
- 60-watt incandescent = 800 lumens (minimum light output) = 13 to 15 watt CFL
- 75-watt incandescent = 1,100 lumens (minimum light output) = 18 to 25 watt CFL
- 100-watt incandescent = 1,600 lumens (minimum light output) = 23 to 30 watt CFL
- 150-watt incandescent = 2,600 lumens (minimum light output) = 30 to 52 watt CFL



Did You Know?

According to EnergyStar.gov - If every American home replaced just one light with an Energy Star-qualified light, we would save enough energy to light 3 million homes for a year; save about \$600 million in annual energy costs; and prevent 9 billion pounds of greenhouse gas emissions per year, equivalent to those from about 800,000 cars.

In This Issue
Ohio EPA Welcomes New Director
What Happens to my Annual Report After It's Submitted
EPA Updates CFL Clean Up Guidance
Rules Update: What's In Set K?
Use of PDF and Faxed Copies of Manifests
Obtaining Public Records from DHWM