

14-002.0-CIP



BID SUBMITTAL AND CONTRACT DOCUMENTS FOR THE

CITY OF DUBLIN

**2014 SIDEWALK MAINTENANCE
PROGRAM**

TABLE OF CONTENTS

I. BIDDING REQUIREMENTS 1

 A. INVITATION FOR BIDS2

 B. INSTRUCTIONS TO BIDDERS3

 C. REQUEST FOR INFORMATION (PRE-BID).....17

 D. BID COVERSHEET.....18

 E. PREVAILING WAGE RATES DISK.....20

II. BIDDING FORMS 21

 A. PROPOSAL22

 B. BID SCHEDULE..... 27-1

 C. COMBINED BID/PERFORMANCE/PAYMENT BOND28

 D. ALTERNATE BID SECURITY FORM31

 E. PERFORMANCE AND PAYMENT BOND.....32

 F. AFFIDAVIT OF AUTHORITY34

 G. COMBINED DELINQUENT PERSONAL PROPERTY TAX &
 NONCOLLUSION AFFIDAVIT35

 H. W-9 FORM36

 I. LIST OF SUBCONTRACTORS37

 J. CONTRACTOR QUALIFICATION STATEMENT.....39

III. ADDITIONAL CONTRACT DOCUMENTS 54

 A. CITY/CONTRACTOR AGREEMENT55

 B. CITY OF DUBLIN GENERAL CONDITIONS DIVISION 10070

 C. SUPPLEMENTAL GENERAL CONDITIONS71

 D. SUPPLEMENTAL SPECIFICATIONS.....72

 E. GEOTECHNICAL SPECIFICATIONS.....73

 F. STANDARD DRAWINGS74

 G. SCOPE OF WORK.....75

IV.	OWNER COMPLETED FORMS	76
A.	OWNER EXECUTION CHECKLIST	77
B.	NOTICE OF AWARD TO BIDDER	78
C.	NOTICE OF AWARD TO SURETY AND SURETY’S AGENT	79
D.	NOTICE TO PROCEED	80
E.	NOTICE OF COMMENCEMENT OF PUBLIC IMPROVEMENT (O.R.C. §1311.252).....	81
F.	PREVAILING WAGE BID TABULATION SHEET	82
V.	ADDITIONAL PROJECT FORMS	83
A.	PAYROLL INFORMATION	84
B.	FINAL AFFIDAVIT OF COMPLIANCE WITH PREVAILING WAGES	86
C.	CONTRACTOR’S LIEN WAIVER AND RELEASE AGREEMENT	87
VI.	LOCATIONS	88
A.	LOCATION MAPS	
B.	LOCATION DETAILS	

I. BIDDING REQUIREMENTS

A. INVITATION FOR BIDS

The CITY OF DUBLIN, Ohio will receive sealed bids for the materials and labor necessary for the construction of the 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT. Bids shall be received by CITY OF DUBLIN at 5800 Shier-Rings Road, Dublin, Ohio 43016 until 11:00 A.M. local time on June 19, 2014, at which time all bids will be opened and read aloud.

The CITY OF DUBLIN may choose to not award the bid—and bidders shall hold bids open—until sixty days after the bid opening. The work for which bids are invited consists of:

Sidewalk removal and replacement, curb ramp installation.

The cost estimate for the Project is \$250,000.00.

Copies of the Contract Documents are on file at 5800 Shier-Rings Road, Dublin, Ohio 43016, where they are available for inspection by prospective bidders. Paper copies of the Contract Documents are available for a NONREFUNDABLE charge of \$75.00 during business hours at the same address. Please make any check payable to the CITY OF DUBLIN.

Each bidder is required to furnish with its proposal a Bid Guaranty in accordance with Section 153.54 of the Ohio Revised Code. Bid security furnished in Bond form shall be issued by a surety company or corporation licensed in the State of Ohio to provide said surety.

Each proposal must contain the full name of the party or parties submitting the proposal and all persons interested therein. Each bidder must submit evidence of its experience on projects of similar size and complexity. The owner intends and requires that this project be completed by October 31, 2014.

All contractors and subcontractors involved with the project will to the extent practicable use Ohio products, materials, services and labor in the implementation of their project. Payment of Prevailing Wages IS required for this Project.

The CITY OF DUBLIN reserves the right to accept or reject any or all bids, to waive any informalities or irregularities in the bidding process and to enter into a contract with the bidder whom, in its opinion, offers the lowest and best bid.

Each bidder must ensure that all employees and applicants for employment are not discriminated against based on race, color, religion, sex, or national origin.

By order of the Council of the CITY OF DUBLIN, OHIO. Ordinance number N/A.

Publish dates: June 5, 2014
 June 12, 2014

B. INSTRUCTIONS TO BIDDERS

1. PRELIMINARY MATTERS

- a. The Project owner is the CITY OF DUBLIN, OHIO. The Owner’s Representative is Paul A. Hammersmith P.E., Director of Engineering / City Engineer. You may direct questions or request for additional information to Ken Richardson, P.E. and / or Darren Lee P.E. at Telephone: 614-410-4631 and / or 614-410-4625; Email: krichardson@dublin.oh.us and / or dlee@dublin.oh.us.
- b. In connection with the Legal Notice, the CITY OF DUBLIN (hereinafter called the “ City”), issues this Request for Bids for all labor, material, and services necessary for constructing the 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT (the “Project”), as more fully described in the Contract Documents.
- c. Definitions. The word uses here shall have the following meanings:
 - i. “ City” or “Owner” shall mean the CITY OF DUBLIN, OHIO.
 - ii. “Bidder” or “Contractor” shall all mean an entity or person that submits a bid for the Project and ultimately the entity or person awarded the contract as applicable.
 - iii. “Contract Documents” shall mean the documents included with this bid solicitation and listed as Contract Documents in the City/Contractor Agreement.
 - iv. “O.R.C.” shall mean the OHIO REVISED CODE.
- d. The Project consists of the following contract(s) for the work on the Project:
 - i. General Contract
- e. Estimate of Cost [O.R.C. 153.12(A)].
 - i. The total estimated construction cost for the base bid Work for the Project for which the City is soliciting bids at this time is \$250,000.00.

2. CONTRACTOR QUALIFICATIONS, REGISTERED CONTRACTORS, INCOME TAX, PERMITTING

- a. A Bidder may be a person, private entity, or any combination of such entities supported by a letter of intent to enter into an agreement or under an existing agreement in association in the form of a joint venture or other consortium. In the case of a joint venture or other consortium:
 - i. All members shall be jointly and severally liable for the execution of the Contract, and
 - ii. The association shall nominate a representative who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture or the consortium during the bidding process and, in the event the joint venture or consortium is awarded the Contract, during Contract execution.
- b. Threshold Qualifications. Every Contractor, before entering a contract with the City, must demonstrate the following:

- i. Registered Contractors. Any person or company (including subcontractors) intending to do work under these Contract Documents shall be required to meet the CITY OF DUBLIN laws for Contractor Registration, if any, contained in the Codified Ordinances of the CITY OF DUBLIN as applicable to the particular classification of work to be performed.
 - ii. Licensed Contractors. Bidders and subcontractors for work requiring licenses under the O.R.C. shall submit evidence of such licensing in accordance with O.R.C. Chapter 4740.
 - iii. Foreign Corporations. Business entities formed outside of the state of Ohio shall present proof of registry with the Ohio Secretary of State and demonstrate the existence of an Ohio statutory agent.
- c. Income Taxes. All persons or entities performing work under these Contract Documents shall comply with the requirements set forth in the Codified Ordinances of the CITY OF DUBLIN.
- d. Permits and Regulations - Unless otherwise previously or subsequently specified, the Contractor shall procure and pay for all permits, licenses, inspections and approvals necessary for the execution of his contract. The City will obtain the required building permit for permanent structure.
 - i. The Contractor shall comply with all laws, ordinances, rules, orders and regulations relating to the performance of the work required to complete the Project.
 - ii. The Contractor's attention is directed to the "Safety and Health Regulations for Construction" of the Occupational Safety and Health Administration, U.S. Department of Labor and to its responsibilities thereunder.

3. GENERAL INSTRUCTIONS

- a. City expects the Bidder to examine all instructions, forms, terms, and specifications in the Request for Bids. Each Bidder is solely responsible for conducting its own due diligence and investigation in support of the preparation of Bids, negotiation of agreements, and the subsequent delivery of all services it will provide. Bidder's failure to furnish all information or documentation required by the Bidding Documents may result in the City rejecting the Bid.
- b. Public Information. The City considers all information, documentation and other materials requested to be submitted in response to this solicitation to be a non-confidential and/or non-proprietary nature and therefore subject to public disclosure under the Ohio Public Records Laws except as specifically exempted by those laws. [O.R.C. Chapter 149].
- c. Bidder should carefully read the information contained herein. It is the Bidder's responsibility to submit a complete response to all requirements and questions. Any information submitted by Bidders shall become the property of the City and submitted at the Bidder's sole expense. The City shall not pay any stipend for any submissions

related to the bidding process. The City will not provide compensation to Bidders for any expenses incurred for Bid preparation or for any presentations made.

- d. The City may disqualify bids that are qualified with conditional clauses, or alterations, or items not called for in the bid documents, or irregularities and deviations from the requirements of the Contract Documents.
- e. The City makes no guarantee that an award will be made because of this bid, and reserves the right to accept or reject any or all bids, waive any formalities or minor technical inconsistencies, or delete any item/requirements from this bid or resulting contract when deemed to be in the City's best interest.

4. INTERPRETATION

- a. If a Bidder contemplating submitting a Bid for the proposed Project is in doubt as to the true meaning of any part of the Contract Documents, it may **submit a written request for an interpretation thereof to Ken Richardson, P.E. and / or Darren Lee, P.E., on the form included with the Contract Documents. Inquiries shall be faxed to 614-410-4699 to the attention of Ken Richardson, P.E. and / or Darren Lee, P.E...** The City will make any interpretation of the proposed documents by Addendum only, duly signed by the City, and a copy of such Addendum will be mailed or delivered to each Bidder receiving a set of Contract Documents and each plan room where the City maintains the Contract Documents. The City will not be responsible for any other explanation or interpretation of the proposed documents.
- b. In interpreting the Contract Documents, the Bidder shall interpret words describing materials that have a well-known technical or trade meaning, unless otherwise specifically defined in the Contract Documents, in accordance with the well-known meaning recognized by the trade.

5. CONTRACT DOCUMENTS

- a. The Contract Documents consist of the documents listed in the City/Contractor Agreement and included with these Bid Submittal and Contract Documents for the Project. Bidders shall use complete sets of the Contract Documents in preparing Bids. The City assumes no responsibility for errors or misinterpretations resulting from the use of incomplete sets of Contract Documents. The City, in making the Contract Documents available on the above terms, does so only for obtaining Bids on the Work and does not confer a license or grant for any other use.
- b. The Construction and Material Specifications for this Project shall be the CITY OF DUBLIN Division 100 and the current version of the CMS, excluding 's Division 100—all of which are incorporated into and made part of the Contract Documents for this Project.

6. DOCUMENTS TO SUBMIT WITH BID

- a. The Bidder shall submit the following completed forms with its response to this Request for Bids:
 - i. Bid Form
 - ii. Bid Guaranty and Contract Bond

- iii. Affidavit of Authority (if applicable)
 - iv. Personal Property Tax Affidavit
 - v. Bidder's Qualification Statement
 - vi. Insurance Certificate
 - vii. Noncollusion affidavit
 - viii. State of Ohio Bureau of Workers' Compensation Certificate
 - ix. Proposed Supervisory Personnel List
 - x. Proposed Subcontractor List
 - xi. Bidder's and Subcontractors' Certificate(s) of licensure, if applicable
- b. In addition to the foregoing requirements, Bids submitted by a joint venture or other consortium shall include a copy of the joint venture/consortium agreement entered into by all members. Alternatively, a binding letter of intent or similar irrevocable instrument to execute a joint venture/consortium agreement in the event of a successful Bid shall be signed by all members and submitted with the Bid, together with a copy of the proposed joint venture/consortium agreement.
- c. Each Bidder shall submit the following number of copies of its Bid to the City: 3 and one additional copy in electronic PDF form. The PDF form must exactly match the hard copy and must be provided within 24 hours after the Bid opening. The Bid Form shall be signed with the name typed or printed below the signature. A Bid shall not be submitted by facsimile transmission. A Bidder shall sign its Bid in the form required under Ohio law to bind the Bidder's particular type of business entity to a contract.
- d. Each Bid shall be enclosed and delivered in a sealed opaque envelope with the Bidder's name and the title of the Project printed in the upper left hand corner and addressed as follows: **ATTN: Paul A. Hammersmith P.E., Director of Engineering / City Engineer, 5800 Shier-Rings Road, Dublin, Ohio 43016**. The Bidder shall be responsible for delivering its Bid to this office and address for the Bid opening before the deadline set forth in the Legal Notice—as extended by any addenda. The City will not open Bids that arrive after the deadline regardless of how the Bidder delivers the Bid.
- e. After the City opens the Bids, it may require the Bidders to submit additional financial information. The City shall keep additional financial information it receives pursuant to a request under this paragraph confidential to the extent possible, except under proper order of a court. The additional financial information should not be a public record under section 149.43 of the Revised Code. (See O.R.C. 9.312).

7. CLARIFICATION OF BIDS

- a. To assist in the examination, evaluation, and comparison of the Bids and the qualifications of the Bidders, the City may ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the City shall not be considered. The City's request for clarification and the response shall be in writing. No change in the prices or substance of the Bid shall be sought, offered, or permitted, except

to confirm the correction of arithmetic errors discovered by the City in the evaluation of the Bids.

8. BONDS

- a. Bid, Payment, and Performance Security. Each bidder shall submit one of the statutorily required forms of bid security as set forth in O.R.C. Section 153.54 and the winning bidder must also submit Payment and Performance bonds as required by the O.R.C. and on the forms included with the Contract Documents. There are two ways to meet these requirements:
 - i. **OPTION #1:** Submit the Combined Bid/Performance/Payment Bond on the form included with the Contract Documents along with the Bid; or,
 - ii. **OPTION #2:** Submit a certified check, cashier's check, or letter of credit pursuant to Chapter 1305 of the Revised Code, conditioned to provide that if the bid is accepted, the bidder, after the awarding or the recommendation for the award of the contract, whichever the contracting authority designates, will enter into a proper contract in accordance with the bid, plans, details, specifications, and bills of material. Any letter of credit shall be revocable only at the option of the City. The amount of the certified check, cashier's check, or letter of credit shall be equal to ten per cent of the bid. Any of the foregoing instruments shall be submitted with the CITY OF DUBLIN listed as the payee or beneficiary. If the Bidder chooses option ii and is awarded the Contract, the Bidder shall then submit a Payment and Performance Bond using the form included with the Contract Documents.
- b. With any Bond required here, the Bidder shall submit or ensure:
 - i. *Ohio Department of Insurance Certificate.* Proof that the bond is issued by a surety company ("Surety") authorized by the Ohio Department of Insurance to transact business in the State of Ohio and acceptable to the City in the form of a certificate.
 - ii. *A Financial Statement.* Proof that the bond is issued by a Surety capable of demonstrating a record of competent underwriting, efficient management, adequate reserves, and sound investments. These criteria will be deemed to be met if the Surety currently has an A.M. Best Company Policyholders rating of "A-" better and has or exceeds the Best Financial Size Category of Class VI. Other Sureties may be acceptable to the City, in its sole discretion.
 - iii. *Proper signatures, credentials, and Power of Attorney.* The bond shall be signed by an authorized agent of an acceptable Surety and by the Bidder; and, include credentials showing the Power of Attorney of the agent.
 - iv. The name, address, and telephone and fax numbers of the Surety and the Surety's Agent should be typed or printed on each bond.

9. EXECUTION OF CONTRACT

- a. Within 10 days after award of the Contract, the successful Bidder shall execute and deliver to the City an original of the City/Contractor Agreement, based upon the City's form. Such contract shall include the terms required by Ohio law and documents required by the Instructions to Bidders and Contract Documents for the Project. The successful Bidder shall have no property interest or rights under the City/Contractor Agreement until the Agreement is properly executed by the City.

10. STATE SALES AND USE TAXES

- a. The City is a political subdivision of the State of Ohio and is exempt from taxation under the Ohio Sales Tax and Use Tax Laws. Building materials that the successful Bidder purchases for incorporation into the Project will be exempt from state sales and use taxes if the successful Bidder provides a properly completed Ohio Department of Taxation Demolition Contract Exemption Certificate to the vendors or suppliers when acquiring the materials. The City will execute properly completed certificates on request.

11. DATE FOR SUBSTANTIAL COMPLETION/LIQUIDATED DAMAGES

- a. Date for Substantial Completion. Each successful Bidder shall have its Work on the Project Substantially Complete (as Substantial Completion is defined in the Contract Documents) as follows: **October 31, 2014**. The Contract Time shall run from the date of the Notice to Proceed or if there is no Notice to Proceed from the Effective Date of the City/Contractor Agreement. The Date for Substantial Completion and the Contract Time may be extended only as set forth in the Contract Documents. By submitting its Bid, each Bidder agrees that the period for performing its Work is reasonable.
- b. Liquidated Damages. If the successful Bidder does not have its Work Substantially Complete by its Date for Substantial Completion, the successful Bidder shall pay the City and the City may set off from amounts otherwise due the successful Bidder any Liquidated Damages. The daily amounts of Liquidated Damages are set forth in the Contract Documents. The total amounts of Liquidated Damages will be calculated based on the total number of calendar days beyond the Date for Substantial Completion that the Bidder's Work is not Substantially Complete. In addition to such Liquidated Damages, the Bidder shall indemnify, defend, and hold the City and its employees and agents harmless from any and all claims, whether or not such claims are proven, and from all costs and expenses incurred as a result of such claims, including but not limited to attorneys' and experts' fees and expenses, and additional inspection costs that arise out of or are related to the Bidder's failure to Substantially Complete its Work by its Date for Substantial Completion. The Bidder's obligations under this Section are joint and several.

12. MODIFICATION/WITHDRAWAL OF BIDS

- a. Modification. A Bidder may modify its Bid by written communication to the City addressed to the City's Representative at any time before the scheduled closing time for receipt of Bids, provided such written communication is received by City's Representative before the Bid deadline. The written communication shall not reveal the Bid price, but should provide the addition or subtraction or other modification so that the final prices or terms will not be known to the City until the sealed Bid is opened. If the Bidder's

written instructions with the change in Bid reveal the Bid amount in any way before the Bid opening, the Bid may be rejected as non-responsive.

- b. Withdrawal. Bids may be withdrawn with permission of the City or in strict accordance with O.R.C. Section 9.31 which generally commands that Bidders may withdraw their bids from consideration if the price of the bid was substantially lower than the other bids, providing the bid was submitted in good faith, and the reason for the price bid being substantially lower was a clerical mistake as opposed to a judgment mistake, and was actually due to an unintentional and substantial arithmetic error or an unintentional omission of a substantial quantity of work, labor, or material made directly in the compilation of the bid. Notice of a claim of right to withdraw such bid must be made in writing filed with the City within two business days after the conclusion of the bid opening procedure.

13. PREVAILING WAGES

- a. This Project is horizontal construction with an estimated cost of **\$ 250,000.00**, and the **Bidder IS required to comply with all applicable Ohio Prevailing Wage requirements and labor laws for this Project.**
- b. If Prevailing Wage applies to this Project, the determination of the prevailing rates of wages of mechanics and laborers in accordance with section 4115.05 of the Revised Code for the class of work called for by the Project, in the locality where the work is to be performed, shall be attached to and made part of the Contract Documents.
- c. If Prevailing Wage applies to this Project, the Contractor must pay at least the wage rates subsequently listed in the Wage determinations. The Contractor must submit properly executed copies of the Contractor's and subcontractor's payrolls to the City's Prevailing Wage Coordinator in accordance with the requirements of Section 4115.071 of the O.R.C.. Payroll records shall be kept current as failure to do so will delay the Owner's approval for payment of any pending estimates.

14. ALTERNATES

- a. The City may request bids on alternates. If the City requests bids on alternates, the Bidder should include the cost of the alternates requested on its Bid Form.
- b. At the time of awarding the contract, the City will select or reject alternates as it determines is in its best interest. A Bidder's failure to include in its Bid Form the cost of an alternate selected by the City and applicable to the Bidder's work may render the bid non-responsive and be grounds for the rejection of the bid. Otherwise, the failure to include the cost of an alternate will not be deemed material.
- c. The Bidder acknowledges that although there is an estimate for the cost of the Project, the market conditions may and frequently do result in the estimate being different from the sum of the bids received, either higher or lower. The Bidder understands that the City may include alternates, which may include deduct alternates as well as add alternates, to give it flexibility to build the Project with the funds available. The Bidder further understands and acknowledges that use of add and deduct alternates is a long held customary practice in the construction industry in the State of Ohio. The Bidder also

acknowledges that the City will not make a decision about the alternates on which to base the award of contracts until the bids are received, and the City can compare its available funds with the base bids and the cost or savings from selecting different alternates. The Bidder understands that the award to the Bidder submitting the lowest and best bid will be based on the lowest and best base bid plus selected alternates, and may result in an award to a Bidder other than the Bidder that submitted the lowest base bid. The bidder also acknowledges that its, and other bidders', bids may become responsive or non-responsive based on whether the bidders bid and are qualified for all base work and alternates; and, the City's selection of alternates. The City will evaluate bids to determine the lowest and best bid after it selects the alternates.

- d. If, during the progress of the Work, the City desires to reinstate any alternate not included in the Contract, the City reserves the right to reinstate the alternate at the price bid by the Contractor if such action is taken in sufficient time so as not to delay the progress of the work or cause the Contractor additional expense.

15. UNIT PRICES

- a. Where unit prices are requested in the Bid Form, the Bidder should quote a unit price. Unless otherwise expressly provided in the Bid Documents, such unit prices shall include all labor, materials, and services necessary for the timely and proper installation of the item for which the unit prices are requested. The unit prices quoted in the bid shall be the basis for any Change Orders entered into under the City/Contractor Agreement, unless the Design Professional determines that the use of such unit prices will cause substantial inequity to either the Contractor or the City.
- b. The estimated quantities shown herein are approximate only and the City assumes no responsibility for the accuracy of the estimates. Bidders are cautioned to make their own investigations and determinations of the conditions under which the work will be performed and to base their bids accordingly.

16. ADDENDA

- a. The City reserves the right to issue Addenda changing, altering, or supplementing the Contract Documents before the time set for receiving bids. The City will issue the Addenda to clarify bidders' questions and/or to change, alter, or supplement the Contract Documents.
- b. Any explanation, interpretation, correction, or modification of the Contract Documents will be issued in writing in the form of an Addendum, which shall be the only means considered binding. Any explanations, interpretations, or other representations made by any other means shall not be legally binding. All Addenda shall become a part of the Contract Documents.
- c. Bidders shall submit written questions to the City in sufficient time in advance of the bid opening to allow sufficient time for the City to respond. All Addenda will be issued, except as hereafter provided, and mailed or otherwise furnished to persons who have obtained Contract Documents for the Project, before the published time for the opening of bids.

- d. Copies of each Addendum will be sent only to the Bidders to whom Contract Documents have been issued and to Plan Rooms where copies of the Contract Documents are maintained. Receipt of Addenda shall be indicated by Bidders in the space provided on the Bid Form. Bidders are responsible for acquiring issued Addenda in time to incorporate them into their bid. Bidders should contact the City before the bid opening to verify the number of Addenda issued.
- e. Each Bidder shall carefully read and review the Contract Documents and immediately bring to the attention of the City any error, omission, inconsistency, or ambiguity therein.
- f. If a Bidder fails to indicate receipt of all Addenda through the last Addendum issued by the Design Professional on its Bid Form, the bid of such Bidder will be deemed to be responsive only if:
 - i. The bid received clearly indicates that the Bidder received the Addendum, such as where the Addendum added another item to be bid upon and the Bidder submitted a bid on that item; or
 - ii. The Addendum involves only a matter of form or is one that has either no effect or has merely a trivial or negligible effect on price, quantity, quality, or delivery of the item bid upon.

17. PREFERENCE FOR PUBLIC IMPROVEMENT CONTRACTS (As Selected)

- a. With respect to the award of this Contract, the City shall give preference to a contractor having its principal place of business in Ohio over a contractor having its principal place of business in a state that provides a preference in favor of contractors of that state for the same type of work. Where a preference is provided by another state for contractors of that state, a contractor having its principal place of business in Ohio is to be granted by the City the same preference over them in the same manner and on the same basis and to the same extent as the preference is granted in letting contracts for the same type of work by the other state. If one party to a joint venture is a contractor having its principal place of business in Ohio, the joint venture shall be considered as having its principal place of business in Ohio.
- b. With respect to the award of this Contract, the City shall not give preference to a contractor having its principal place of business in Ohio over other contractors.

18. METHOD OF AWARD

- a. In evaluating Bids, the City may conduct such investigations as are deemed necessary to establish the qualifications and financial ability of the Bidder and its subcontractors and suppliers. The Bidder authorizes the City and its representatives to contact the owners, design professionals, and others having knowledge (collectively "Contacts") on projects on which the Bidder has worked and authorizes and requests such Contacts to provide the City with a candid evaluation of the Bidder's performance. By submitting its Bid, the Bidder agrees that if it or any person, directly or indirectly, on its behalf or for its benefit brings an action against any of such Contacts or the employees of any of them as a result of or related to such candid evaluation, the Bidder will indemnify and hold such Contacts and the employees of any of them from any claims whether or not proven that are part of or are related to such action and from all legal fees and expenses incurred by any of

them arising out of or related to such legal action. This obligation is expressly intended for the benefit of such Contacts and the employees of each of them.

- b. All Bids shall remain open for acceptance for 60 days following the day of the Bid opening, but the City may, in its sole discretion, release any Bid and return the Bid Guaranty before that date.
- c. The City reserves the right to reject any, part of any, or all Bids and to waive any informalities and irregularities. The Bidder expressly acknowledges this right of the City to reject any or all Bids or to reject any incomplete or irregular Bid. The City will award a single contract for each of the Bid packages listed above, unless it determines to reject one or more Bid packages. Bidders must furnish all information requested. Failure to do so may result in disqualification of the Bid.
- d. Determination of the Bidder Submitting the Lowest and Best Bid. Subject to the right of the City to reject any or all Bids, the City will award the Contract for the Work to the Bidder submitting the lowest and best Bid, taking into consideration accepted alternates.
 - i. Buy Ohio/American and Ohio Contractor Bid Preference. If selected above, the City shall apply a domestic Ohio bid preference as outlined below.
 - 1. Bids will first be evaluated to determine that a bidder's offering is for a domestic source end product as defined in 41 C.F.R. section 1-6.101(D). Information furnished by the Bidder in its Bid shall be relied upon in making this determination. Any Bidder's offering that does not offer a domestic source end product shall be rejected, except where the City determines that certain articles, materials and supplies are not mined, produced, or manufactured in the United States in sufficient and reasonably available commercial quantities and of a satisfactory quality.
 - a. Following the determination as to domestic source end products, remaining bids and proposals shall be evaluated as set forth below, so as to give preference to Ohio bids or bidders who are located in a border state, provided that the border state imposes no greater restrictions than contained in this rule.
 - 2. Buy Ohio Act compliance
 - a. Where the preliminary analysis of bids identifies the apparent low bid as an Ohio bid or a bid from a border state, the City shall proceed with its standard contract award practices and procedures as set forth in the Instructions to Bidders.
 - b. Where the preliminary analysis identifies the apparent low bid as one other than an Ohio bid or bid from a border state, the City shall consider the following factors:
 - i. Whether the goods or services can be procured in-state in sufficient and reasonably available quantities and of a satisfactory quality;

- ii. Whether an Ohio bid has been submitted;
 - iii. Whether the lowest Ohio bid, if any, offers a price to the City deemed to be an excessive price (defined as a price that exceeds by more than five per cent the lowest non-Ohio bid submitted);
 - iv. Whether the lowest Ohio bid, if any, offers a disproportionately inferior product or service.
 - c. Where the City determines that selection of the lowest Ohio bid, if any, will not result in an excessive price or disproportionately inferior product or service, the City shall include that Bidder in its lowest and best analysis.
 - d. Where the City otherwise determines it is advantageous to propose the award of a contract to other than an Ohio bidder or bidder from a border state, the City shall include that Bidder in its lowest and best analysis.
- ii. In addition to the forgoing, City may consider the following criteria in determining the lowest and best bidder; and, in its discretion, may consider and give such weight to these criteria as it deems appropriate:
 - 1. Past Contract Performance
 - a. Whether Bidder has failed to perform a contract within the last five years from the date of Bid submission based on all information including fully settled disputes or litigation. A fully settled dispute or litigation is one that has been resolved in accordance with the dispute resolution mechanism under the respective contract, and where all appeal instances available to the Bidder have been exhausted.
 - b. Whether Bidder has failed to sign a contract after submitting a bid security in the past five years.
 - c. All pending litigation shall in total not represent more than ten percent (10%) of the Bidder's net worth and shall be treated as resolved against the Bidder.
 - d. Bidder's history of making claims against others or having claims made against it; and, if the Bidder's management operates or has operated another construction company, the work history of that company in determining whether the Bidder submitted the lowest and best Bid.
 - 2. Financial Ability
 - a. The Bidder's financial ability to complete the Contract successfully and on time without resort to its Surety.

- b. Submission of audited financial statements including balance sheets, income statements, and cash flow statements, or other financial statements acceptable to the City, for the last three years to demonstrate the current soundness of the Bidder's financial position and its prospective long term profitability.
 - i. The Bidder's average coefficient of Current ratio (Current Assets/Current Liabilities) compared to 1. The greater, the better.
 - ii. The Bidder's average coefficient of Debt ratio (Total Debt/Total Assets) compared to 1. The lesser, the better.

3. Experience

- a. Whether the Bidder has experience under contracts in the role required by this Contract for at least the last five years before the Bid submission deadline, and with activity in at least nine months each year.
 - b. Whether the Bidder has participated as in the role required by this Contract in at least two contracts within the last five years, each with a value of at least 85% of the stated estimate for this Project, that have been successfully and substantially completed and that are similar to the proposed Works. Similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described in the Contract Documents.
 - c. For the above or other contracts executed during the period stipulated in above, whether the Bidder has experience in the following key activities: Sidewalk removal and replacement, curb ramp installation.
 - d. Whether the Bidder has a record of consistent customer satisfaction and of consistent completion of projects, including projects that are comparable to or larger and more complex than the Project, on time and in accordance with the applicable Contract Documents.
 - e. The Bidder's prior experience on other projects with the CITY OF DUBLIN and with other public owners, including the Bidder's demonstrated ability to complete its work on these projects in accordance with the Contract Documents and on time, and will also consider its ability to work with the City as a willing, cooperative, and successful team member.
4. Whether the Bidder possesses or can obtain sufficient equipment and facilities to complete the Project.
5. The adequacy, in numbers and experience, of the Bidder's work force to complete the Contract successfully and on time.

6. The Bidder's compliance with federal, state, and local laws, rules, and regulations, including but not limited to the Occupational Safety and Health Act, Prevailing Wage laws, and Ethics laws.
 7. The Bidder's participation in a drug-free workplace program acceptable to the City, and the Bidder's record for both resolved and unresolved findings of the Auditor of State for recovery as defined in Section 9.24 of the O.R.C..
 8. The City's prior experience with the Bidder's surety.
 9. The Bidder's interest in the Project as evidenced by its attendance at any pre-Bid meetings or conferences for Bidders.
 10. Depending upon the type of the work, other essential factors, as the City may determine and as are included in the Specifications.
 11. The foregoing information with respect to each of the Subcontractors and Suppliers that the Bidder intends to use on the Project.
- e. With its Bid, the Bidder will complete and submit to the City a completed Contractor's Qualification Statement (using the form included in the Contract Documents), and thereafter will provide the City with such additional information as the City may request regarding the Bidder's qualifications.
 - f. The failure to submit requested information on a timely basis may result in the determination that the Bidder is not the lowest and best Bidder.
 - g. With its Bid, the Bidder shall submit a list of proposed subcontractors using the form included with the Contract Documents. Subcontract work shall not total more than **50%** of the Contractor's Contract with the City.
 - h. The City reserves the right to reject proposed Subcontractors before the Contract is awarded. The Bidder shall replace rejected subcontractors with subcontractors acceptable to the City with no change in the amount of the Bid submitted by the Bidder to City. After approval by the City of the list of proposed Subcontractors, Suppliers, and manufacturers submitted by the successful Bidder, the list shall not be changed unless written approval of the change is authorized by the City. The City reserves the right to reject Subcontractors after the Contract is awarded. In that instance, the City shall only be liable to the Contractor for the difference in Contract Price between the rejected subcontractor and the replacement subcontractor. The Contractor's markup on the replacement subcontractor shall be equal to or less than the markup on the rejected subcontractor contract.
 - i. With its Bid, the Bidder shall submit a list of supervisory personnel with which it intends to staff the Project indicating their respective roles on the Project. The City reserves the right to reject proposed personnel both before and after the Contract is awarded with no additional cost to the City. Once the personnel list is approved by the City, it shall not be changed without the written consent of the City.

- j. No Bidder may withdraw its Bid within sixty (60) days after the date Bids are opened. The City reserves the right to waive any formalities or irregularities or to reject any or all Bids.
- k. The City reserves the right to disqualify Bids, before or after opening, upon evidence of collusion with intent to defraud or other illegal practices on the part of the Bidder.
- l. By submitting its Bid, the Bidder agrees that the City's determination of which Bidder is the lowest and best Bidder shall be final and conclusive, and that if the Bidder or any person on its behalf challenges such determination in any legal proceeding, the Bidder will indemnify and hold the City and its employees and agents harmless from any claims included or related to such legal proceeding, whether or not proven, and from legal fees and expenses incurred by the City, its employees, or agents that arise out of or are related to such challenge.
- m. Award of Contract. The award and execution of the Contract, when required, will only be made pursuant to the legal process applicable to the City for awarding contracts of this nature.

END OF INSTRUCTIONS TO BIDDERS

C. REQUEST FOR INFORMATION (PRE-BID)

CITY OF DUBLIN 2014 SIDEWALK MAINTENANCE PROGRAM

The person, firm, or corporation submitting a request for information shall be responsible for its prompt delivery and do so in a manner that will allow a sufficient period of time for the issuance and delivery of an Addendum before receipt of bids. The CITY OF DUBLIN will not be responsible for any other explanations of the Contract Documents made before the receipt of bids.

Please submit all pre-bid questions in writing by facsimile or electronic mail (Email) to: **Ken Richardson, P.E. and / or Darren Lee, P.E.**, 614-410-4699 krichardson@dublin.oh.us and / or dlee@dublin.oh.us

Company:	Contact Name:
Email:	Phone:
Requested Information:	

D. BID COVERSHEET

BIDDERS SHALL ATTACH THIS FORM AS THE COVERSHEET TO THE BID. USE THE BOXES BELOW TO CHECK YOUR WORK. COMPLETING THIS FORM DOES NOT GUARANTEE THAT YOUR BID WILL BE RESPONSIVE OR SELECTED; BUT, SHOULD HELP TO OVERCOME THE MOST COMMON BIDDER MISTAKES. THE CITY OF DUBLIN, OHIO RESERVES THE RIGHT TO REJECT ANY AND ALL PROPOSALS AND TO WAIVE ANY INFORMALITIES OR IRREGULARITIES IN THE PROPOSALS.

- 1. Bidder's Company Name: _____
- 2. Total Bid (From Bid Form): \$ _____

BID PACKAGE

- Reviewed in detail?

PROPOSAL

- Acknowledged any addenda?
- Total bid amount completed in words and figures?
- Signed by a person with authority to bind your company?
- No changes made to form or conditions added?

BID SCHEDULE

- Completely filled in?

COMBINED BID/PERFORMANCE/PAYMENT BOND

- Your company name in the Principal blank?
- Surety name in the Surety blank?
- Dollar amount should be blank
- Signed as indicated?

COMBINED DELINQUENT PERSONAL PROPERTY TAX & NONCOLLUSION AFFIDAVIT

- Filled in?
- Signed?
- Notarized?

AFFIDAVIT OF AUTHORITY

- Needs completed if you are anything other than a sole proprietor
- Filled in?
- Signed?
- Notarized?

POWER OF ATTORNEY (OUT OF STATE CORPORATION)

- Must have if you are an out of state corporation

LIST OF SUBCONTRACTORS

- Completed?

LIST OF SUPERVISORY PERSONNEL

Completed?

CONTRACTOR QUALIFICATION STATEMENT

Completed?

INSURANCE CERTIFICATE

Submitted?

WORKERS COMPENSATION COVERAGE

Submitted?

W-9 FORM

Submitted?

E. PREVAILING WAGE RATES DISK

II. BIDDING FORMS

A. PROPOSAL

CITY OF DUBLIN

2014 SIDEWALK MAINTENANCE PROGRAM

_____ (the "Bidder") submits this Proposal having read and examined the contract documents, including but not limited to the Invitation to Bid.

Addenda Number

Date of Receipt

The Bidder proposes to perform all work for the Agreement for Construction in accordance with the contract documents for the following sum:

Total Bid (in figures): \$ _____

Total Bid (in words): _____

In the event of a discrepancy between the amount of the total bid as written in figures and in words, the amount written in words shall govern.

Unless otherwise specified in the Bid Document the amount of the total bid is based on the unit prices or lump sum set forth in the Bid Schedule attached hereto and incorporated herein.

The Bidder understands and agrees that all work to be performed under the Agreement for Construction shall be completed by the date or time required by the Contract Documents unless an extension of time is granted by the CITY OF DUBLIN.

Upon failure to have the work completed within the project time, the CITY OF DUBLIN, OHIO shall be entitled to retain or recover from the Bidder, as liquidated damages, and not as a penalty, the amounts set forth in the following table for each and every calendar day until completion. The right of the CITY OF DUBLIN, OHIO to recover liquidated damages shall not substitute for any recovery for additional costs in the event the Bidder fails to complete the Agreement for Construction according to the Contract Documents.

Liquidated Damages:

<u>Contract Amount</u>	<u>Dollars per Day</u>
\$0-25,000	100.00
25,001-50,000	150.00

50,001-100,000	200.00
100,001-500,000	300.00
500,001-1,000,000	500.00
1,000,001-2,000,000	750.00
2,000,001-5,000,000	1,000.00
5,000,001-10,000,000	1,500.00
Over \$10,000,001	2,000.00

REPRESENTATIONS OF THE BIDDER

The Bidder represents the following:

1. The Bidder has read and understands the Contract Documents and understands that it must comply with all requirements of the Contract Documents, regardless of whether the Bidder has actual knowledge of the requirements and regardless of any statement or omission made by the Bidder that might indicate a contrary intention.
2. The Bid is based upon the items specified by the Contract Documents.
3. The Bidder has visited the site, become familiar with local conditions, and has correlated personal observations about the requirements of the Contract Documents. The Bidder has no outstanding questions regarding the interpretation of the Contract Documents.
4. Within ten (10) business days from the date of receipt the Notice of Intent to Award, the Bidder understands that it must enter into and execute an agreement for CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT if awarded based on this proposal. If the Bidder does not execute an agreement for the Project for any reason, the Bidder and the Bidder's surety shall be liable to the CITY OF DUBLIN, OHIO as provided in O.R.C. Section 153.54.
5. Within ten (10) business days of the date of receipt of the Notice of Intent to Award, the Bidder understands that it must submit the following:
 - a. Performance Bond. (If combined bid/performance/payment not submitted already).
 - b. Copy of Additional Insured Endorsement.
6. The Bidder understands that it must furnish any other information requested by the CITY OF DUBLIN.

The Bidder hereby signs this Proposal on the ___ day of _____, 2014.

If Bidder is an individual, complete the following:

Signature: _____

Print Name: _____

Name of Business: _____

(if different from above)

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

If Bidder is a partnership, complete the following:

Name of Partnership: _____

By: _____

(Signature)

Print Name: _____

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

Names and Addresses of all general partners:

If Bidder is a joint venture, complete the following:

Name of Joint Venture: _____

By: _____

(Signature)

Print Name: _____

Address: _____

Telephone: () _____

Fax: () _____

Complete the following for each firm represented by the joint venture:

1. Name: _____

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

2. Name: _____

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

If Bidder is a corporation, complete the following:

Name of Corporation: _____

By: _____

(Signature)

Print Name: _____

Title: _____

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

State of Incorporation: _____

Names and addresses of Corporate Officers:

If Bidder is an entity other than those described above, complete the following:

Name of Bidder:

By: _____

(Signature)

Print Name: _____

Title: _____

Federal Identification Number: _____

Address: _____

Telephone: () _____

Fax: () _____

Type of Business Entity: _____

Names and addresses of all Principals:

BID SCHEDULE

CITY OF DUBLIN

BIDDER agrees to perform all work described in the CONTRACT DOCUMENTS for the following unit prices:

2014 SIDEWALK MAINTENANCE PROGRAM

REF NO.	(1) ITEM	(2) DESCRIPTION	ESTIMATED QUANTITY PHASE TWO	(4) UNIT	(5) LABOR(\$)	(6) MATERIAL(\$)	(7) (5)+(6) TOTAL(\$)	(8) (3) X (7) TOTAL EXTENDED INFORMAL PRICE(\$)
		General						
1	202	Remove/Dispose of Rubberized Sidewalk, A.P.P.	660.00	SF				
2	608	4" Concrete Walk w/ Agg. Base, A.P.P.	660.00	SF				
3	608	4" Concrete Walk, Remove and Replace, A.P.P.	29,500.00	SF				
4	608	6" Concrete Walk, Remove and Replace, A.P.P.	1,824.00	SF				
5	618	Drain Leader Pipe, A.P.P.	100.00	LF				

GRAND TOTAL =

* DENOTES REFERENCE TO ODOT CONSTRUCTION AND MATERIAL SPECIFICATIONS (LATEST EDITION).

ENTER TOTAL BID AMOUNT ON PAGE 22
IN THE SPACES PROVIDED

TOTAL BID FOR PROJECT:	_____
SUBMITTED BY (COMPANY):	_____

C. COMBINED BID/PERFORMANCE/PAYMENT BOND

**CITY OF DUBLIN
2014 SIDEWALK MAINTENANCE PROGRAM**

KNOW ALL PERSONS BY THESE PRESENTS, that we, the undersigned _____ (the "Principal") and

_____ (the "Surety"), are hereby held and firmly bound unto the CITY OF DUBLIN, Ohio as obligee in the penal sum of the dollar amount of the bid submitted by the Principal to the CITY OF DUBLIN on _____, 2014 to undertake the project known as the **CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT.**

The penal sum referred to herein shall be the dollar amount of the Principal's bid to CITY OF DUBLIN, incorporating any additive or deductive alternate proposals made by the Principal on the date referred to above to the CITY OF DUBLIN, which are accepted by the CITY OF DUBLIN. In no case shall the penal sum exceed the amount of _ dollars (\$_). (If the foregoing blank is not filled in, the penal sum will be the full amount of the Principal's bid, including alternates. Alternatively, if the blank is filled in, the amount stated must not be less than the full amount of the bid including alternates, in dollars and cents. A percentage is not acceptable.)

For the payment of the penal sum well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors, and assigns.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, that whereas the above-named Principal has submitted a bid for the CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT.

NOW, THEREFORE, if the CITY OF DUBLIN accepts the bid of the Principal and the Principal fails to enter into a proper contract in accordance with the bid, plans, details, specifications, and bills of material; and in the event the Principal pays to the CITY OF DUBLIN the difference not to exceed ten percent of the penalty hereof between the amount specified in the bid and such larger amount for which the CITY OF DUBLIN may in good faith contract with the next lowest bidder to perform the work covered by the bid, or in the event the CITY OF DUBLIN does not award the contract to the next lowest bidder and resubmits the project for bidding, the Principal will pay the CITY OF DUBLIN the difference not to exceed ten percent of the penalty hereof between the amount specified in the bid, or the costs, in connection with the resubmission, of printing new contract documents, required advertising and printing and mailing notices to prospective bidders, whichever is less, then this obligation shall be null and void, otherwise to remain in full force and effect; if the CITY OF DUBLIN accepts the bid of the Principal and the Principal within ten days after the awarding of the contract, enters into a proper contract in accordance with the bid, plans, details specifications, and bills of material, which said contract is made a part of this bond the same as though set forth herein.

NOW ALSO, if the Principal shall well and faithfully do and perform the things agreed by Principal to be done and performed according to the terms of said contract; and shall pay all lawful claims of subcontractors, material men, and laborers, for labor performed and materials furnished in the carrying forward, performing, or completing of said contract; we agreeing and assenting that this undertaking shall be for the benefit of any material man or laborer having a just claim, as well as for the CITY OF DUBLIN herein; then this obligation shall be void; otherwise the same shall remain in full force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

The Surety hereby stipulates and agrees that no modifications, omissions, or additions, in or to the terms of said contract or in or to the plans or specifications therefore shall in any wise affect the obligations of the Surety on the Surety's bond, and the Surety does hereby waive notice of any such modifications, omissions or additions to the terms of the contract or to the plans or specifications.

Signed this ____ day of _____, 2014.

PRINCIPAL:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

SURETY:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

SURETY AGENT:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

D. ALTERNATE BID SECURITY FORM

Bidder Name: _____

Project Name: 2014 SIDEWALK MAINTENANCE PROGRAM

The undersigned Bidder hereby submits with its bid the following bid security equaling 10% of the total amount of the bid as required by Ohio Revised Code Section 153.54:

A Certified Check

A Cashier's Check

A Letter of Credit pursuant to Chapter 1305 of the Ohio Revised Code

A bid guaranty filed under this form shall be conditioned to provide that if the bid is accepted, the bidder, after the awarding or the recommendation for the award of the contract, whichever the CITY OF DUBLIN designates, will enter into a proper contract in accordance with the bid, plans, details, specifications, and bills of material. All bid guaranties filed hereunder shall be payable to the CITY OF DUBLIN, be for the benefit of the CITY OF DUBLIN, and be deposited with, and held by, the CITY OF DUBLIN.

Bidder Signature: _____

Print Name: _____

E. PERFORMANCE AND PAYMENT BOND

KNOW ALL PERSONS BY THESE PRESENTS, that we, the undersigned _____ as principal and _____ as sureties, are hereby held and firmly bound unto CITY OF DUBLIN (“Obligee”) in the penal sum of \$ _____, for the payment of which well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors, and assigns.

Signed this _____ day of _____, _____.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, that whereas the above named principal did on _____ enter into a contract with CITY OF DUBLIN, which said contract is made a part of this bond the same as though set forth herein;

Now, if the said principal shall well and faithfully do and perform the things agreed by it to be done and performed according to the terms of said contract; and shall pay all lawful claims of subcontractors, material suppliers, and laborers, for labor performed and materials furnished in the carrying forward, performing, or completing of said contract; we agreeing and assenting that this undertaking shall be for the benefit of any material supplier or laborer having a just claim, as well as for the Obligee herein; then this obligation shall be void; otherwise the same shall remain in full force and effect; it being expressly understood and agreed that the liability of the surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

The said surety hereby stipulates and agrees that no modifications, omissions, or additions, in or to the terms of the said contract or in or to the plans or specifications therefor shall in any wise affect the obligations of said surety on its bond.

Signed this _____ day of _____, 2014.

PRINCIPAL:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

SURETY:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

SURETY AGENT:

By: _____

(Signature)

Print Name: _____

Title: _____

Address:

Telephone: () _____

F. AFFIDAVIT OF AUTHORITY

CITY OF DUBLIN

2014 SIDEWALK MAINTENANCE PROGRAM

(To be completed and executed if the Contractor is anything other than a sole proprietorship.)

State of _____ (State Where Completing this Form)

County of _____ (County Where Completing this Form) SS:

_____ (Your Name), being duly sworn, deposes and says that he or she is the _____ (Position) of _____ (Business Name), a _____ (Type of Entity) organized and existing under and by virtue of the laws of the State of _____ (State), and having its principal office at: _____ (Address), _____ (City), _____ (County), _____ (State).

Affiant further says that he is familiar with the records, minute books and by-laws of _____ (Business Name).

Affiant further says that _____ (Name of Person Signing Contract) _____ (Title of Person Signing Contract) of _____ (Business Name) is duly authorized to sign the Contract for the CITY OF DUBLIN 2014 SIDEWALK MAINTENANCE PROGRAM Project on behalf of _____ (Business Name) by virtue of _____.

(Describe how the person signing the Contract has Authority to sign for example: "a provision of the by-laws" or "a resolution of the Board of Directors"—if by resolution, give date of adoption.)

_____, _____
(Your Signature) (Your Position)

The foregoing instrument was acknowledged before me this _____ (date) by _____ (name of person acknowledged). Signature and Seal of person taking acknowledgement:

G. COMBINED DELINQUENT PERSONAL PROPERTY TAX & NONCOLLUSION AFFIDAVIT

State of _____ (State Where Completing this Form)

County of _____ (County Where Completing this Form) ss:

_____ (Your Name), Affiant, being first duly sworn, deposes and says:

1. I am the _____ (Your Title) of _____ (Business Name), the Bidder that has submitted the attached Bid;

2. I am fully informed respecting the preparation and contents of the attached Bid and all pertinent circumstances respecting such Bid, and that such Bid is genuine and is not a collusive or sham Bid;

4. Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees, or parties in interest, including this affiant, has in any way colluded, conspired, connived, or agreed directly or indirectly with any other Bidder, firm, or person to submit a collusive or sham Bid in connection with the contract for which the attached Bid has been submitted, or to refrain from Bidding in connection with such contract, or has in any manner directly or indirectly sought by agreement, collusion, communication, or conference with any other Bidder, firm, or person to fix the price or prices in the attached Bid or of any other Bidder, or to fix any overhead, profit, or cost element of Bid price or the Bid price of any other Bidder, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against the **CITY OF DUBLIN, OHIO**, or any person interested in the proposed contract; and

5. The price or prices quoted in the attached Bid are fair, proper, and not tainted by any collusion, conspiracy, connivance, or unlawful agreement on the part of the Bidder or any of its agent's representatives, owners, employees, or parties in interest, including this affiant.

6. Effective this _____ day of _____, 2014, the Bidder:

Choose One	<input type="checkbox"/> is charged with delinquent personal property taxes on the general list of personal property as set forth below:										
	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">County</th> <th style="text-align: right;">Amount (include total amount, with penalties and interest thereon)</th> </tr> </thead> <tbody> <tr> <td>_____ County</td> <td style="text-align: right;">\$ _____</td> </tr> </tbody> </table>	County	Amount (include total amount, with penalties and interest thereon)	_____ County	\$ _____						
	County	Amount (include total amount, with penalties and interest thereon)									
	_____ County	\$ _____									
	_____ County	\$ _____									
_____ County	\$ _____										
_____ County	\$ _____										
<input type="checkbox"/> is not charged with delinquent personal property taxes on the general list of personal property in any Ohio county.											

Signed: _____

Title: _____

The foregoing instrument was acknowledged before me this _____ (date)

by _____ (name of person acknowledged).

Signature and Seal of person taking acknowledgement:

H. W-9 FORM

Form W-9 (Rev. December 2011) Department of the Treasury Internal Revenue Service	Request for Taxpayer Identification Number and Certification	Give Form to the requester. Do not send to the IRS.
Print or type See Specific Instructions on page 2.	Name (as shown on your income tax return)	
	Business name/disregarded entity name, if different from above	
	Check appropriate box for federal tax classification: <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ <input type="checkbox"/> Exempt payee	
	<input type="checkbox"/> Other (see Instructions) ▶ _____	
	Address (number, street, and apt. or suite no.)	Requester's name and address (optional)
City, state, and ZIP code		
List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I Instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number						
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%; height: 20px;"> </td> </tr> </table>						
Employer identification number						
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%; height: 20px;"> </td> </tr> </table>						

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here	Signature of U.S. person ▶ _____	Date ▶ _____
------------------	----------------------------------	--------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

I. LIST OF SUBCONTRACTORS

CITY OF DUBLIN

2014 SIDEWALK MAINTENANCE PROGRAM

NOTE: The bidder must perform at least 50% of the total contract cost with its own forces.

1. Name of Subcontractor (Include names of any parent company) : _____

Federal Identification Number: _____

Address: _____

Type of Work:

Subcontractor to Provide: _____

Approximate Percentage of the Contract Cost to be Performed by Subcontractor: _____

Experience Record: _____

2. Name of Subcontractor (Include names of any parent company) : _____

Federal Identification Number: _____

Address: _____

Type of Work:

Subcontractor to Provide: _____

Approximate Percentage of the Contract Cost to be Performed by Subcontractor: _____

Experience Record: _____

3. Name of Subcontractor (Include names of any parent company) : _____

Federal Identification Number: _____

Address: _____

Type of Work:

Subcontractor to Provide: _____

Approximate Percentage of the Contract Cost to be Performed by Subcontractor: _____

Experience Record: _____

4. Name of Subcontractor (Include names of any parent company) : _____
Federal Identification Number: _____
Address: _____

Type of Work:
Subcontractor to Provide: _____
Approximate Percentage of the Contract Cost to be Performed by Subcontractor: _____
Experience Record: _____

5. Name of Subcontractor (Include names of any parent company) : _____
Federal Identification Number: _____
Address: _____

Type of Work:
Subcontractor to Provide: _____
Approximate Percentage of the Contract Cost to be Performed by Subcontractor: _____
Experience Record: _____

Add additional sheets if necessary.

J. CONTRACTOR QUALIFICATION STATEMENT

Contractor: _____

Date: _____

Project: 2014 SIDEWALK MAINTENANCE PROGRAM

The foregoing Contractor submits this Statement of Qualifications to the CITY OF DUBLIN, OHIO as part of its bid for the above named Project and represents that the information contained herein is complete and accurate to the best of the Contractor’s knowledge. The CITY OF DUBLIN reserves the right to reject any, part of any, or all bids and to waive any informalities and irregularities. The Contractor expressly acknowledges this right of the CITY OF DUBLIN to reject any or all bids or to reject any incomplete or irregular bid. Contractor must furnish all information requested on this Statement of Qualifications. Failure to do so may result in disqualification of the bid. The CITY OF DUBLIN may consider the information submitted on this form in determining the lowest and best Contractor for the Project giving such weight to each item as the CITY OF DUBLIN deems appropriate. The CITY OF DUBLIN may conduct such investigations as are deemed necessary to establish the qualifications and financial ability of the Contractor and its subcontractors and suppliers.

The Contractor authorizes the CITY OF DUBLIN and its representatives to contact the owners, design professionals, and others having knowledge (collectively “Contacts”) on projects on which the Contractor has worked—whether listed on this form or not—and authorizes and requests such Contacts to provide the CITY OF DUBLIN with a candid evaluation of the Contractor’s performance. By submitting its bid, the Contractor agrees that if it or any person, directly or indirectly, on its behalf or for its benefit brings an action against any of such Contacts or the employees of any of them as a result of or related to such candid evaluation, the Contractor will indemnify and hold harmless such Contacts and the employees of any of them from any claims whether or not proven that are part of or are related to such action and from all legal fees and expenses incurred by any of them arising out of or related to such legal action. This obligation is expressly intended for the benefit of such Contacts and the employees of each of them. By submitting this form, Contractor agrees that the CITY OF DUBLIN’s determination of which Contractor is the lowest and best Contractor shall be final and conclusive, and that if the Contractor or any person on its behalf challenges such determination in any legal proceeding, the Contractor will indemnify and hold the CITY OF DUBLIN and its employees and agents harmless from any claims included or related to such legal proceeding, whether or not proven, and from legal fees and expenses incurred by the City, its employees, or agents that arise out of or are related to such challenge.

NAME OF PROJECT: 2014 SIDEWALK MAINTENANCE PROGRAM

1. ORGANIZATION

- 1.1 How many years has your organization been in business as a Contractor?
- 1.2 How many years has your organization been in business under its present business name?
 - 1.2.1 Under what other or former names has your organization operated?
- 1.3 If your organization is a corporation, answer the following:
 - 1.3.1 Date of incorporation:
 - 1.3.2 State of incorporation:
 - 1.3.3 President's name:
 - 1.3.4 Vice President's name(s):
 - 1.3.5 Secretary's name:
 - 1.3.6 Treasurer's name:
- 1.4 If your organization is a partnership, answer the following:
 - 1.4.1 Date of organization:
 - 1.4.2 Type of partnership (if applicable):
 - 1.4.3 Name(s) of general partner(s):
- 1.5 If your organization is individually owned, answer the following:
 - 1.5.1 Date of organization:
 - 1.5.2 Name of owner:

1.6 If the form of your organization is other than those listed above, describe it and name the principals:

2. LICENSING

2.1 List jurisdictions and trade categories in which your organization is legally qualified to do business, and indicate registration or license numbers, if applicable.

2.2 List jurisdictions in which your organization's partnership or trade name is filed.

3. EXPERIENCE

3.1 List the categories of work that your organization normally performs with its own forces.

3.2 Claims and Lawsuits (If the answer to any of the questions below is yes, please attach details.)

3.2.1 Has your organization ever failed to complete any work?

3.2.2 Within the last five (5) years has your organization or any of its officers initiated any Claims, had any Claims initiated against it or them, or been involved in or is currently involved in any mediation or arbitration proceedings or lawsuits suits related to any construction project, or has any judgments or awards outstanding against it or them? If the answer is yes, please attach the details for each Claim, including the names and telephone numbers of the persons who are parties, the amount of the Claim, the type of Claim and basis for the Claim, and the outcome.

Note: As used in this document "Claim" means a Claim initiated under the Contract Documents for a project.

3.3 Within the last five years, has any officer or principal of your organization ever been an officer or principal of another organization when it failed to complete a construction contract? If the answer is yes, please attach details for each instance, including the names and telephone numbers of the persons who are parties to the contract, and the reason(s) the contract was not completed.

3.4 On a separate sheet, list construction projects your organization has in progress with an original Contract Sum of more than \$212,500.00, giving the name of project, owner and its telephone number, design professional and its telephone number, contract amount, percent complete and scheduled completion date.

3.4.1 State total amount of work in progress and under contract:

3.5.1 Provide the following information for each project your organization has had during the last five (5) years, which your organization believes is of comparable or greater size and complexity than the Owner's project. If there are more than five (5) of these projects, only provide information on the most recent five (5) projects, including current projects.

Project And Work	Contract Sum	Owner's Representative & Telephone Number	Engineer's Or Architect's Representative Name & Telephone Number

3.5.2 State average annual amount of construction work your organization has performed during the last five years.

3.5.3 If any of the following members of your organization's management--president, chairman of the board, or any director--operates or has operated another construction company during the last five (5) years, identify the member of management and the name of the construction company.

3.5.4 If your organization is operating under a trade name registration with the Secretary of State for the State of Ohio, identify the entity for which the trade name is registered. If none, state "none."

3.5.5. If your organization is a division or wholly-owned subsidiary of another entity or has another relationship with another entity, identify the entity of which it is a division or wholly-owned subsidiary or with which it has another relationship and also identify the nature of the relationship. If none, state "not applicable."

3.6 On a separate sheet, list the construction education, training and construction experience for each person who will fill a management role on the Project, including without limitation the Project Executive, Project Engineer, Project Manager, and Project Superintendent. For each person listed, include with the other information

the last three projects on which the person worked and the name and telephone number of the Design Professional and the Owner.

4. REFERENCES

4.1 Trade References:

4.2 Bank References:

4.3 Surety:

4.3.1 Name of bonding company:

4.3.2 Name and address of agent:

5. FINANCING

5.1 Financial Statement

5.1.1 Attach a financial statement, preferably audited, including your organization's latest balance sheet and income statement showing the following items:

Current Assets (e.g., cash, joint venture accounts, accounts receivable, notes receivable, accrued income, deposits, materials inventory and prepaid expenses);

Net Fixed Assets;

Other Assets;

Current Liabilities (e.g., accounts payable, notes payable, accrued expenses, provision for income taxes, advances, accrued salaries and accrued payroll taxes); and

Other Liabilities (e.g., capital, capital stock, authorized and outstanding shares par values, earned surplus and retained earnings).

5.1.2 Name and address of firm preparing attached financial statement, and date thereof.

5.1.3 Is the attached financial statement for the identical organization named on page one?

5.1.4 If not, explain the relationship and financial responsibility of the organization whose financial statement is provided (e.g., parent-subsiary).

5.2 Will the organization whose financial statement is attached act as guarantor of the contract for construction?

Certification. The undersigned certifies for the reliance of the Owner that after diligent investigation, to the best of the undersigned's belief, the information provided with this Contractor's Qualification Statement is true, accurate and not misleading.

SIGNATURE

Dated at this ____ day of _____, 2014.

Name of Organization: _____

By: _____ (Print Name)

Signature: _____

Title: _____

_____, being duly sworn, deposes and says that the information provided herein is true and sufficiently complete so as not to be misleading.

Subscribed and sworn before me this ____ day of _____, 2014.

Notary Public

My Commission Expires: _____

SEAL

CONTRACTOR'S ORGANIZATION

General Information

Address: _____

Telephone and Facsimile: _____

E-mail address: _____

Web site: _____

If address given above is a branch office address, provide principal home office address:

Type of Organization

The Contractor's Organization is a:

Corporation

Date and State of Incorporation: _____

Executive Officers: (Names and Addresses) _____

Partnership

Date and State of Organization: _____

Type of Partnership: General Limited Limited Liability Other:

Current General Partners: (Names and Addresses) _____

Joint Venture

Date and State of Organization: _____

Joint Venturers: (For each indicate the name, address and form and state of organization, as well as the managing or controlling Joint Venturer if applicable.) _____

Limited Liability Company

Date and State of Organization: _____

Members: (Names and Addresses) _____

 Sole Proprietorship

Date and State of Organization: _____

City or Citys: (Names and Addresses) _____

 Other

Type of Organization: _____

State of Organization: _____

Citys and/or Principals: (Names and Addresses) _____

In addition to the above categories of business entities, indicate whether Contractor's organization is certified as a:

Disadvantaged Business Enterprise Certified by:

Minority Business Enterprise Certified by:

Women's Business Enterprise Certified by:

Historically Underutilized Business Zone Small Business Concern Certified by: _____

LICENSING AND REGISTRATION

Jurisdictions in which Contractor is legally qualified to practice: (Indicate license or registration numbers for each jurisdiction, if applicable, and type of license or registration. Attach separate sheet as necessary.)

In the past five years, has Contractor had any business or professional license suspended or revoked?

Yes No

If yes, describe circumstances on separate attachment, including jurisdiction and bases for suspension or revocation.

CONTRACTOR'S PERSONNEL AND APPROACH

Key Construction Personnel. Create and attach Schedule A, listing the Contractor's: 1) Key Construction Personnel who will work on the Project; 2) their construction experience; and, 3) the percentage of time that each is anticipated to devote to the Project.

List types of work generally performed by Contractor's own work force:

Subcontractors

Indicate criteria used in the selection of subcontractors (Indicate if Not Applicable).

- Price
- Financial strength
- Bonding capacity
- Previous experience with Contractor
- Previous experience in industry
- Subcontractor's reputation in industry
- Availability of sufficient personnel
- Safety record
- Other: _____

State Contractor's policy on the bonding of its subcontractors: _____

Describe Contractor's proposed technical and management approach to the Project, including approaches to quality, time and cost control: (Attach additional sheets as necessary.)

CONTRACTOR'S RELEVANT EXPERIENCE

Past Projects List. In the chart below, list at least five construction projects Contractor has worked on in the past five (5) years with project delivery systems similar in size and scope to the one to be employed for this Project. (For Joint Ventures, list each joint venturer's projects separately).

City Name	Project Type	Contract Amount	Completion Date	Contact Name and Number

Current Projects List. In the chart below, list all current projects of the Contractor, including projects not yet underway, approximate dollar value of each and the percentage of completion of each project. (For Joint Ventures, list each joint venturer's projects separately).

City Name	Project Type	Contract Amount	Percentage Complete	Contact Name and Number

Annual Construction Volume. Indicate the annual volume of work completed for the past three years:

Year _____

Year _____

Year _____

In the past five years, has Contractor defaulted, been terminated for cause or failed to complete a construction contract awarded to it? ___ Yes ___ No

If yes, describe circumstances on separate attachment, including dates and owner, and if applicable, Contractor's surety.

In the past five years, has any officer, partner, joint venturer or proprietor of the Contractor ever failed to complete a construction contract awarded to that person or entity in their name or on behalf of another organization? Yes No

If yes, describe circumstances on separate attachment, including dates and City, and if applicable, surety.

Describe all litigation arising from Contractor's active projects or projects worked on within the last five years. (Attach additional sheets as necessary.)

CONTRACTOR'S SAFETY PROGRAM

If Contractor has a written safety program, attach a copy.

Does the Contractor's safety program include instructions on the following:

Safety work practices Yes No

Safety supervision Yes No

Toolbox safety meetings Yes No

Emergency procedures Yes No

First aid procedures Yes No

Accident investigation Yes No

Fire protection Yes No

New workers' orientation Yes No

Do you have a safety officer/department in your company? Yes No

If yes,

Name: _____

Title: _____

Phone: _____

Do you conduct project safety inspections? Yes No

If yes, how often? _____

Who conducts this inspection?

Name: _____

Title: _____

Do you hold project safety meetings for field supervisors? Yes No

If yes, how often? Weekly Bi-weekly Monthly Less often as needed

Do you have in place an instruction program on safety for newly hired or promoted supervisors? Yes No

If yes, please attach a copy of program format.

If craft "toolbox" safety meetings are held, what is their frequency? Weekly Bi-weekly Monthly Less often as needed

Do you have a drug and alcohol testing policy? Yes No

If Yes, attach a copy of the policy.

Provide Contractor's OSHA No. 300 Log and Summary of Occupational Injuries and Illnesses for the past five years.

List all OSHA Citations and Notifications of Penalty, monetary or other, received within the last five years: (Indicate final disposition as applicable. Attach additional sheets as necessary.)

List all safety citations of violations under state law received within the last five years: (Indicate final disposition as applicable. Attach additional sheets as necessary.)

SURETY AND INSURANCE

Surety Company: (Name and Address)

Agent: (Name, Address and Telephone Number)

Total bonding capacity: \$ _____

Limit per project: \$ _____

Available bonding capacity as of this date: \$ _____

CONTRACTOR FINANCIAL INFORMATION

List principal banks used, the approximate value of outstanding loans and general repayment history, as well as the Name, Address and Telephone Number of a contact person:

Attach audited financial statements for the past three (3) years, including latest balance sheet.

State whether Contractor, or any of the individuals identified in Article 1, has/have been the subject of any bankruptcy proceeding within the last five (5) years.

Yes No

If yes, describe circumstances on separate attachment.

STATEMENT OF POTENTIAL CONFLICTS OF INTEREST

Provide information about any business associations, financial interests or other circumstances that may create a conflict of interest with the City or any other Party known to be involved in the Project.

OTHER INFORMATION

Within the past five years, has Contractor, or any of the individuals identified in Article 1 and/or Schedule A been the subject of any criminal indictment or judgment of conviction for any business-related conduct constituting a crime under state or federal law? __ Yes __ No

If yes, describe circumstances on separate attachment.

Within the past five years, has Contractor or any of the individuals identified in Article 1 and/or Schedule A been the subject of any federal or state suspension or disbarment? __ Yes __ No

If yes, describe circumstances on separate attachment.

Within the past five years, has Contractor, or any of the individuals identified in Article 1 and/or Schedule A been the subject of any formal proceeding or consent order with a state or federal environmental agency involving a violation of state or federal environmental laws? __ Yes __ No

If yes, describe circumstances. (Attach additional sheets as necessary.)

REFERENCES

Provide one additional reference for each of the following categories.

1. City

Name: _____

Address: _____

Telephone No.: _____

Contact Person: _____

2. Architect/Engineer

Name: _____

Address: _____

Telephone No.: _____

Contact Person: _____

3. Subcontractor

Name: _____

Address: _____

Telephone No.: _____

Contact Person: _____

The Undersigned, on behalf of the Contractor, certifies under that the information provided here, or attached to this form, is true and sufficiently complete to the best of the Contractor’s knowledge.

CONTRACTOR

Signature _____

Printed Name: _____

Title: _____

Date: _____

III. ADDITIONAL CONTRACT DOCUMENTS

A. City OF DUBLIN/CONTRACTOR AGREEMENT

STANDARD AGREEMENT

CITY OF DUBLIN, OHIO

I. INTRODUCTION

This Agreement is entered into on _____, by and between the CITY OF DUBLIN, OHIO (“Owner”), located at 5200 Emerald Parkway, Dublin, Ohio 43017, and _____ (“Contractor”), located at _____ for the CITY OF DUBLIN 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT (“Project”).

THIS DOCUMENT HAS IMPORTANT LEGAL CONSEQUENCES. CONSULTATION WITH AN ATTORNEY IS ENCOURAGED WITH RESPECT TO ITS EXECUTION, COMPLETION AND MODIFICATION.

The Owner, a political subdivision of the State of Ohio, and the Contractor have entered into this Owner-Contractor Agreement (“Agreement”) as of the date set forth above. The Owner and the Contractor agree as follows:

1 WORK.

1.1 The Contractor shall furnish all the labor, services, materials, plant, equipment, tools, scaffolds, appliances, transportation, and all other things (collectively called the “Work”) necessary for the timely and proper completion of the Work described in the Contract Documents for the Project. The Contractor shall provide the Performance and Payment Bonds on the forms and in the manner described in the Contract Documents.

1.2 CLEANUP. Contractor shall cleanup, repair, restore and otherwise return any site or location provided by Owner to the condition in which it was delivered to Contractor. Contractor shall repair, at its sole expense, any property it damages, whether part of the work or not, to a condition acceptable to Owner.

1.3 COMPLETION. The Project shall be finally completed by: October 31, 2014. The Contractor shall at all times furnish sufficient skilled workers, materials, and equipment to perform the Work in strict conformance with the Contract Documents and to the entire satisfaction of the Owner, so as to complete the Project by the Date for Final Completion. All materials and equipment provided shall be new, free from all defects, fit for the purpose for which intended, and merchantable.

1.4 SUPERVISION. The Contractor shall assign a competent Project Supervisor who shall be present on site. At the Owner’s request and without additional charge to Owner, the Contractor shall replace the Project Supervisor. The Owner’s Representative shall not be responsible for the acts or omissions of the Project Supervisor or his assistants. At a minimum, the Project Supervisor shall be present on site whenever any Contractor or Subcontractor personnel are present on site.

1.5 TAXES AND FEES. Contractor is subject to and responsible for paying fees to obtain all applicable licenses, permits, and other permissions necessary to perform its obligations under this

Contract. Contractor is responsible for paying federal, state, and local taxes. Contractor agrees to withhold all income taxes due or payable under the provisions of Income Tax Ordinances of the Owner, for qualifying wages, salaries, and commissions paid to its employees and further agrees that any of its sub-contractors shall be required to agree to withhold any such income taxes due for services performed under this Contract.

2 CONTRACT DOCUMENTS.

2.1 The Contract Documents consist exclusively of:

- This Agreement
- Invitation to Bid
- Instructions to Bidders
- Prevailing Wage Rates (if Applicable)
- Proposal
- Bid Schedule
- Performance and Payment Bonds
- Delinquent Personal Property Tax & Noncollusion Affidavit
- Affidavit of Authority (If applicable)
- List of Subcontractors
- Contractor Qualification Statement
- CITY OF DUBLIN General Conditions Division 100
- Supplemental General Conditions
- The current version of the CMS, excluding Division 100
- Specifications
- Supplemental Specifications
- Notice of Award to Bidder
- Notice to Proceed
- Final Affidavit of Compliance with Prevailing Wages
- Plans and Drawings

If there is a conflict between any of the Contract Documents, the document listed first above shall control.

3 OWNER'S REPRESENTATIVE.

3.1 The City Engineer and/or his designee is the Owner's Representative with respect to all matters involving the Owner.

3.2 Except as specifically stated to the contrary elsewhere in this Agreement, the Contractor shall direct all communications to the Owner through the Owner's Representative, although the City Manager and Fiscal Officer of the Owner are also authorized to send written communications to the Contractor.

3.3 The Owner's Representative will monitor the progress of the Contractor's Work and will conduct regular inspections of the progress of the Work as provided in the Contract Documents. Such inspections shall not relieve the Contractor of any of its obligations under the Contract Documents.

3.4 The Contractor shall at all times provide the Owner's Representative access to the Work.

4 TIME FOR COMPLETION AND PROJECT COORDINATION.

4.1 Project Time Schedule. The Owner anticipates that Work on the Project will begin upon its issuance of a Notice to Proceed and be completed by October 31, 2014, unless the Owner and Contractor agree to different commencement and completion dates.

4.2 Contractor is responsible for scheduling its subcontractors and for any delay resulting from their performance.

4.3 TIME IS OF THE ESSENCE. THE DATES IN THE PROJECT TIME SCHEDULE ARE OF THE ESSENCE OF THIS AGREEMENT. THE CONTRACTOR SHALL PROSECUTE ITS WORK IN ACCORDANCE WITH THE PROJECT TIME SCHEDULE, INCLUDING ANY AMENDMENTS THERETO.

5 DELAYS AND ACCELERATIONS.

5.1 NOTICE OF DELAYS. The Contractor shall give the Owner written notice of any delay affecting its Work within 24 hours of the commencement of the delay. The notice shall state in all capital letters at least 12 point font "NOTICE OF DELAY." The failure to give the required notice or include the required "NOTICE OF DELAY" language shall constitute an irrevocable waiver of the Contractor's right to seek an extension of time and/or additional compensation/damages for the delay. The Owner, in its sole and reasonable discretion, shall determine whether a delay shall entitle the Contractor to an extension of time, additional payment, or both. Any of the foregoing shall only be granted pursuant to the procedures for Change Orders set forth in this Agreement.

5.2 ACCELERATION OF THE WORK. If the Contractor fails to perform as required by the Contract schedule, the Owner may require the Contractor to accelerate its Work by adding workers or working additional shifts, extended shifts or overtime, so that the Work is in final form before the Date for Final Completion. If the Owner requires the Contractor to accelerate its Work, the Contractor shall take the required action within two days of the Notice. If the acceleration is not due to fault of the Contractor, Owner shall issue a Change Order increasing the Contract Sum to pay the Contractor for the Contractor's additional costs of accelerating its Work so that the Work is in final form before the Date for Final Completion. If there is a dispute as to whether the Contractor is entitled to a Change Order for accelerating its Work, the Contractor shall proceed to accelerate its Work without waiting for a Change Order or payment of any additional compensation, but may reserve its right to make a claim against the Owner for its additional costs incurred in accelerating its Work. The Contractor's additional costs for accelerating its Work shall be determined in accordance with Paragraph 5.2.2.

5.2.1 OWNER'S OBLIGATION TO PAY. The Owner shall pay the Contractor, as provided in this Paragraph, for the Contractor accelerating its Work so that its Work is in final form before the Date for Final Completion so long as the acceleration is not required as a result of the Contractor's failure to stay on schedule. The Owner shall not be required to compensate the Contractor for accelerating its Work based on the Contractor's own decision so that the Work is in final form by the Date for Final Completion.

5.2.2 COMPENSATION FOR ACCELERATION OF THE WORK. To the extent that the Owner requires the Contractor to accelerate its Work and is obligated to pay under Section 5.2.1, the Owner shall pay the Contractor for the Contractor's additional costs of accelerating its Work, as determined in accordance with this Paragraph. The additional costs of accelerating the Work shall be (a) any premium for overtime, additional shift work, or extended shift work, (b) the cost of any additional supervision required by the acceleration, (c) out of pocket cost of any additional equipment required for the acceleration, and (d) overhead, including home office overhead, and profit equal to ten percent (10%) of the total amount of items (a) and (b) for which additional compensation is permitted under this Paragraph. The foregoing shall be the only additional compensation and/or damages the Contractor shall be entitled to receive for accelerating its Work so that it is complete before the Date for Final Completion. As a condition precedent to its recovery of additional compensation, the Contractor shall provide the Owner with full information about the costs of accelerating its Work in the form and format requested by the Owner.

6 CORRECTIVE ACTION.

6.1 If the Owner determines that the Contractor is not cooperating or coordinating its work properly with its subcontractors, not supplying sufficient skilled workers, not cleaning up the Project, not furnishing the necessary materials, equipment, or any temporary services or facilities to perform the Work in strict conformance with the Contract Documents, or the Contractor is not on schedule, or is not otherwise performing its obligations under the Contract Documents, THE CONTRACTOR SHALL IMMEDIATELY, AND IN NOT LESS THAN FORTY-EIGHT (48) HOURS AFTER NOTICE OF SUCH DETERMINATION, OR SUCH LESSER TIME AS MAY BE PROVIDED IN THE CONTRACT DOCUMENTS, (1) COMMENCE SUCH ACTION AS IS NECESSARY TO CORRECT THE DEFICIENCIES NOTED BY THE OWNER, (2) PROCEED TO USE ITS BEST EFFORTS TO CORRECT SUCH DEFICIENCIES WITHIN THIRTY (30) DAYS OF SUCH NOTICE OR BY THE DEADLINE FOR COMPLETION OF THE PROJECT SET FORTH IN THIS AGREEMENT WHICHEVER IS SOONER AND/OR, (3) IF THE OWNER INSTRUCTS THE CONTRACTOR TO TAKE SPECIFIED CORRECTIVE ACTION, SHALL IMMEDIATELY TAKE SUCH CORRECTIVE ACTION, including but not limited to increasing the number of skilled workers, providing temporary services or facilities, and cleaning up the Project. Such corrective action shall be taken and continued uninterruptedly without waiting to initiate any dispute under Paragraph 11 of this Agreement or the resolution of any dispute initiated under such paragraph.

7 CONTRACT SUM. The lump sum Contract Sum to be paid by the Owner to the Contractor, as provided herein, for the satisfactory performance and completion of the Project and all of the duties, obligations and responsibilities of the Contractor under this Agreement and the other Contract Documents will be \$. The Contract Sum includes all federal, state, county, municipal, and other taxes imposed by law, including but not limited to any sales, use, and personal property taxes payable by or levied against the Contractor because of the Work or the materials incorporated into the Work. The Contractor shall pay any such taxes.

8 LIQUIDATED DAMAGES.

8.1 The Contractor shall have its work substantially completed by the date stated in Paragraph 1.3; the timeline may be varied following award of the contract based upon the Contractor's ability to perform the work on a different timeline acceptable to the Owner. By entering into this Agreement, the Contractor agrees that the period for performing the Work is reasonable and that the Contractor's Work can be substantially complete by the date stated in this Agreement.

8.2 If the Contractor does not have its Work on the Project substantially complete by the date stated in Paragraph 1.3 or as otherwise agreed by the parties, the Contractor will pay the Owner (and the Owner may set off from sums coming due the Contractor) liquidated damages in accordance with the Contract Documents.

8.3 The Contractor acknowledges by signing this Agreement with the Owner that the amount of liquidated damages represents a reasonable estimate of the actual damages the Owner would incur if the work is not substantially complete by the foregoing date and that the damages that may result from the failure to substantially complete the work by the foregoing date are uncertain and difficult to ascertain. These liquidated damages are damages for loss of use of the Project, and the Contractor in addition to the liquidated damages will be obligated to indemnify and hold the Owner harmless from any claims, and if the Work on the Project is accelerated because of delay, for all costs related to the acceleration of the Work, as provided in the Contract Documents. In addition to such Liquidated Damages, the Contractor shall indemnify, defend and hold the Owner and its employees and agents harmless from any and all claims, whether or not such claims are proven, and from all costs and expenses incurred, as a result of or related to such claims, including but not limited to attorneys' and consultants' fees and expenses, provided that such claims arise out of or are related to the Contractor's failure to Substantially Complete its Work by its Date for Substantial Completion. These Liquidated Damages are in addition to any other remedies available to the Owner under the Contract Documents.

9 LIMITATION AND LIABILITY.

9.1 The Owner's total liability under this Agreement shall be limited to the amount set forth in the Finance Director's certificate accompanying this Agreement. Under no circumstances shall the elected officials, officers, employees, council members, or agents of the Owner be personally liable for any obligations or claims arising out of or related to this Agreement.

10 PAYMENT

10.1 APPLICATIONS FOR PAYMENT. Payment applications shall be submitted on a monthly basis and shall reflect the amount of work completed as of the date the application for payment is submitted. On or before Completion, the Contractor shall submit to the Owner, an itemized payment application for such period in the following format and with one copy of the following documentation: 1) Invoice for work performed and materials and equipment provided for the previous pay period; 2) Current list of the Contractor's Subcontractors and suppliers showing their respective contract sums, amount paid, and amount due; 3) Contractor's Affidavit of Release of Liens with and lien releases in the format provided by the Owner for all the Contractor's Subcontractors and suppliers current through the date of the Contractor's previous Application for Payment; 4) Such

other supplemental information as the Owner may require. Such other information may include a schedule of all materials and equipment stored on site.

10.2 The Owner may withhold payment in whole or in part, and may demand that the Contractor refund amounts previously paid, to protect the Owner from loss because of: 1) The Contractor's default or failure to perform any of its obligations under the Contract Documents, including but not limited to: failure to provide sufficient skilled workers; Work, including equipment or materials, which is defective or otherwise does not conform to the Contract Documents; failure to conform to the Project Time Schedule; and failure to follow the directions of or instructions from the Owner; 2) The Contractor's default or failure to perform any of its obligations under another contract that it has with the Owner; 3) The filing of third party claims, or reasonable evidence that third party claims have been or will be filed; 4) The Work has not proceeded to the extent set forth in the application for payment; 5) Any representations made by the Contractor are untrue; 6) The failure of the Contractor to make payments to its Subcontractors; 7) Damage to the Owner's property or the property of another person or laborer; 8) The determination that there is a substantial possibility that the Work cannot be completed for the unpaid balance of the Contract Sum; and/or 9) Liens filed or reasonable evidence indicating the probable filing of such liens.

10.3 The Owner will pay the Contractor within 30 days after receipt of the Contractor's payment application, provided that the payment application has been properly submitted on a timely basis and is accompanied by all of the required documentation. The Owner may establish a cut-off date for the submission of the payment application.

11 RETAINAGE.

11.1 AMOUNT OF PAYMENTS. Subject to Paragraph 8.1, the amount of the payments to the Contractor shall be determined in accordance with the following paragraphs:

11.2 PAYMENTS. Payments under the contract shall be made at the rate of 95% of the amount set forth in the Contractor's payment application and approved by the Owner until the Work is 50% complete. When more than fifty percent (50%) of the Work has been completed, the amount retained may be reduced at the City's sole discretion. The Engineer may also, at any time, increase retainage by any amount needed to protect the City's interests with respect to any incomplete, defective or unsatisfactory Work; costs or damages incurred by the City that are subject to the Contractor's indemnification obligations; or back charges that the City may assess against the Contractor.

11.3 DOCUMENTATION. Upon request, the Contractor immediately shall supply the Owner with such information as may be requested so as to verify the amounts due to the Contractor, including but not limited to original invoices for materials and equipment and documents showing that the Contractor has paid for such materials and equipment, and so as to verify that amounts due laborers, subcontractors, and materialmen have been paid to them.

11.4 FINAL PAYMENT.

11.4.1 The final application for payment shall be itemized, and the Contractor shall ensure that the final application for payment shall contain one (1) copy of each of the following documents, if not previously delivered to the Owner: 1) All items from Paragraph 10.1; 2) Consent of the Contractor's Surety to Payment; 3) An assignment to the Owner of all

warranties obtained or obtainable by the Contractor from manufacturers and suppliers of equipment and materials incorporated into the Work by written instrument of assignment in a form acceptable to the Owner; and 4) Such other documentation as required by the Contract Documents, the Owner, or applicable law.

11.4.2 The making of Final Payment by the Owner shall not constitute a waiver of Claims by the Owner for the following: 1) Liens, Claims, security interests, or encumbrances arising out of the Contract Documents that are unsettled; 2) Failure of the Work to comply with the requirements of the Contract Documents; 3) Terms of special warranties required by the Contract Documents; 4) Claims for Indemnification; 5) Claims about which the Owner has given the Contractor written notice; or 6) Claims arising after Final Payment.

11.5 ESCROW ACCOUNT. The Owner and the Contractor agree that no escrow account shall be required in connection with this Agreement and that retained funds will not earn interest.

12 CHANGE ORDERS.

12.1 A Change Order is a written instrument signed by the Owner and the Contractor stating their agreement upon a change in the Work, the amount of the adjustment or the method for computing the amount of the adjustment of the Contract Sum, if any, and the extent of the adjustment in the Project Time Schedule, if any.

13 CLAIMS AND DISPUTES.

13.1 A Claim is a demand or assertion by one of the parties seeking, as a matter of right, adjustment, or interpretation of the terms of the Contract Documents, payment of money, extension of time, or other relief with respect to the terms of the Contract Documents, provided that the Owner's decision to adjust or withhold payment under Paragraph 10.2 shall not be considered a Claim. The responsibility to substantiate claims shall rest with the party making the Claim. The Contractor shall not knowingly present or cause to be presented a false or fraudulent Claim. As a condition precedent to making a claim, the Contractor shall submit an affidavit sworn to before a notary public or other person authorized to administer oaths in the State of Ohio and executed by an authorized representative of the Contractor, which states that:

13.1.1 The Claim which is submitted herewith complies with Paragraph 13.1 of the Owner-Contractor Agreement, which provides that the "Contractor shall not knowingly present or cause to be presented a false or fraudulent Claim."

13.1.2 Claims must be made by written notice in an acceptable written medium. Claims may not be submitted via email.

13.1.3 If the Contractor wishes to make a Claim for an increase in the Contract Sum, written Notice as provided herein shall be given before proceeding to execute the Work.

13.1.4 If the Contractor wishes to make a Claim for additional time, the Contractor shall include an estimate of cost and probable effect of delay on progress of the Work. In the event of continuing delay, only one Claim is necessary. If adverse weather conditions are the basis for a Claim for additional time, such claim shall be documented by data substantiating that weather conditions were abnormal for the period of time and could not have been

reasonably anticipated, and that weather conditions had an adverse effect on the scheduled construction.

13.1.5 If conditions are encountered at the site which are (1) subsurface or otherwise concealed physical conditions that differ materially from those indicated in the Contract Documents AND (2) unknown physical conditions of an unusual nature that differ materially from those ordinarily found to exist and generally recognized as inherent in construction activities of the character provided for in the Contract Documents, then the observing party shall give written notice to the other party promptly before conditions are disturbed. If the conditions meet the requirements of (1) AND (2) and cause an increase or decrease in the Contractor's cost of, or time required for, performance of any part of the Work, the Owner will issue an appropriate Change Order.

13.1.6 The Contractor shall make all claims in writing within seven (7) calendar days after the occurrence of the event giving rise to the Claim. Failure to do so shall be an irrevocable waiver of the Claim.

13.1.7 Within ten (10) days of its receipt of a written request, the Contractor shall make available to the Owner or its representative any books, records, or other documents in its possession or to which it has access relating to any Claim and shall require its Subcontractors, regardless of tier, and materialmen to do likewise.

13.1.8 If a Claim has not been resolved within fourteen (14) days after submission to the other party, the City shall have the right, at its sole discretion, to elect to pursue resolution of the Claim through mediation or arbitration. Should the City elect to pursue either mediation or arbitration, said alternative dispute resolution shall be conducted in general conformity with the applicable rules of the American Arbitration Association. Should the City elect not to pursue resolution of a claim through the foregoing process, the Claimant's exclusive remedy is to file suit in the Common Pleas Court of Franklin County, Ohio.

14 DEFAULT OF THE CONTRACTOR.

14.1 EVENTS OF DEFAULT. Each of the following constitutes an event of default of the Contractor:

14.1.1 The Contractor's failure to perform any of its obligations under the Contract Documents and to proceed to commence to correct such failure within forty-eight (48) hours after written notice thereof from the Owner or such lesser time as is provided in the Contract Documents, or

14.1.2 The Contractor's failure thereafter to use its best efforts to correct such failure, or

14.1.3 Except when an extension of time is granted in writing by the Owner, to correct such failure within thirty (30) days after receipt of written notice thereof.

14.1.4 The Contractor's failure to pay its obligations as they become due or the Contractor's insolvency.

14.2 OWNER'S REMEDIES. Upon the occurrence of an event of default the Owner shall have the following remedies, which shall be cumulative:

14.2.1 Order the Contractor to stop the Work, which the Contractor shall do immediately;

14.2.2 To perform through others all or any part of the Work remaining to be done and to deduct the cost thereof from the unpaid balance of the Contract Sum or, if the unpaid balance of the Contract Sum is inadequate, to demand reimbursement of amounts previously paid to the Contractor;

14.2.3 To terminate this Agreement and take possession of, for the purpose of completing the Work or any part of it, all materials, equipment, scaffolds, tools, appliances, and other items belonging to or possessed by the Contractor, all of which the Contractor hereby transfers and assigns to the Owner for such purpose, and to employ any person or persons to complete the Work, including the Contractor's employees, and the Contractor shall not be entitled to receive any further payment until the Work is completed; and/or,

14.2.4 All other remedies which the Owner may have at law or in equity or otherwise under the Contract Documents.

14.3 TERMINATION OF AGREEMENT. The termination of this Agreement shall be without prejudice to the Owner's rights and remedies, including without limitation the Owner's right to be indemnified by the Contractor.

14.4 PAYMENTS DUE CONTRACTOR. If the unpaid balance of the Contract Sum exceeds the cost of finishing the Project, including any costs, expenses or damages incurred by the Owner as a result of the event of default, including attorneys' and consultants' fees and the administrative expense of the Owner's staff, such excess shall be paid to the Contractor. If such costs exceed the unpaid balance, the Contractor shall pay the difference to the Owner. The obligations under this Paragraph shall survive the termination of this Agreement.

15 DEFAULT OF THE OWNER.

15.1 EVENTS OF DEFAULT. The following constitutes the exclusive events of default of the Owner:

15.1.1 The failure of the Owner to perform any of its obligations under the Contract Documents and to correct such failure within thirty (30) days after receipt of written notice thereof from the Contractor specifying the default and the necessary corrective action.

15.2 CONTRACTOR'S REMEDY.

15.2.1 The Contractor's sole and exclusive remedy for the default of the Owner, other than the failure of the Owner to pay the Contractor, will be to bring a suit for damages in the Common Pleas Court of Franklin County, Ohio. The Contractor's right to exercise that remedy shall be subject to its giving the Owner the required notices and following any other procedures required by the Contract Documents.

15.2.2 If the Owner fails to pay the Contractor as payment becomes due, the Contractor may, upon fifteen (15) days written Notice, stop the Work until payment of the amount owing has been received. An adjustment to the Contract Sum will be made as if the Work had been suspended for the convenience of the Owner under Section 16 of this Agreement.

16 SUSPENSION OR TERMINATION FOR THE CONVENIENCE OF THE OWNER.

16.1 SUSPENSION FOR THE CONVENIENCE OF THE OWNER.

16.1.1 The Owner may, without cause, order the Contractor to suspend, delay, or interrupt the Work in whole or in part for such period of time as the Owner may determine.

16.1.2 An adjustment shall be made for increases in the cost of performance of the Work, including profit and overhead on the increased cost of performance, caused by the suspension, delay or interruption, provided that the total cost of profit and overhead shall not exceed 10% of the amount of the increased cost not attributable to profit or overhead. No adjustment shall be made to the extent that: performance is, was or would have been so suspended, delayed or interrupted by another cause for which the Contractor is responsible; or an equitable adjustment is made or denied under another provision of this Agreement.

16.2 TERMINATION FOR THE CONVENIENCE OF THE OWNER.

16.2.1 The Owner may, in its discretion and without cause, by written notice to the Contractor terminate this Agreement for the Owner's convenience.

16.2.2 Upon receipt of a written notice from the Owner terminating this Agreement without cause and for the Owner's convenience, the Contractor shall (i) immediately cease performing the Work, unless otherwise directed by the Owner, in which case the Contractor shall take the action directed by the Owner, (ii) take all reasonable and necessary action to protect and preserve the Work, and (iii) unless otherwise directed by the Owner, terminate all agreements with Subcontractors and suppliers.

16.2.3 If this Agreement is terminated without cause and for the Owner's convenience and there exists no event of the Contractor's default, as defined in this Agreement, the Owner will pay the Contractor (i) for Work performed under this Agreement up to the date the notice of termination is received by the Contractor at the rates for Work performed under this Agreement, including overhead and profit of 10% on the Work performed up to the date of termination.

16.2.4 If this Agreement is terminated without cause for the Owner's convenience and there exists an event of the Contractor's default, as defined in this Agreement, the Contractor shall be entitled to receive only such sums as it would be entitled to receive following the occurrence of an event of default under this Agreement.

16.2.5 The termination of this Agreement shall be without prejudice to any rights or remedies that exist at the time of termination.

17 INSURANCE AND INDEMNIFICATION.

17.1 The Contractor shall maintain:

- Comprehensive general liability insurance in the amount of \$1,000,000.00;
- Automobile liability insurance in the amount of \$1,000,000.00;
- Workers compensation coverage as required by Ohio Law;

- Umbrella/Excess liability coverage in the amount of \$2,000,000.00; and
- Installation floater for the Work in the amount of \$N/A;
- Additionally, said policies of insurance shall name the Owner, its elected officials, officers, employees, agents and volunteers as additional insureds for incidents arising out of the Contract.

17.2 Insurance furnished by the Owner, if any, is not intended to and shall not cover equipment and materials before they are physically incorporated into the Work or tools. The Contractor shall bear the entire risk of loss with respect to tools, equipment, and materials.

17.3 To the maximum extent permitted by law, the Contractor shall indemnify and hold harmless the Owner and the Owner's consultants, agents, and employees from and against all claims, damages, losses, and expenses, including but not limited to attorneys' and consultants' fees—whether made by Owner or a third-party—arising out of or related to the Contractor's performance of the Work including but not limited to the failure of the Contractor to perform its obligations under the Contract Documents, any claims for bodily injury, sickness, disease, or death or to injury to or destruction of or loss of use of real or personal property, claims for additional storage and handling charges, liens against funds, claims related to the alleged failure of the Contractor to perform in accordance with the Contract Documents, and/or claims related to the removal, handling, or use of any hazardous materials. The Owner may set off amounts equal to any sums for which it is entitled to be indemnified from the amounts otherwise due the Contractor under the Contract Documents. It is agreed that the cost of the Owner's staff in calculating any expenses under this Paragraph shall be at the rate of \$35.00 per hour.

18 WARRANTIES.

18.1 In addition to any other warranties, guarantees, or obligations set forth in the Contract Documents or applicable as a matter of law and not in limitation of the terms of the Contract Documents, the Contractor warrants and guarantees that:

- The Owner will have good title to the Work and all materials and equipment incorporated into the work will be new;
- The Work and all materials and equipment incorporated into the Work will be free from all defects, including any defects in workmanship or materials;
- The Work and all equipment incorporated into the Work will be fit for the purpose for which intended;
- The Work and all materials and equipment incorporated into the Work will be merchantable; and,
- The Work and all materials and equipment incorporated into the Work will conform in all respects to the Contract Documents.

18.2 Upon notice of the breach of any of the foregoing warranties or guarantees or any other warranties or guarantees under the Contract Documents, the Contractor, in addition to any other requirements in the Contract Documents, shall commence to correct such breach and all damage resulting therefrom within forty-eight (48) hours after written notice thereof, thereafter shall use its best efforts to correct such breach and damage to the satisfaction of the Owner and, except when an extension of time is granted in writing by the Owner, correct such breach and damage to

the satisfaction of the Owner within thirty (30) days of such notice; provided that if such notice is given after final payment hereunder, such 48-hour period shall be extended to seven (7) calendar days. If the Contractor fails to commence to correct such breach and damage, or to correct such breach and damage as provided above, the Owner, upon written notice to the Contractor and without prejudice to any of its other rights or remedies, may correct the deficiencies. The Contractor upon written notice from the Owner shall pay the Owner, within ten (10) days after the date of such notice, all of the Owner's costs and expenses incurred in connection with or related to such correction and/or breach, including without limitation the Owner's administrative, legal, and consulting expenses. The foregoing warranties and obligations of the Contractor shall survive the final payment and/or termination of this Agreement. If the Contractor fails to pay the Owner any amounts due under this Paragraph, the Contractor shall pay the Owner, in addition to the amounts due, a late payment fee of one and one-half percent (1.5%) per month for each month or part thereof that the payments are not paid when due.

19 GENERAL.

19.1 MODIFICATION. No modification or waiver of any of the terms of this Agreement or of any other Contract Documents shall be effective against a party unless set forth in writing and signed by or on behalf of a party, which in the case of the Owner shall require the signature of the Owner's Representative acting under the authority of a specific resolution of the Owner. Under no circumstances shall forbearance, including the failure or repeated failure to insist upon compliance with the terms of the Contract Documents, constitute the waiver or modification of any such terms. The parties acknowledge that no person has authority to modify this Agreement or the other Contract Documents or to waive any of its or their terms, except as expressly provided in this Paragraph.

19.2 ASSIGNMENT. The Contractor may not assign this Agreement without the written consent of the Owner, which the Owner may withhold in its sole discretion.

19.3 THIRD PARTIES. Nothing contained in this Agreement shall create a contractual relationship with or a cause of action in favor of a third party against either the Owner or the Contractor.

19.4 LAW AND JURISDICTION. All questions regarding the validity, intention, or meaning of this Agreement or any modifications of it relating to the rights and obligations of the parties shall be construed and resolved under the laws of the State of Ohio. Any suit, which may be brought to enforce any provision of this Agreement or any remedy with respect hereto, shall be brought in the Common Pleas Court of Franklin County, Ohio, and each party hereby expressly consents to the jurisdiction of such court.

19.5 STATUTE OF LIMITATIONS. Regardless of any provision to the contrary, the statute of limitations with respect to any defective or non-conforming Work that is not discovered by the Owner shall not commence until the discovery of such defective or non-conforming Work by the Owner.

19.6 NOTICES. Notices, requests, or demands by either party shall be in writing, unless otherwise expressly authorized, and shall be personally served, forwarded by expedited messenger service, sent by facsimile transmission, or be given by registered or certified mail, return receipt requested, postage prepaid, and, in the case of the Owner, addressed to the address/FAX number set forth at the beginning of this Agreement marked "Urgent, deliver to Owner's Representative/Designee," and, in the case of the Contractor, addressed to its address/FAX number

set forth at the beginning of this Agreement. Any party may change its address/FAX number by giving notice hereunder. All notices, requests, and demands shall be deemed received upon receipt in the case of personal delivery or delivery by expedited messenger service, including leaving the notice at the address provided herein during normal business hours; upon the expiration of forty-eight (48) hours from the time of deposit in the United States mail; or, in the case of a notice given by facsimile transmission, upon the expiration of twenty-four (24) hours after the transmission is sent.

19.7 CONSTRUCTION. The parties acknowledge that each party has reviewed this Agreement and the other Contract Documents and has voluntarily entered into this Agreement. Accordingly, the normal rule of construction to the effect that any ambiguities are to be resolved against the drafting party shall not be employed in the interpretation of this Agreement, the other Contract Documents, or any amendments or exhibits to it or them.

19.8 APPROVALS. Except as expressly provided herein, the approvals and determinations of the Owner shall be subject to the sole discretion of the Owner and will be valid and binding on the Contractor, provided only that they be made in good faith, i.e., honestly. If the Contractor challenges any such approval or determination, the Contractor shall have the burden of proving by clear and convincing evidence that it was not made in good faith.

19.9 PARTIAL INVALIDITY. If any term or provision of this Agreement is found to be illegal, unenforceable, or in violation of any laws, statutes, ordinances, or regulations of any public authority having jurisdiction, then, notwithstanding such term or provision, this Agreement shall remain in full force and effect, and such term shall be deemed stricken; provided this Agreement shall be interpreted, when possible, so as to reflect the intentions of the parties as indicated by any such stricken term or provision.

19.10 COMPLIANCE WITH LAWS AND REGULATIONS. The Contractor, at its expense, shall comply with all applicable federal, state, and local laws, rules, and regulations applicable to the Work. Including, but not limited to Ohio's Prevailing Wage law if applicable.

19.11 PROJECT SAFETY. The Contractor shall follow all applicable safety and health regulations during the progress of the Project and shall monitor all of its employees and its subcontractors for compliance with such safety and health regulations. In undertaking the responsibilities set forth in this Paragraph, the Contractor does not assume any duty or responsibility to the employees of any Subcontractor or supplier, regardless of tier. The Owner assumes no responsibility for the development, review, or implementation of any project safety plan or for Project safety and has no authority to direct the means and methods of the Contractor.

19.12 EQUAL OPPORTUNITY. Contractor agrees that, in the hiring of employees for the performance of work under the Contract or any subcontract, no contractor, subcontractor, or any person acting on a contractor's or subcontractor's behalf, by reason of race, creed, sex, disability or military status as defined in section 4112.01 of the Revised Code, or color, shall discriminate against any citizen of the state in the employment of labor or workers who is qualified and available to perform the work to which the employment relates. Contractor further agrees that neither it, its subcontractors, or any person on the Contractor's or subcontractor's behalf, in any manner, shall discriminate against or intimidate any employee hired for the performance of work under the contract on account of race, creed, sex, disability or military status as defined in section 4112.01 of the Revised Code, or color. That there shall be deducted from the amount payable to the Contractor by the Owner under this Agreement a forfeiture of twenty-five dollars (\$25.00) as required by O.R.C. Section 153.60 for each person who is discriminated against or intimidated in violation of this

Agreement. That this Agreement may be canceled or terminated by the Owner and all money to become due hereunder may be forfeited for a second or subsequent violation of the terms of this section of this Agreement.

19.13 USE OF OWNER'S FACILITIES. The Contractor shall ensure that neither its employees, nor its Subcontractor's or material supplier's employees, regardless of tier, do any of the following without the express prior written consent of the Owner: use the Owner's cafeteria, rest rooms, or phones; use or bring any alcoholic beverages, controlled substances, or firearms on any property owned by the Owner. The Owner will not tolerate any such actions and any such action observed or made known to the Owner shall be dealt with severely.

19.14 ETHICS. By signing and entering into this agreement with the Owner, the Contractor represents that it is familiar with all applicable ethics law requirements, including without limitation Sections 102.04 and 3517.13 of the O.R.C., and certifies that it is in compliance with such requirements. The Contractor understands that failure to comply with the ethics laws is, in itself, grounds for termination of this contract and may result in the loss of other contracts with the Owner.

19.15 PROPERTY TAX AFFIDAVIT. The Contractor's affidavit given under ORC Section 5719.024 is incorporated herein.

19.16 ENTIRE AGREEMENT. This Agreement and the other Contract Documents constitute the entire agreement among the parties with respect to their subject matter and will supersede all prior and contemporaneous, oral or written, agreements, negotiations, communications, representations, and understandings with respect to such subject matter, and no person is justified in relying on such agreements, negotiations, communications, representations, or understandings.

CITY OF DUBLIN, OHIO

By: _____
Its: _____
Date: _____

By: _____
Its: _____
Date: _____

APPROVED AS TO FORM:

Date: _____

Stephen J. Smith, Esq., Law Director

CERTIFICATE OF AVAILABILITY OF FUNDS

I Angel Mumma, hereby certify that I am the fiscal officer for the CITY OF DUBLIN, OHIO and that the amount of money to wit \$ _____ required to meet the cost of the attached Contract between the City and _____ has been or will be, before the ordering of any materials, lawfully appropriated for the purpose of said Contract and the money so appropriated is on deposit or in process of collection to the credit of the appropriate fund free from any previous encumbrances. Moneys due in excess of the Contract Sum and any Contingency amount assigned thereto shall require an additional and separate Fiscal Officer's Statement of Availability which shall not be given unless the Contract adjustment is directly attributable to one of the express methods for increasing the Contract Sum under the Contract Documents; and, such process is completed in the manner required by the Contract Documents.

Date

Angel Mumma, Finance Director

B. CITY OF DUBLIN GENERAL CONDITIONS DIVISION 100

City of Dublin Division of Engineering General Condition Division 100 can always be found at:

<http://dublinohiousa.gov/dev/dev/wp-content/uploads/2013/02/City-of-Dublin-General-Conditions-Section-100.pdf>

If you purchase a hard copy of the project documents the General Condition Division 100 will be on the CD included in the Bid Document. The General Condition Division 100 will also be posted with the project on the City of Dublin's website where the project documents are available for download.

C. SUPPLEMENTAL GENERAL CONDITIONS

THERE ARE NO SUPPLEMENTAL GENERAL CONDITIONS FOR THE CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM.

D. SUPPLEMENTAL SPECIFICATIONS

WORKING HOURS and RESTRICTIONS

It is the intent of the City to keep inconvenience and disturbance to property owners to a minimum. The work day(s) shall be from 7 AM until 7 PM, Monday through Friday. If the Contractor desires to work on Saturdays, or outside of these hours, the contractor should provide such request to the Engineer at least 48 hrs in advance. All work is to be scheduled to maintain the work area clean and safe and final restoration shall follow as soon as reasonably possible. Final Payment will not be made for any item until all work including cleanup and restoration associated with the item is completed. Equipment and materials shall not be stored in streets or rights of way without approval of the City. No stockpiling of material on site is permitted.

SCHEDULE OF WORK

All work shall be completed between August 4, 2014 and October 24, 2014.

SCHEDULE

The Contractor shall submit a work schedule to the Engineer at the time of the pre-construction meeting. This schedule will detail the timing of the work activities for the various sections of the project. The construction schedule shall be updated bi-monthly (twice each month), or whenever a substantial change in the schedule has occurred and forwarded to the Engineer. A revised schedule shall be submitted with each request for payment. In the event that modifications to the schedule are necessary, the contractor shall provide the City with a minimum of 24 hours advance notice to scheduled work.

TREE ROOTS / TREE DAMAGE

The Contractor shall use caution when working around street trees. Damage to tree branches and bark shall be reported to the City inspector. The Contractor shall be responsible for reimbursement to the City for any damage done to the trees.

The Contractor shall remove all tree roots within final subgrade that interfere with restoring the sidewalk to proper grade. All roots shall be removed to a depth of at least 6" of the bottom of the concrete. The Contractor shall saw any roots over 1" diameter such that the root ends are left with a **clean cut, and not frayed, splintered or burnt**. Roots less than 1" in diameter shall be pruned with a sharp tool. Roots shall not be removed in a manner that may cause the damage close to the root plate of the tree. Air Spading is preferred to expose roots for pruning, other methods may be used provided care is exercised in exposing the roots. Saws used to prune tree roots shall have blades or chains changed regularly as needed to insure a clean cut. If the contractor uses a ground saw for root pruning it is the responsibility of the contractor to expose and protect existing utilities (public and private, this includes buried dog fence, irrigation, roof-drains etc.). **Stump grinders shall not be permitted to remove tree roots.**

No sidewalk shall be formed or poured until the inspector has completed inspection of the subgrade, root pruning, and form work.

The Contractor shall use plywood or other measures acceptable to the Engineer to protect tree lawns and surface roots from damage during excavation.

UTILITIES

The Contractor shall notify the Ohio Utilities Protection Service (1-800-362-2764) at least two (2) working days prior to performing any excavation. Care shall be taken during excavation in the vicinity of utilities such as: streetlights, traffic circuits, irrigation systems, invisible dog fence, and other utilities not expressly named, so as to not damage utilities. The contractor is responsible to utilize care and to protect all utilities, public and private. The contractor is responsible to survey the existing conditions and mark the locations of visible irrigation system components. The contractor is to utilize care when working in areas that contain irrigation systems. Any damage to irrigation systems due to negligence on the part of the contractor shall be repaired at the expense of the contractor. Any damage to such utilities that the Engineer determines to be due to the contractor's neglect, shall be repaired at the expense of the contractor as soon as possible, without additional cost to the owner. The Contractor is responsible for the support and protection of utilities in any excavation. The cost for this work is to be included in the price for each bid item.

COORDINATING WITH UTILITIES

It is the Contractor's responsibility to coordinate their work with the private utilities as required. The utility owner may be required to brace, temporarily support, or relocate their respective utilities so that the proposed roadway work may proceed.

LAWN RESTORATION

The cost for all grading and restoration of disturbed areas resulting from Curb, or Curb and Gutter replacement Sidewalk and Curb Ramp construction shall be included in each respective pay item. Backfilling, seeding and mulching shall be completed as soon as possible after forms are removed, and shall not exceed 7 days. Where sidewalks are lowered grass between the back of sidewalk and the right-of-way line shall be graded to the minimum slope. All disturbed areas shall be restored, seeded and mulched and maintained in accordance with Items 653 and 659.

CONTRACTOR RESPONSIBLE FOR NEW CONCRETE

The Contractor is required to have all appropriate materials to protect the new concrete from the weather. When air temperatures fall below 40 F, the Contractor shall place cold weather blankets over the new concrete for 6 days. No additional compensation will be provided for cold weather protection.

The Contractor is responsible for the potential for any vandalism (foot/hand prints, animal tracks, tire tracks, etc.) in fresh concrete. It is suggested that a person be assigned to watch the concrete while it sets to protect against vandalism, and that barricades be placed across driveways through which new sidewalk has been poured. Patching with epoxy or sanding out marks is not acceptable.

CONCRETE FINISHING

In addition to conforming with Section 451 of the CMSC, The Contractor shall finish the concrete as directed to match the adjoining concrete. The contractor shall tool cut, edge and retrace all concrete. The curing membrane conforming to Section 451.10 and 705.07 and shall be Vocomp-20 Water Based Acrylic Concrete Curing Compound, by WR Meadows, INC..

WASHING OUT CONCRETE TRUCKS

Washing out the concrete trucks on the street or sidewalk shall not be allowed. Concrete washed out into excavations shall removed within 24 hours.

REMOVAL OF CONSTRUCTION DEBRIS

The Contractor shall remove construction debris on a daily basis. No construction materials are to be stored within any public R.O.W. The Contractor should be diligent in maintaining barricades to protect the work area. All excavated material and debris shall be immediately placed into truck or other vehicle for disposal.

All trailers or equipment parked in roadway shall be coned off for safety.

SIDEWALK CLOSINGS AND WORK ZONES

Sidewalk closings: Warning signage and barricades shall be posted immediately in advance of the closure and at the closest legal crosswalk indicating the closure ahead and provide a detour route around the work zone. The work on sidewalks shall be scheduled and coordinated such that an unobstructed detour may be provided around the work zone.

Work zones shall be adequately secured during and outside of working hours.

Sidewalk Work Zones: No construction materials are to be left in the work zone unless neatly stacked, and the work zone is enclosed and secured with construction fencing. Concrete form pins left in place and unattended shall have protection caps installed. Concrete forms, stakes,

and debris shall be removed from the site the same day that the forms are stripped. The contractor shall work on one side of a street at a time.

The Contractor shall provide a minimum of 24 and no more than 48 hours WRITTEN notice to property owners and residents prior to closing any driveway or portion thereof. Confirmation of the written notices shall be provided to the Engineer by the Contractor on a daily basis.

Only necessary construction vehicles are to be parked adjacent to the work zone(s). The street must remain open and allow for two way traffic at all times.

SURVEY MONUMENTATION

The contractor shall carefully preserve survey reference points (e.g. bench marks, property corners, reference points, stakes and other survey reference monuments or markers). Where survey reference points are disturbed due to neglect or careless operations by the contractor, the contractor shall be responsible for resetting the survey reference points. Resetting of survey reference points shall be performed by an Ohio Professional Surveyor, licensed by the State of Ohio, as approved by the Engineer at the contractor's expense.

GENERAL SPECIFICATIONS

The following supplemental specifications shall conform to Sections 200 through 1000 of the *Construction and Material Specifications of the City of Columbus, Ohio, (CMSC)* unless otherwise noted.

Reference: ITEM 202 CONCRETE /PAVEMENT REMOVED AND DISPOSED OF, A.P.P:

Unless otherwise provided in the contract documents, the cost for this item shall be included the associated item(s):

- Item 608 4" Concrete Walk Remove and Replace, A.P.P.**
- Item 608 6" Concrete Walk, Remove and Replace, A.P.P.**
- Item 608 Curb Ramp, Remove and Replace, A.P.P.**

This item consists of the removal and disposal of existing concrete/asphalt or brick pavement, (4" - 8"), curb ramps and drive aprons or other work as directed by the Engineer. The Contractor is responsible to sawcut and protect adjacent walk/pavement sections intended to remain. In the event that adjacent walk/pavement sections become damaged, the damaged sections will be replaced by the Contractor at no cost to the City. This item shall also include necessary excavation and hauling of spoils necessary to meet required grade elevations for the installation of new ADA Compliant Curb Ramps and adjacent walks, curbing, and retaining walls. Removed materials shall be placed immediately in a vehicle for removal with NO material placed or stored on the site.

Tree roots encountered during excavation shall be removed in locations where they interfere

with the placement of the walk, ramp or apron. Roots shall be neatly sawed (free of splinters, splits, and burns) and removed to a depth of at least six (6) inches below the bottom of the concrete. If the contractor encounters roots larger than 4" in diameter, the contractor shall notify the Engineer for direction on how to proceed.

This item includes all costs for traffic control devices, removal and disposal, NO payment will be made for any section of the work until all items associated with the section are complete. Payment will be made under this section for concrete/pavement removed and disposed of and not included under the following:

Item 608 4" Concrete Walk Remove and Replace, A.P.P.

Item 608 6" Concrete Walk, Remove and Replace, A.P.P.

Item 608 Curb Ramp, Remove and Replace, A.P.P.

Work is paid per Square Yard (SY) of concrete/ pavement removed and disposed of.

ITEM 202 REMOVE/DISPOSE OF RUBBERIZED SIDEWALK, A.P.P:

This item consists of the removal and disposal of existing Rubberized Sidewalk areas as directed by the Engineer. The Contractor is responsible to sawcut and protect adjacent walk/pavement sections intended to remain where needed. In the event that adjacent walk/pavement sections become damaged, the damaged sections will be replaced by the Contractor at no cost to the City. This item shall also include necessary excavation and hauling of spoils necessary to meet desired grade and for grade and elevation adjustments for the installation of new ADA Compliant Curb Ramps and adjacent walks, curbing, and retaining walls. Removed materials shall be placed immediately in a vehicle for removal with NO material placed or stored on the site.

Tree roots encountered during excavation shall be removed in locations where they interfere with the placement of the walk, ramp or apron. Roots shall be neatly sawed (free of splinters, splits, and burns) and removed to a depth of at least six (6) inches below the bottom of the concrete. If the contractor encounters roots larger than 4" in diameter, the contractor shall notify the Engineer for direction on how to proceed.

This item includes all costs for traffic control devices, removal and disposal, NO payment will be made for any section of the work until all items associated with the section are complete. This work is paid per Square Foot (SF) of Rubberized Sidewalk Removed and Disposed of.

Reference: ITEM 202 CONCRETE CURB AND GUTTER REMOVED AND DISPOSED OF:

The cost for this item shall be included the associated item(s):

Item 609 Combination Curb & Gutter, Remove and Replace, A.P.P.

This item consists of removal and disposal of existing combination curb and gutter in accordance with item 202 of the CMSC as amended in various locations throughout the City as directed by the Engineer.

The existing curb and gutter shall be removed in such a manner as to cause no damage to the adjacent pavement, driveway approach, adjoining sidewalk, and/or curb and gutter and minimize damage to the tree lawn strip between the curb and sidewalk. The contractor shall saw cut around curb & gutter sections prior to removal. Removed materials shall be placed immediately in a vehicle for removal with NO material placed or stored on the site. In the event that damage should occur to the pavement, existing curb and gutter or the grass strip, repairs shall be completed in a manner approved by the Engineer as soon as possible at no cost to the City

Curb and Gutter that has been removed and is to be replaced shall be replaced as soon as possible.

This item includes all costs for traffic control devices, removal and disposal, NO payment will be made for any section of the work until all items associated with the section are complete.

Reference: ITEM 251 ASPHALT SURFACE PATCH, (Description, Depth), A.P.P.

This item consists of repairs to the asphalt as outlined under Item 251 Partial Depth Pavement Repair, ODOTCMSC. This item consists of the spot removal and disposal of the existing surface course or courses by milling or other method approved by the Engineer where and as directed by the Engineer, and the replacement with asphalt concrete in accordance with item 448 of the ODOTCMSC at the thickness required to bring the finished surface even with the adjacent pavement. The minimum thickness of the asphalt pavement replaced will be two (2) inches. All faces bordering the repair area shall be vertical. The surface may be milled and/or saw cut in order to insure clean vertical faces. Before placing asphalt concrete clean all vertical faces and sub-surface of pavement and coat with asphalt material according to ODOTCMSC 401.14. Asphalt loads utilized for Surface Patching shall have the tickets marked accordingly.

All Patches must be brought to grade and completed the same day as excavation is performed. When the pavement has been removed and the contractor is unable to complete the required replacement in time the excavation shall be filled with patch material with a durable surface or plated. If plates are used they must be held in place by cold patch placed and compacted along the entire perimeter. The contractor will be required to maintain these patches or plates while in service. The contractor is responsible for maintaining traffic and protecting the repaired area until it has cooled sufficiently to re-open to traffic. The cost for placing, maintaining, removing, and disposing of the temporary patches or plates will be at the Contractor's expense.

The unit price for this item shall include all labor equipment and materials for the work including saw cutting, excavating, tack coating the existing pavement edges, asphalt placement, sealing the edges upon completion, all traffic control devices and other incidentals. Work is to be paid per Square Foot (SF) of Area Patched

ITEM 604 – STRUCTURE-ADJUST INLET, A.P.P

The contractor will make all final grade adjustment of manhole, catch basin and inlet covers, AA-S125, AA-S12 and similar frame assemblies using injection molded high density polyethylene (HDPE) adjustment rings where practical. The grade adjustments and repairs for inlet covers (AA-S124) and similar shall be made with the use of concrete, block and mortar or combination. The adjustment rings shall be manufactured from polyethylene plastic as identified in ASTM Designation D-1248 (Standard Specification for Polyethylene Plastic Molding and Extrusion Materials). Damaged castings shall be brought to the attention of the Engineer and if directed shall be replaced. The cost of the casting(s) replaced shall be in addition as provided for the general specifications

Installation shall be per manufacture’s recommendations only. The structure shall be properly prepared prior to installation of adjustment rings and shall be clean and free of unsound material or loose debris. The casting shall be removed, all bricks shall be removed and down to the elevation of the first solid course. The annular space between the rings and cone basin, the rings, and the rings and cover frame shall be sealed utilizing an approved butyl sealant. The overdig around the structure, after being cleaned of loose debris and excess concrete, shall be filled with LSM, Type 2 .The work performed under this section is per structure regardless of number of castings situated on structure. Leveling of casting or structure and the filling of voids with concrete shall not constitute work for payment under this section, but rather be incidental to curb placement.

ITEM 608 4” CONCRETE WALK, REMOVE AND REPLACE, A.P.P.

ITEM 608 6” CONCRETE WALK, REMOVE AND REPLACE, A.P.P.

SCOPE

This work shall consist of removal of existing walk as outlined under Item 202 Concrete/Pavement Removed and Disposed Of, and ALL WORK AS OUTLINED UNDER Item 608 of the CMSC as amended, and according to the City of Dublin Standard Drawings.

CONSTRUCTION METHOD

At locations specified by the Engineer, existing concrete sidewalks shall be removed and disposed of by the Contractor according to ITEM 202. The limits of the sidewalk removal shall be marked by the Engineer or his representative. **The Contractor shall notify the resident prior to removing any sidewalk located within the limits of a driveway.**

This item includes removal and disposal of existing concrete/asphalt or brick pavement, (4" - 8"), curb ramps and drive aprons or other work as directed by the Engineer. The Contractor is responsible to sawcut and protect adjacent walk/pavement sections intended to remain. In the event that adjacent walk/pavement sections become damaged, the damaged sections will be replaced by the Contractor at no cost to the City. This item shall also include necessary excavation and hauling of spoils necessary to meet required grade elevations for the installation of new ADA Compliant Curb Ramps and adjacent walks, curbing, and retaining walls. Removed materials shall be placed immediately in a vehicle for removal with NO material placed or stored on the site.

Furthermore, the Contractor shall install new sidewalk according to ITEM 608, within three (3) days of removal of the existing sidewalk.

All materials used in the concrete mixture, the proportioning and mixing shall conform to Items 499 and 511 Class C, Concrete. Full depth expansion material one half (1/2) inches thick conforming to ASTM D 1752, Type 1 (recycled rubber expansion material) shall be utilized where the work meets existing walks, curbs or structures. Fibrous type expansion material is not to be used. All flatwork shall be tool cut and retraced unless instructed otherwise the Engineer or his representative. .

Should the Contractor fail to install the sidewalk within the specified time, the Contractor shall be subject to item specific liquidated damage equal to one hundred dollars (\$100.00) per calendar day for each sidewalk location. Each sidewalk location is defined as each section of sidewalk removed between or adjacent to existing sidewalk sections as marked for removal by the city.

Sidewalk widths and finish shall be the same as the adjacent existing sidewalk unless approved by the Engineer.

METHOD OF PAYMENT

Payment for accepted quantities, complete in-place shall be made at the contract price for:

ITEM	DESCRIPTION	UNIT
608	4" CONCRETE WALK REMOVE AND REPLACE, A.P.P.	Sq Ft
608	6" CONCRETE WALK REMOVE AND REPLACE, A.P.P.	Sq Ft

This price shall also include the cost for excavating to the proper subgrade, disposal of excavated material, furnishing and placing 4" of compacted #57 crushed aggregate, Item 204 compaction of subgrade, concrete, expansion joint filler, and providing the labor, materials, and equipment to complete these pay items, and restoration as detailed under Items 653 and 659.

The Contractor shall report to the inspector and properly repair damaged invisible dog fences the same day with proper weather-tight connectors. The Contractor shall also report and repair damaged irrigation systems as soon as possible. Irrigation systems shall be repaired and tested within 3 days, and prior to restoration.

Gas and water valves within the sidewalk shall be fully exposed and level with the top of the new sidewalk grade.

ITEM 608 4" CONCRETE WALK w/ AGG. BASE, A.P.P.

ITEM 608 6" CONCRETE WALK w/ AGG. BASE, A.P.P.

This item consists of the placement of new four (4) and six (6) inch thick concrete sidewalks and driveway aprons and other incidental flatwork over 4" #57 crushed aggregate base. The aggregate base shall be placed upon properly prepared and compacted sub-grade. Concrete shall be placed as indicated on the plans or as directed by the Engineer and constructed in accordance with item 608 of the CMSC and the standard drawings of the City of Dublin.

Full depth expansion material one half (1/2) inches thick conforming to ASTM D 1752, Type 1 (recycled rubber expansion material) shall be utilized where the work meets existing walks, curbs or structures. Fibrous type expansion material is not to be used. The Contractor is responsible to sawcut and protect adjacent walk sections intended to remain. In the event that adjacent walk sections become damaged, they will be replaced by the Contractor at no cost to the City

The Contractor shall provide a minimum of 24 and no more than 48 hours WRITTEN notice to residents prior to closing any driveway. Confirmation of the written notices shall be provided to the City Engineer by the Contractor on a daily basis. No driveway is to be closed for a period of more than five (5) days. In the event that the five (5) day maximum is exceeded, the Contractor will not be permitted to close any more driveways on the project until compliance is achieved. Driveways closed longer than five days are subject to item specific liquidated damage of one hundred dollars (\$100.) per location per calendar day.

The contractor shall keep the areas disturbed adjacent to the concrete walks to a minimum.

This item includes all material and labor and other incidentals including, but not limited to, excavation and hauling of spoils, setting grades, formwork, finishing, and restoration as detailed under Items 653 and 659.

Work is to paid per Square Foot (SF) of:

Four (4) inch concrete placed, finished and accepted.

Six (6) inch concrete placed, finished and accepted.

Furthermore, the Contractor shall install new sidewalk according to ITEM 608, within three (3) days of removal of the existing sidewalk.

For sidewalk/flatwork that was placed at 8" thick at the direction of the Engineer, the contractor will be paid the contract unit cost for 608 6" Concrete Flatwork/Walk w/ Agg. Base, with the square foot measurement of the 8" thick walk adjusted by twenty percent, (SF*1.2).

Reference: ITEM 608 CURB RAMP, 6" CONCRETE w/ AGG. BASE, A.P.P.:

This item consists of the placement of a (6) inch thick curb ramp as per the standard drawings of the City of Dublin constructed in accordance with item 608 of the CMSC. Ramps along arterial streets, when directed by the Engineer shall be 8" thick. The standard ramp length is 7', changes in the ramp length due to existing site conditions must be approved by the Engineer.

Full depth expansion material one half (1/2) inches thick conforming to ASTM D 1752, Type 1 (recycled rubber expansion material) shall be utilized where the work meets existing walks, curbs or structures. Fibrous type expansion material is not to be used. The Contractor is responsible to sawcut and protect adjacent walk sections intended to remain. In the event that adjacent walk sections become damaged, they will be replaced by the Contractor at no cost to the City.

Areas to be paid under this item shall include the ramp section directly adjacent and sloping perpendicular to the curb. The landing directly adjacent to the ramp shall be paid under Item 608 Concrete Flatwork. The transition ramp sloping parallel to the curb with slope exceeding 1:20 shall be paid under Item 608- 4" Concrete Flatwork/Walk.

Payment for the arterial ramps constructed at 8" thick shall be made at the unit cost for 608 Curb Ramp. The Actual area of these Ramps (SF) will be multiplied by twenty percent (SF*1.2).

Tree roots encountered during excavation shall be removed in locations where they interfere with the placement of the walk, ramp or apron. Roots shall be neatly sawed (free of splinters, splits, and burns) and removed to a depth of at least four (4) inches below the bottom of the concrete. If the contractor encounters roots larger than 2" in diameter, the contractor shall notify the Engineer for direction on how to proceed.

The contractor shall keep the areas disturbed adjacent to the concrete walks to a minimum.

This item includes all material and labor and other incidentals including, but not limited to, excavation and hauling of spoils, setting grades, formwork, finishing, and restoration as detailed under Items 653 and 659.

Work is paid per Square Foot (SF) of curb ramp placed, finished, and accepted.

Reference: ITEM 609 COMBINATION CURB & GUTTER, Remove and Replace, A.P.P.

This item consists of removal and disposal of existing curb & gutter as outlined under Item 202 Curb and Gutter Removed and Disposed of, installation of new combination curb and gutter in accordance with item 609 of the CMSC as amended in various locations throughout the City as directed by the Engineer.

The Contractor is responsible for maintaining line and grade.

The Contractor shall identify, mark and restore all drain openings in the curb. Drain openings in the curb are to be cored, and not formed in place. Payment for coring the Drain openings will be under item "Special- Curb Can Holes" Drain leaders shall be replaced up to two (2) foot behind the curb and reconnected in a manner approved by the Engineer as soon as possible after curb forms are removed. Payment will be made under item 618 "DRAIN LEADER PIPE" for additional pipe installed where directed by the Engineer.

The excavation behind the curb shall be backfilled with compacted topsoil to a point one (1) inch above the curb as soon as possible after curb forms and other debris are removed. Disturbed areas shall be seeded and mulched in accordance with item 659.

The overdig in front of the curb, after being cleaned of loose debris, shall be filled with LSM, type 2 , and leveled uniformly to 1 ½" below face of gutter or adjoining pavement. Class C concrete may also be used provide the concrete is properly consolidated to avoid voids. This is not required on streets where the remaining pavement section is being removed and replaced.

Driveway dropped curbs shall be constructed utilizing Class MS Concrete. conforming with section 499 of the CMSC. Full depth expansion material one half (1/2) inches thick conforming to ASTM D1752, Type 1 shall be utilized where the new work meets existing concrete. The Contractor shall provide a minimum of 24 and no more than 48 hours WRITTEN notice to residents prior to closing any driveway. The contractor must receive permission from the inspector prior to closing any driveway. Driveways for commercial entrances or residents with disabilities must remain open at all times. The Contractor on a daily basis shall provide confirmation of the written notices to the City Engineer. No driveway is to be closed for a period of more than five (5) days. In the event that the five (5) day maximum is exceeded, the Contractor will not be permitted to close any more driveways on the project until compliance is achieved.

For driveways closed for a period of greater than 7 days the contractor shall be assessed liquidated damages in the amount of \$100.00 per day or portion thereof until the drive is re-opened.

The bid price for this item includes all costs for traffic control devices, removal and disposal, setting of grade stakes, curb and gutter installation, drain leader connection, saw cutting, and final restoration. NO payment will be made for any section of the work until all items associated with the section are complete. Work is to be paid per Linear Foot (LF) of Curb & Gutter (Remove & Replace) Installed and Accepted.

ITEM 618 DRAIN LEADER PIPE, A.P.P.

This item consists of the removal and replacement of existing roof drain pipes performed in conjunction with sidewalk and curb and gutter replacement as directed by the Engineer and in accordance with the CMSC.

All downspout drain tile and storm sewers damaged, disturbed, or removed as a result of the Contractor's operations shall be replaced with schedule 40 pipe or better, maintaining the same gradient as existing. Replaced drain tile shall be laid on compacted bedding equal density to surrounding stratum. Replacement shall be done at the time of the backfill operation.

The unit price for this item shall include all labor, materials including approved connectors, equipment and other incidentals. Work is to be paid per Linear Foot (LF) of drain leader pipe replaced.

REFERENCE: ITEM 653 PULVERIZED TOPSOIL FURNISHED and PLACED, A.P.P.

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. The work shall consist of furnishing all labor, equipment and material necessary to place and grade topsoil for preparation for vegetation

1.03 MEASUREMENT & PAYMENT

- A. The topsoil area will be measured by the Cubic Yard (CY), delivered, placed, and graded for:
 - a. Areas designated for payment under this section in the plans and specifications.
 - b. Material used outside of the work limits will not be measured.
 - c. The contractor shall take care to not disturb any larger area than necessary in order to minimize post construction restoration.
 - d. The contractor shall re-establish finish grade to gradually and evenly meet existing adjacent grade and adjacent curbing, sidewalk, ramps, roadway, and other utility structures.
- B. Payment will be made under this section for additional pulverized topsoil placed at the direction of the Engineer outside of original proposed work areas designated for the installation of curb ramps and concrete walk (item 608), curbing (609), and associated utility work.

1.04 SUBMITTALS

A. The Contractor shall submit a complete materials composition description of the pulverized topsoil, which includes a minimum of the makeup of the topsoil including but not limited to the organic materials, silts, clay, and moisture contents expressed as a percentage range. Pulverized topsoil containing non-decomposed organic matter will not be accepted.

1.05 DELIVERY, STORAGE AND HANDLING

- A. Deliver pulverized topsoil in covered vehicle and in immediate workable condition showing analysis of content as specified above.
- B. The person whom delivers and/or places topsoil shall make note of location and amount of pulverized topsoil placed at each location.
- C. The topsoil may be placed by mechanical means, but shall not be placed by means of a blower type of application, (except for the top one and one-half inches, which may be placed by means of a blower type of application.)

1.06 MAINTENANCE

- A. Maintain topsoil areas and supply additional topsoil where necessary, including areas affected by erosion.

PART 2 PRODUCTS

2.01 SOIL MIXTURE

- A. The pulverized topsoil mixture shall be loamy, loose, and free of non-composted organic matter and rubbish. No solid material over 19mm, ¾ inch.
- B. Composition: (%)
 - a. Organic Material 5-8
 - b. Silt 30-50
 - c. Clay 15-25
 - d. Sand 20-35

 - e. PH 5.4-7.6
 - f. Soluble Salts 580ppm maximum
 - g. Moisture 14-26

PART 3 EXECUTION

3.01 EXAMINATION

- A. The Contractor shall not begin work in this section until the Engineer has approved the landscape grading.

3.02 APPLICATION

- A. The topsoil placement shall be completed within five days after completion of associated concrete flatwork.

3.03 INSTALLATION

- A. Pulverized topsoil
 1. Shall be compacted in lifts of not more than 6 inches at one time.
 2. All Topsoil placed shall be compacted to at least 85% compaction, with the exception of the top two (2) inches.
 3. The top two inches of pulverized topsoil shall be placed loose for use as seed bed.
 4. The finished elevation of placed and graded pulverized topsoil shall be 1 inch above edge of impervious surfaces to allow for settlement.

3.04 ADJUSTING

- A. Any vegetated areas, which are found to not have an adequate amount of topsoil during the first year, shall have additional pulverized topsoil placed as soon as weather conditions permit, at no additional cost to the Owner.

3.05 PROTECTION

- A. The Contractor shall secure the work area and protect the graded areas from any traffic, disturbances, wildlife or public use until vegetation is established

REFERENCE: ITEM 659 SEEDING AND MULCHING, AP.P.

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. The work shall consist of furnishing all labor, equipment and material necessary to seed, mulch, stabilize, fertilize, maintain and establish vegetation for the areas as specified herein.

1.03 MEASUREMENT & PAYMENT

- A. The vegetated area will be measured to the nearest Square Yard (SY). Areas outside of

the work limits will not be measured.

- C. Payment for all work performed under this Section relating to concrete curbing, concrete walks, and curb ramps shall be included in the contract unit price for installation of concrete curbing (Item 609), concrete walks (Item 608), concrete ramps (Item 608).
 - a. The contractor shall take care to not disturb any larger area than necessary in order to minimize post construction restoration.
- D. Payment will be made under this section for areas designated to be paid for under 659 Seeding and Mulching, A.P.P.
- E. Payment will be made under this section for additional seeding at the direction of the Engineer outside of the original work limits as directed by the Engineer.

1.04 SUBMITTALS

- A. The Contractor shall submit a complete materials list of items proposed for the work and a description of how the work will be completed.
- B. The Contractor shall submit seed and fertilizer certifications for all bags used in the project.

1.05 DELIVERY, STORAGE AND HANDLING

- A. Deliver grass seed in original containers showing analysis of seed mixture, percentage of pure seed, year of production, net weight, date of packaging, and location of packaging. Damaged packages are not acceptable.
- D. Deliver fertilizer in waterproof bags showing weight, chemical analysis, and name of manufacturer.

1.06 MAINTENANCE

- A. Maintain vegetated surfaces and supply additional topsoil where necessary, including areas affected by erosion.
- B. Replant damaged grass areas showing root growth failure, deterioration, bare or thin spots, and eroded areas.
- C. Maintain adequate moisture for vegetation as outlined in 3.02, G.

PART 2 PRODUCTS

2.01 GROWING MEDIA

- A. Fertilizer: starter fertilizer 20-27-5 (Nitrogen-Phosphorous-Potassium)

2.02 SEED MIXTURE

- A. The following seed mixture shall be used:
 - 1. Turf Type Tall Fescue 40%
 - 2. Fine Fescue 40%
 - 3. Perennial Ryegrass 20%
- B. The tall fescue and fine fescue shall each consist of two different cultivars. The "Kentucky-31" cultivar shall not be used for the tall fescue. Only the improved "turf-type" tall fescue cultivars shall be accepted. (Example cultivars: Tar Heel, Rebel Exceda, Matador, Silver Star, Silverado II)
- C. The seed purity (amount free from inert matter or undesired noxious weeds) shall be at least 98%.
- D. The germination rate of the applied seed shall be at least 90%.

2.03 MULCH

- A. Mulching material: Oat or wheat straw, reasonably free from weeds, foreign matter detrimental to plant life, and in dry condition. Hay or chopped cornstalks is not acceptable. Hydro mulch is not permitted as surface mulch.
- B. Establishment blanket: Uniform open weave excelsior matting; erosion control mulching fabric consisting of knitted construction of yard interwoven with strips of biodegradable paper; or organic fiber protective fiber mat consisting of half-inch layer of chopped straw, knitted into mat with thin netting of biodegradable polypropylene.

PART 3 EXECUTION

3.01 EXAMINATION

- A. The Contractor shall not begin work in this section until the Engineer has approved the landscape grading.

3.02 APPLICATION

- A. The seeding shall be completed within three days after completion of landscape grading or as soon thereafter as conditions are favorable. Seeding shall occur between March 15th and October 1st. Should weeds propagate prior to seeding or re-seeding they shall

be treated or removed in a manner satisfactory to the Engineer.

- B. The seedbed shall be prepared by pulverizing and breaking up the soil to a minimum depth of two inches with a disk harrow, drag harrow, spike tooth harrow or similar tool. All rocks over three-quarter inch in diameter, clods and undesirable material that would interfere with seeding operations shall be removed. Immediately after seedbed preparation, the Contractor shall apply the fertilizer uniformly over the area to be seeded at a rate of: 1.5 Lbs Nitrogen per 1000 ft²

$$\text{Desired rate in lbs N/1000 ft}^2 / \quad \% \text{ nutrient} \quad = \quad \text{Total fertilizer needed/1000 ft}^2$$

$$\text{Total fertilizer needed/1000 ft}^2 \times \quad \text{Area to be treated in ft}^2 \quad = \quad \text{lbs fertilizer needed to treat the area}$$

- C. The seed shall be drilled, broadcast or hydro seeded uniformly over the seedbed at a rate of 10 lbs per 100 SY (50lb per acre) using methods and equipment acceptable to the Engineer. The seeded area shall be passed over with a hand rake to help cover more seed and improve seeding establishment. Application of grass seed and fertilizer at the same time, in the same machine is not permitted except when hydro-seeding. Seed may be placed with the top 1 inch of pulverized topsoil if the topsoil is placed with the means of a blower.

- D. Seed sowing is not permitted immediately following rain, when the ground is too dry, or during windy periods.

- E. The approved mulch shall be applied over the seeded area at a rate of 3/4 pound per SY with a maximum thickness of 1/2-inch when compressed between the thumb and forefinger. Hydro mulching will not be permitted as surface mulch.

- E. The Contractor shall seed and mulch all disturbed access areas, slopes, ditches, spoil areas and all other areas disturbed by construction.

- F. The Contractor shall place establishment blanket on areas with slopes equal to and exceeding 3:1, and in all areas of direct channel flow.

- G. Areas shall be watered as necessary to promote good growth during the germination and establishment period. During the establishment period the Contractor shall water a minimum of one inch over the seeded area two times per week. In dry weather, more frequent watering will be required. Watering shall continue as required depending on weather until area(s) are accepted. Contractor shall log all watering operations. The contractor shall allow a minimum of 7.5 ccf water /1000 SY of seeding for every 7 days.

Payment for watering shall be included in the unit cost for Item 659 Seeding and

Mulching (seeding).

3.03 INSTALLATION

A. Establishment Blanket:

1. Cover seeded slopes where grade is 3:1 or greater with excelsior matting. Roll matting down over slopes without stretching or pulling.
2. Lay matting smoothly on soil surface, burying top end of each section in a narrow 6-inch trench. Leave 12-inch overlap from top roll over bottom roll. Leave 4-inch overlap over adjacent section.
3. Staple outside edges and overlaps at 36-inch intervals.
4. Lightly dress slopes with topsoil to ensure close contact between matting and soil.

3.04 ADJUSTING

- #### A.
- Any vegetated areas, which are found to not have an adequate growth of cover during the first year, shall be re-seeded as soon as weather conditions permit, at no additional cost to the Owner. Adequate cover is pure fescue and rye vegetation cover of at least 85%. Weeds shall be removed and soil prepared for proper seeding.

3.05 PROTECTION

- #### A.
- The Contractor shall secure the work area and protect the vegetated areas from any traffic, disturbances, wildlife or public use until vegetation is accepted.

ITEM SPECIAL: DETECTABLE WARNING PANEL

Description.

This work shall consist of furnishing all material, equipment, and labor necessary for the placement of detectable warning devices at curb ramps or other walking surfaces, complete and ready for service at locations shown or detailed on the plans or specifications. All work shall be in accordance with Section 1108 of the Architectural and Transportation Barriers Compliance Board's "Draft Guidelines For Accessible Public Rights-of-Way", dated June 17, 2002 as amended, supplemented and adopted.

Materials.

All products shall receive prior approval by the Engineer. Detectable warning surfaces shall be textured to provide slip resistance and shall contrast visually with adjacent walking surfaces – either light-on-dark, or dark-on-light. The preferred color for a light background (concrete) shall be brick red. The preferred color for a brick background shall be black. Color shall be integral with the detectable warning device and shall not be surface applied. Paints or other surface coatings shall not be used unless integral to the system being applied. Detectable warning surfaces shall be classified by type of material and/or application method:

– **Surface-Applied Domes -**

Approved for retrofit to pre-existing ramp installations, only.

– **Cast in Place Domes -**

Approved for new construction installations, only.

Dimensions.

Truncated domes in a detectable warning surface shall have a base diameter of 0.9 inches (23 mm) minimum to 1.4 inches (36 mm) maximum, a top diameter of 50% of the base diameter minimum to 65% of the base diameter maximum, and a height of 0.2 inches (5 mm).

Truncated domes in a detectable warning surface shall have a center-to-center spacing of 2.35 inches. Detectable warning surfaces shall extend 24 inches (610 mm) minimum in the direction of travel and the full width of the curb ramp, landing, or blended transition. The detectable warning surface shall be located so that the edge nearest the curb line is 6 inches (150 mm) minimum and 8 inches (205 mm) maximum from the face of the curb line.

Domes shall be aligned on a square grid, aligned in rows parallel and perpendicular to the predominant direction of travel. Domes must not be skewed diagonally to the direction of travel.

Application.

Detectable warning devices shall be installed in accordance with manufacturer's specifications and in accordance with this specification, or as otherwise specified on the plans.

The finished surface shall be uniformly profiled to match the adjoining surfaces without lips, obstructions and shall drain completely.

The contractor and manufacturer shall jointly warrant the installed surface to last no less than five years without losing more than two percent of the truncated domes due to delaminating as a result of product failure, and shall further warrant the surface for a minimum of five years against fading, chipping, peeling, cracking, or loss of original shade due to sunlight, salt or exposure to weathering.

– **Surface-Applied Domes-**

System shall be:

For Existing Curb Ramps: ADA Solutions surface applied panels, or other approved equal.

– **Cast in Place Domes-**

System shall be:

For New Curb Ramps: ADA Solutions replaceable cast in place panels, or other approved equal.

For Existing Curb Ramps: ADA Solutions surface applied panels, or other approved equal.

Surface Applied Domes shall be installed in accordance with manufacturer's specifications as approved by the City Engineer. After installation the warning panel shall be flush around the edge with the concrete surface. A sealant and adhesive shall be applied to the underside and perimeter of the panel. The perimeter sealant shall flow into perimeter cut to seal edge. The

panel shall be mechanically anchored to the substrate.

Method of Measurement.

The number of detectable warning devices shall be the actual Square Foot (SF) installed in place, complete and accepted. This item shall be complete and include all work necessary to provide a complete and useable detectable warning device. This shall include but not be limited to: layout, saw-cutting, removals, concrete and cement base materials, bedding, surface preparation, surface sealant, and repair of adjoining areas disturbed by the installation of the detectable warning surface.

Basis of Payment.

Unless specifically included under other items on the plans, payment for accepted quantities will be made at the contract unit price for:

Item Special Detectable Warning Panel (SF)

Note:

Payment shall include all costs of furnishing material, equipment, and labor necessary for the placement of detectable warning devices, and shall be in addition to any overlapping payments for square foot of sidewalk / curb ramp.

PREVAILING WAGE REQUIREMENTS

The successful bidder is required to comply with the following prevailing wage requirements as per City of Dublin Administrative Order 4.1 dated November 13, 2001 and attached herewith:

The contract between the City and the successful bidder shall contain provisions requiring the successful bidder and subcontractors to pay a rate of wages which shall not be less than the rate of wages required by the Department of Commerce and that the contractor shall provide to the Division of Engineering all documentation to support his/her compliance with the Prevailing Wage Law (Chapter 4115 of the Ohio Revised Code).

Chapter 4115 of the Ohio Revised Code requires each contracting public authority that enters into a contract for public improvements, whose contractor or subcontractors are subject to Sections 4115.03 to 4115.16 of the Ohio Revised Code, to, no later than 10 days before the first payment of wages is payable to any employee of any contractor or subcontractor, designate and appoint one of its own employees to serve as the prevailing wage coordinator during the life of the contract. The following shall be expected to be received by the City throughout the duration of the contract:

1. Receiving a schedule of the dates on which the contractor or subcontractor shall pay wages to employees. The form is attached for use. The Division of Engineering Project Inspector shall ensure that this is provided by each contractor or subcontractor at the beginning of performance under the contract. A list of all subcontractors and payment

schedule shall be provided to the Division of Engineering Project Inspector at the pre-construction meeting.



2. Each contractor and subcontractor shall submit a certified copy of the complete payroll within two weeks after the initial pay dates and supplemental reports for each month thereafter. This payroll shall include a listing of each employee, any wages paid in his/her name, current address, social security number, number of hours worked each day during the pay period and the total for each week, his/her hourly rate of pay, his/her job classification, fringe payments, and deductions from his/her wages. (If the life of the contract is expected to be no more than four months from the beginning of performance by the contractor or subcontractor, such supplemental reports shall be filed each week after the initial report.
3. The contractor and/or subcontractor or a duly appointed agent shall submit a certification of each payroll certifying the payroll is correct and complete and that the wage rates shown are not less than those required by the contract.
4. To ensure compliance with Section 4115 of the Ohio Revised Code, the City may conduct on-project interviews with contractor's employees to ascertain the hourly wages being paid no less than three (3) times during the course of the project. Each time the interviews are conducted, 20% of the contractor's employees on that project may be interviewed using the attached form. This form provides the information needed to assess compliance. This shall be filed with all prevailing wage information/documentation for the project.
5. The contractor and subcontractors shall be required, upon completion of the public improvement and prior to final payment, to complete the affidavit required by Section 4115.07 of the Ohio Revised Code.
6. The City may withhold project estimate payments if current and all previous payrolls and affidavits have not been submitted.

The City has established and shall follow these procedures to monitor compliance of Prevailing Wage laws by the successful bidder and all subcontractors.

E. GEOTECHNICAL SPECIFICATIONS

THERE ARE NO GEOTECHNICAL SPECIFICATIONS FOR THE CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM.

F. STANDARD DRAWINGS



Ramp Types E, F, G, H not shown.

Date: 09/18/2006



CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

**TYPICAL LOCATION PLAN
FOR SIDEWALK CURB RAMPS**

SHEET 1 OF 1

DWG. NO. **PD-01**

GENERAL NOTES. SIDEWALK CURB RAMPS

1. CURB RAMP COMPONENTS ASSEMBLY – THE CURB RAMP INCLUDES THE RAMPS, FLARED SIDES, LANDINGS AND ROLLED EDGES.
2. CURB RAMP TYPE – CURB RAMPS SHALL BE SPECIFIED BY THE APPROPRIATE TYPE AND SHALL BE PERPENDICULAR TO THE CURB EXCEPT TYPES E & F.
 - TYPE A – DIAGONAL RAMP WITH FLARES IN TREE LAWN.
 - TYPE B – DIAGONAL RAMP WITH FLARES.
 - TYPE C – PERPENDICULAR RAMP IN TREE LAWN.
 - TYPE D – PERPENDICULAR RAMP OBSTRUCTED ON ONE SIDE
(WITH PRIOR WRITTEN CITY APPROVAL ONLY)
 - TYPE E – RAMP WITH RECESSED LOWER LANDING FOR ALLEYS AND DRIVEWAYS
(WITH TREE LAWN).
 - TYPE F – RAMP WITH RECESSED LOWER LANDING FOR ALLEYS AND DRIVEWAYS
(NO TREE LAWN).
 - TYPE G – PARALLEL (OFF-STREET LANDING) WITH 2 TRANSITION RAMPS
(WITH PRIOR WRITTEN CITY APPROVAL ONLY).
 - TYPE H – MEDIAN RAMP WITH CENTER LANDING.
 - TYPE I – COMBINED PERPENDICULAR AND PARALLEL RAMP ONE DIRECTION.
3. RAMP RUNNING SLOPE – THE RAMP RUNNING SLOPE SHALL BE 1:20 (5%) TO 1:13 (7.7%).
4. RAMP CROSS SLOPE – THE MAXIMUM CROSS SLOPE SHALL BE 1:64 (1.56%, 3/16 INCH PER FOOT).
5. PERPENDICULAR RAMP WIDTH – THE MINIMUM WIDTH OF A SIDEWALK RAMP SHALL BE 4-FEET AND OF A BIKE PATH RAMP SHALL BE 8-FEET. THE WIDTH MAY BE REDUCED TO A MINIMUM OF 3-FEET WITH PRIOR WRITTEN CITY APPROVAL IF CLEARANCE RESTRICTIONS EXIST.
6. PARALLEL RAMP WIDTH – TYPE H RAMP SHALL BE A MINIMUM OF 4-FEET BY 5-FEET & 5-FEET BY 5-FEET RESPECTIVELY, PER STANDARD DRAWINGS.
7. ALL JOINTS BETWEEN NEW AND EXISTING MATERIALS SHALL BE FLUSH.
8. FLARES – THE LENGTH OF THE FLARE AT THE FACE OF CURB SHALL BE A MAXIMUM OF 10% OR 10 TIMES THE CURB HEIGHT, WHICHEVER IS LESS.
9. LANDINGS – LANDINGS SHALL BE A MINIMUM OF 4-FEET BY 4-FEET WITH A 1:64 (1.56%) CROSS SLOPE FOR ALL CURB RAMP TYPES EXCEPT PARALLEL CURB RAMPS. OFF STREET LANDINGS FOR PARALLEL CURB RAMPS SHALL BE A MINIMUM OF 4-FEET BY 5-FEET AS INDICATED IN THE STANDARD DRAWINGS. LANDINGS ARE REQUIRED AS FOLLOWS:
 - A. TOP LANDING – CURB RAMP TYPES A, B, C AND G SHALL HAVE LANDINGS AT THE TOP OF THE RAMP.
 - B. LOWER RECESSED LANDING – CURB RAMP TYPE E AND F SHALL HAVE A RECESSED LANDING AT THE BOTTOM OF THE RAMP WHERE IT INTERSECTS THE CURB LINE.
 - C. LANDING AT INTERSECTING SIDEWALKS – WHEREVER SIDEWALKS INTERSECT THERE SHALL BE A LANDING MEETING THE ABOVE REQUIREMENTS.

Date: 09/18/2006

(GENERAL NOTES CONTINUED ON SHEET 2)









CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

CURB RAMP
GENERAL NOTES

SHEET 1 OF 2

DWG. NO. **PD-02**



NOTES:

1. DETECTABLE WARNINGS SHALL BE PROVIDED WHEREVER A CURB RAMP CROSSES A VEHICULAR WAY, EXCLUDING UNSIGNALIZED DRIVEWAY CROSSINGS.
2. DETECTABLE WARNINGS SHALL BE PROVIDED 24 INCHES IN THE DIRECTION OF TRAVEL AND EXTEND THE FULL WIDTH OF THE CURB RAMP OR FLUSH SURFACE. THE DETECTABLE WARNING SHALL BE LOCATED ADJACENT TO THE CURB LINE.
3. DETECTABLE WARNINGS SHALL BE PLACED 2" TO 4" BEHIND BACK OF CURB.
4. ALL DETECTABLE WARNING PANELS SHALL BE ADA SOLUTIONS CAST IN PLACE, REPLACEABLE PANEL NO. 2448REP, 2.35" DOME SPACING CONTRASTING COLOR: RED FOR CONCRETE, BLACK FOR BRICK

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING


DETECTABLE WARNINGS

SHEET 1 OF 1


DWG. NO. **PD-03**



NOTE:
SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNINGS DETAILS.



* GRADE AS REQUIRED TO BLEND GRADES.



Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING
**CURB RAMP TYPE B
DIAGONAL WITH FLARES**


SHEET 1 OF 1

DWG. NO. **PD-05**




NOTE:
 DETECTABLE WARNING
 DETAILS.
 WARNING PANELS TO BE ADA SOLUTIONS
 ITEM NO. 2448REP
 REPLACEABLE CAST IN PLACE PANELS
 2.35" DOME SPACING
 CONTRASTING COLOR: BLACK FOR RED
 BRICK

STANDARD/COMBINED CURB
 AND GUTTER SECTION



* WARP AS REQUIRED TO
 BLEND GRADES.
 10' MIN. TRANSITION
 IN GUTTER SLOPE



CITY OF DUBLIN™
 ENGINEERING

STANDARD DRAWING

**BRICK CURB RAMP TYPE B
 DIAGONAL WITH FLARES**

APPROVED:

DIRECTOR OF ENGINEERING / CITY ENGINEER


DATE

SHEET 1 OF 1



DWG. NO. **PD-05A**

NOTE:

SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNING DETAILS.



STANDARD/COMBINED CURB AND GUTTER SECTION



Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING



STANDARD DRAWING
**CURB RAMP TYPE C
IN TREE LAWN**

SHEET 1 OF 1

DWG. NO. **PD-06**



NOTE:
SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNINGS DETAILS.



Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

CURB RAMP TYPE D
OBSTRUCTED ONE SIDE


SHEET 1 OF 1

DWG. NO. **PD-07**




SECTION A-A

NOTE:
SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNINGS DETAILS.



SECTION B-B



SUPPLEMENTAL NOTES:

- A. THE BOTTOM EDGE OF THE RAMP SHALL CHANGE PLANES PERPENDICULAR TO THE LANDING.
- B. THE EDGE OF THE CURB RAMP SHALL BE FLUSH WITH THE EDGE OF THE ADJACENT PAVEMENT AND GUTTER.
- C. THE LANDING AT THE BOTTOM OF THE RAMP SHALL BE A MINIMUM CROSS-SLOPE OF 1.56% (3/16\"/>

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

**CURB RAMP TYPE E
ALLEYS AND DRIVEWAYS**

SHEET 1 OF 1



DWG. NO. **PD-08**



CURB FOLLOWS SLOPE OF RAMP
MIN. 2' TAPER

CURB NOT TYPICAL FOR
RESIDENTIAL DRIVES OR
UNCURBED ALLEYS

NOTE:
SEE STANDARD DRAWING
PD-03 FOR DETECTABLE
WARNINGS DETAILS.



SUPPLEMENTAL NOTES:

- A. THE BOTTOM EDGE OF THE RAMP SHALL CHANGE PLANES PERPENDICULAR TO THE LANDING.
- B. THE EDGE OF THE CURB SHALL BE FLUSH WITH THE EDGE OF THE ADJACENT PAVEMENT AND GUTTER.
- C. THE LANDING AT THE BOTTOM OF THE RAMP SHALL BE 4'x4' WITH A MAXIMUM CROSS SLOPE OF (3/16\"/>

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING
CURB RAMP TYPE F
ALLEYS AND DRIVEWAYS


SHEET 1 OF 1

DWG. NO. **PD-09**




NOTE:
SEE STANDARD DRAWING
PD-03 FOR DETECTABLE
WARNINGS DETAILS.

SECTION A-A



SECTION B-B



Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

CURB RAMP TYPE G
PARALLEL LANDING, 2 RAMPS

SHEET 1 OF 1


DWG. NO. **PD-10**




SECTION A-A

NOTE:

SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNINGS DETAILS.



SECTION B-B



Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING


**CURB RAMP TYPE H
MEDIAN RAMP WITH LANDING**

SHEET 1 OF 1

DWG. NO. **PD-11**



NOTE:
SEE STANDARD DRAWING PD-03 FOR DETECTABLE WARNINGS DETAILS.



Date: 09/18/2006



CITY OF DUBLIN™
ENGINEERING


STANDARD DRAWING

CURB RAMP TYPE I
PERPENDICULAR & PARALLEL

SHEET 1 OF 1

DWG. NO. **PD-12**

NOTE: SEE RD-02 FOR CURB & GUTTER DETAIL



* 5'-0" SIDEWALK (WHERE REQUIRED)
 8'-0" BIKE PATH (WHERE REQUIRED)

MINOR AND LOCAL STREETS	(MINIMUM PAVEMENT DEPTH*)	ALTERNATIVE ***
① ASPHALT CONCRETE SURFACE COURSE TYPE 1 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----	1 1/4"	1 1/4"
② ASPHALT CONCRETE INTERMEDIATE COURSE TYPE 2 PG. 64-22 MEDIUM TRAFFIC ITEM 448-----	1 3/4"	1 3/4"
③ BITUMINOUS AGGREGATE BASE ITEM 301 ----- (TWO COURSES OF 3")	3"	6"
④ AGGREGATE BASE ITEM 304 -----	6"	N/A

* NOTE: MINIMUM PAVEMENT DEPTH ARE TYPICAL FOR RESIDENTIAL APPLICATIONS. ROADWAYS IN INDUSTRIAL AND COMMERCIAL AREAS MAY BE REQUIRED TO HAVE DEPTHS DESIGNED FOR ACTUAL TRAFFIC LOADINGS USING AASHTO METHODS AS DIRECTED BY THE CITY ENGINEER.

COLLECTOR AND ARTERIAL STREETS	(MINIMUM PAVEMENT DEPTH*)	ALTERNATIVE
① ASPHALT CONCRETE SURFACE COURSE TYPE 1 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----	1 1/4"	1 1/4"
② ASPHALT CONCRETE INTERMEDIATE COURSE TYPE 2 PG. 64-22 MEDIUM TRAFFIC ITEM 448-----	1 3/4"	1 3/4"
③ BITUMINOUS AGGREGATE BASE ITEM 301 ----- (TWO COURSES OF 3")	6"	9"
④ AGGREGATE BASE ITEM 304 -----	6"	N/A

** NOTE: COLLECTOR AND ARTERIAL STREET PAVEMENT DEPTHS SHALL BE DESIGNED TO ACTUAL TRAFFIC LOADINGS USING THE AASHTO GUIDE FOR DESIGN OF PAVEMENT STRUCTURES. SHOULD CALCULATED DEPTHS BE LESS THAN THE MINIMUM DEPTHS, THE MINIMUM DEPTHS SHALL BE USED.

*** NOTE: ALTERNATIVE PAVEMENT SECTION REQUIRES CITY ENGINEER'S APPROVAL PRIOR TO INSTALLATION.

Date: 09/18/2006





CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

TYPICAL STREET SECTION

SHEET 1 OF 1

DWG. NO. **RD-01**



* TRANSITION GUTTER LIP FROM 4 1/2"-INCH TYPICAL DEPTH TO 5 5/8"-INCH DEPTH WITHIN AT LEAST 5- FEET OF THE CURB RAMP. THE 5 5/8"-INCH DEPTH IS TO BE MAINTAINED THROUGH THE CURB RAMP. THE TRANSITION LENGTH MAY BE ADJUSTED PER THE DIRECTION OF THE CITY ENGINEER.

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

TYPICAL GUTTER SECTION

SHEET 1 OF 1

DWG. NO. **RD-03**



***PRIVATE STREET OR ALLEY (MINIMUM PAVEMENT DEPTH)**

Option 1

- ① ASPHALT CONCRETE SURFACE COURSE TYPE 1 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----1 1/4"
- ② ASPHALT CONCRETE INTERMEDIATE COURSE TYPE 2 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----1 3/4"
- ③ BITUMINOUS AGGREGATE BASE ITEM 301 ---- 3"
- ④ AGGREGATE BASE ITEM 304 -----6"
- ⑤ SUBGRADE COMPACTION ITEM 204

Option 2

- ① ASPHALT CONCRETE ITEM 404 -----1 1/4"
- ② ASPHALT CONCRETE ITEM 402 -----1 3/4"
- ③ BITUMINOUS AGGREGATE BASE ITEM 301 ---- 3"
- ④ AGGREGATE BASE ITEM 304 -----6"
- ⑤ SUBGRADE COMPACTION ITEM 204

PARKING LOT (MINIMUM PAVEMENT DEPTH)

Option 1

- ① ASPHALT CONCRETE SURFACE COURSE TYPE 1 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----1 1/4"
- ② ASPHALT CONCRETE INTERMEDIATE COURSE TYPE 2 PG. 64-22 MEDIUM TRAFFIC ITEM 448 -----1 3/4"
- ④ AGGREGATE BASE ITEM 304 -----6"
- ⑤ SUBGRADE COMPACTION ITEM 204

Option 2

- ① ASPHALT CONCRETE ITEM 404 -----1 1/4"
- ② ASPHALT CONCRETE ITEM 402 -----1 3/4"
- ④ AGGREGATE BASE ITEM 304 -----6"
- ⑤ SUBGRADE COMPACTION ITEM 204

ROADWAYS IN INDUSTRIAL AND COMMERCIAL AREAS MAY BE REQUIRED TO HAVE DEPTHS DESIGNED FOR PROJECTED TRAFFIC LOADINGS USING AASHTO METHODS AS DIRECTED BY THE CITY ENGINEER.

* NOTE: MINIMUM PAVEMENT WIDTH FOR PRIVATE STREETS SHALL BE 22'.

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

**TYPICAL PAVEMENT SECTION
PRIVATE STREET**

SHEET 1 OF 1

DWG. NO. **RD-04**



1. ALL WALKWAYS SHALL BE CONSTRUCTED PER CCMS ITEM 608 OR AS DIRECTED BY CITY ENGINEER.
2. ALL DISTURBED AREAS SHALL BE SEEDED AND MULCHED. SEED MIXTURE SHALL BE APPROVED BY THE CITY ENGINEER.
3. CITY OF COLUMBUS CONSTRUCTION AND MATERIAL SPECIFICATIONS, CURRENT EDITIONS, AND ANY OTHER SUPPLEMENTS THERETO, SHALL GOVERN ALL CONSTRUCTION ITEMS UNLESS OTHERWISE NOTED.
4. SIDEWALKS/BIKE PATHS CROSSING RESIDENTIAL DRIVEWAYS SHALL BE 6" CLASS C CONCRETE ITEM 499. SIDEWALKS/BIKE PATHS CROSSING NON-RESIDENTIAL DRIVEWAY APPROACHES SHALL BE MINIMUM 8" CLASS C CONCRETE, ITEM 499 UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.
5. ALL COMMERCIAL DRIVES SHALL HAVE 4" OF ITEM 304. (6" PREFERRED)
6. INSPECTION SCHEDULING SHALL BE MADE WITH THE BUILDING DIVISION WHEN CONCRETE FORMS ARE READY FOR INSPECTION, AT LEAST 48 HOURS BEFORE CONCRETE IS TO BE PLACED AT (614) 410-4600.
7. ALL BIKE PATH JOINTS ARE TO BE SAWCUT.

Date: 09/18/2006




CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

**CONCRETE
SIDEWALK & BIKE PATH**

SHEET 1 OF 1

DWG. NO. **RD-05**



1. ALL TOPSOIL SHALL BE REMOVED FROM SUB GRADE AREAS. ITEM 204 SHALL BE COMPACTED TO NO LESS THAN 98% OF MAX. DRY DENSITY. EXCESS EXCAVATED MATERIAL SHALL BE REMOVED FROM THE SITE.
2. ALL DISTURBED AREAS SHALL BE SEEDED AND MULCHED. SEED MIXTURE REQUIRES THE APPROVAL OF THE CITY ENGINEER.
3. PAVEMENT MARKINGS AND SIGNAGE SHALL CONFORM TO OHIO MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
4. BIKE PATHS CROSSING CONCRETE RESIDENTIAL DRIVEWAY APPROACHES SHALL BE 6" PC CONCRETE ACROSS THE WIDTH OF THE DRIVEWAY APPROACH, UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER. BIKE PATHS CROSSING NONRESIDENTIAL DRIVEWAY APPROACHES SHALL MATCH THE THICKNESS AND CROSS-SECTION OF THE DRIVEWAY APPROACH OR 8" PC CONCRETE, WHICHEVER IS GREATER, AS APPROVED BY THE CITY ENGINEER.
5. FOR GEOMETRIC STANDARDS FOR CURB RAMP REFER TO DUBLIN STD. DWG. PD-01.

Date: 09/18/2006



CITY OF DUBLIN™
ENGINEERING

STANDARD DRAWING

BIKE PATH
(STANDARD & HEAVY DUTY)

SHEET 1 OF 1

DWG. NO. **RD-06**

G. SCOPE OF WORK

SIDEWALK REMOVAL AND REPLACEMENT, CURB RAMP INSTALLATION.

IV. OWNER COMPLETED FORMS

A. OWNER EXECUTION CHECKLIST

The following list highlights and serves as a reminder of actions required to execute the Contract with the selected bidder.

Notice of Award

- Complete the form once bidder selected
- Mail form to bidder
- Collect acceptance from bidder

Notice of Award to Surety and Surety's Agent

- Complete the form once bidder selected
- Send the bond to legal counsel for double-check of validity
- Send notice form to Surety and Agent at the addresses listed on the Bond form

Bid Tabulation Sheet

- If Prevailing Wage applies, ensure that the Bid Tabulation Sheet is completed and in your Project file

Prevailing Wage

- Check the date of the Determination Letter included with the Contract Documents. If it has expired, issue new prevailing wage rates to the Contractor.

Owner/Contractor Agreement

- Have the Contractor sign the Agreement
- Have the Law Director review and sign the Agreement
- Have the Fiscal officer sign the Agreement
- Have the CITY OF DUBLIN representative sign the Agreement

Notice of Commencement

- Complete the Notice of Commencement form and put it in the Project file
- Must produce it if requested but no filing requirement

Notice to Proceed

- Issue the Notice to Proceed

Bidder's and Subcontractors' Certificate(s) of Licensure

- If applicable, Collect from Bidder if not submitted with Bid

B. NOTICE OF AWARD TO BIDDER

Date: _____

PROJECT: 2014 SIDEWALK MAINTENANCE PROGRAM PROJECT

The CITY OF DUBLIN (Owner) has considered the Bid submitted by you for the above-described work in response to the Legal Notice dated June 5, 2014.

You are hereby notified that your Bid has been accepted for items in the amount of \$.

You are required by the Instructions to Bidders to execute the Contract and furnish the required documents within ten (10) calendar days from the date of this notice to you.

If you fail to execute said Contract within ten (10) days from the date of this notice, Owner may—at its discretion—exercise its rights with respect to your Bid guaranty and be entitled to such other rights as may be granted by Law.

You are required to return an acknowledged copy of this Notice of Award to the Owner.

Dated this _____ day of _____, 2014.

Sincerely,

Paul A. Hammersmith P.E.
Director of Engineering / City Engineer

ACCEPTANCE OF NOTICE

Receipt of the above Notice of Award is hereby acknowledged.

Bidder _____

This _____ day of _____, 2014

By: _____

Title: _____

C. NOTICE OF AWARD TO SURETY AND SURETY'S AGENT

(Surety)

(Address)

(City/State/Zip)

(Surety's Agent)

(Address)

(City/State/Zip)

Date: _____

SENT BY REGULAR U.S. MAIL

RE: NOTICE OF AWARD OF CONTRACT

To Whom It May Concern:

You are notified that your principal, _____, has been awarded a contract for the CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM project, in the amount of \$_____ by the CITY OF DUBLIN, OHIO .

Sincerely,

Paul A. Hammersmith P.E.
Director of Engineering / City Engineer

D. NOTICE TO PROCEED

To:

Date: _____

Project: 2014 SIDEWALK MAINTENANCE PROGRAM

Owner: CITY OF DUBLIN, OHIO
5200 Emerald Parkway, Dublin, Ohio 43017

You are hereby notified to commence Work in accordance with the City/Contractor Agreement dated , and you are to complete the Work in the time required by the Contract Documents. Within ten (10) days from this Notice to Proceed date, you will begin physical, on-site improvements. You are required to return an acknowledged copy of this Notice to Proceed, to the Owner, indicating Acceptance of this Notice to Proceed.

Paul A. Hammersmith P.E.
Director of Engineering / City Engineer

ACCEPTANCE OF NOTICE TO PROCEED

Receipt of the above NOTICE TO PROCEED is hereby acknowledged by _____,
this the day of _____, 2014.

By: _____

Title: _____

E. NOTICE OF COMMENCEMENT OF PUBLIC IMPROVEMENT (O.R.C. §1311.252)

NOTICE IS HEREBY GIVEN OF THE COMMENCEMENT OF A PUBLIC IMPROVEMENT AS FOLLOWS:

1. The public improvement is identified as the CITY OF DUBLIN, 2014 SIDEWALK MAINTENANCE PROGRAM project located at various locations within the City of Dublin, Franklin County.
2. The public authority and Owner responsible for the public improvement is the CITY OF DUBLIN, OHIO, 5200 Emerald Parkway, Dublin, Ohio 43017 .
3. The principal contractor(s) for the public improvement are as follows:
 , .
4. The date the CITY OF DUBLIN first executed a contract with a principal contractor for this public improvement is .
5. The name and address of the representative for the CITY OF DUBLIN upon whom service may be made for the purposes of serving an affidavit pursuant to Section 1311.26 of the Ohio Revised Code is Paul A. Hammersmith P.E., Director of Engineering / City Engineer for the CITY OF DUBLIN, OHIO, 5800 Shier-Rings Road, Dublin, Ohio 43016.

The foregoing instrument was acknowledged before me this _____, day of _____, 20____ by Paul A. Hammersmith P.E., Director of Engineering / City Engineer for the CITY OF DUBLIN, OHIO.

Signature and Seal of person taking acknowledgement:

V. ADDITIONAL PROJECT FORMS

A. PAYROLL INFORMATION

PROJECT: 2014 SIDEWALK MAINTENANCE PROGRAM

I, _____ (Name),
_____ (Title) of _____
(Company Name), state the following:

1. That I pay or supervise the payment of the persons employed by _____ (Company Name) on the above-referenced project.
2. That during the payroll period commencing on the _____ day of _____, 2014, and ending on the _____ day of _____, 2014, all persons employed on said project have been paid the full weekly wages earned; that no rebates have been or will be made either directly or indirectly to or on behalf of said _____ (Contractor/Subcontractor) from the full weekly wages earned by such persons; and that no deductions have been made either directly or indirectly from the full wages earned by such persons, other than permissible deductions as defined in Regulations, Part 3 (29 CFR Subtitle A), issued by the Secretary of Labor under the Copeland Act, as amended (48 Stat. 948, 63 Stat. 108, 72 Stat. 967; 76 Stat. 357; 40 U.S.C. 276c), and described below:

3. That any payrolls otherwise under this Agreement for Construction (the "Agreement") required to be submitted for the above period are correct and complete; that the wage rates for laborers or mechanics contained therein are not less than the applicable wage rates contained in the specifications as supplied by the Department of Industrial Relations or any wage determination incorporated into the Agreement; and that the classifications set forth therein for each laborer or mechanic conform with the work he performed.

4. That any apprentices employed in the above period are duly registered in a bona fide apprenticeship program registered with the Ohio Apprenticeship Council.

5. That (check applicable box):

- a. WHERE FRINGE BENEFITS ARE PAID TO APPROVED PLANS, FUNDS, OR PROGRAMS:

In addition to the basic hourly wage rates paid to each laborer or mechanic listed in the above-referenced payroll, payments of fringe benefits listed in the Agreement have been or will be made to appropriate programs for the benefit of such employees, except as noted in Section 4 below.

- b. WHERE FRINGE BENEFITS ARE PAID IN CASH:

Each laborer or mechanic listed in the above-referenced payroll has been paid as indicated on the payroll, and amount not less than the sum of the applicable basic hourly wage rate plus the amount of the required fringe benefits as listed in the Agreement, except as noted in Section 4 below.

c. Exceptions:

Exception (Craft):

Explanation:

_____	_____
_____	_____
_____	_____
_____	_____

Remarks:

(Signature)

(Print Name and Title)

The willful falsification of any of the above statements may subject the Contractor or Subcontractor to fines as described in Section 4115.99 of the O.R.C.

B. FINAL AFFIDAVIT OF COMPLIANCE WITH PREVAILING WAGES

PROJECT: 2014 SIDEWALK MAINTENANCE PROGRAM

STATE OF _____

COUNTY OF _____, SS:

I, _____, (Name of person signing the affidavit)
_____ (Title) do hereby certify that the wages paid to all employees of
_____ (Company Name) for all hours worked
on project the CITY OF DUBLIN 2014 SIDEWALK MAINTENANCE PROGRAM Project located at
various locations within the City of Dublin, Franklin County during the period from
_____ to _____ are in compliance with the Prevailing Wage
requirements of Chapter 4115 of the Ohio Revised Code. I further certify that no rebates or
deductions have been or will be made, directly or indirectly, from any wages paid in
connection with this project, other than those provided by law.

(Signature of Affiant)

(Print Name)

Sworn to and subscribed in my presence this _____ day of _____, 2014.

Notary Public

The above affidavit must be executed and sworn to by the officer or agent or the Contractor/Subcontractor who supervised the payment of employees, before the CITY OF DUBLIN, OHIO will release the surety and/or make final payment due under the terms of the Agreement.

C. CONTRACTOR’S LIEN WAIVER AND RELEASE AGREEMENT

Project: 2014 SIDEWALK MAINTENANCE PROGRAM

The undersigned hereby acknowledges receipt of payment from the City for all Work on the Project through the date of its prior Application for Payment. The undersigned acknowledges and agrees that the terms in this Agreement shall have the same meaning as in the Contract Documents for the Project.

In return for said payment, and/or pursuant to certain contractual obligations of the undersigned, the undersigned hereby waives and releases any rights it has or may have through the date of its last Application for Payment to any and all Claims and liens related to the Project, including without limitation: Claims of payment, mechanic’s liens, liens against funds, surety bond Claims, and Claims for breach of contract or unjust enrichment. The sole exception to this waiver and release is for any Claims the undersigned has made by properly and timely submitting a Claim as required by the Contract Documents. The undersigned acknowledges and agrees that this wavier and release is intended to be a comprehensive release of all Claims and liens related to the Project, including without limitation all Claims against the City, and the employees, board members, agents and representatives of any of the foregoing persons. The undersigned further certifies that this Agreement covers Claims and liens by all persons with which it did business related to the Project, including without limitation subcontractors and suppliers, through the date of its last Application for Payment. The undersigned represents that all such persons have signed an agreement in the form of this Agreement releasing any and all Claims and liens related to the Project, except for any Claims made by properly and timely submitting a Claim as required by the Contract Documents, a copy of which has been delivered to the City. The undersigned hereby represents and warrants that it has paid any and all welfare, pension, vacation, or other contributions required to be paid on account of the employment by the undersigned of any laborers on the Project.

This Agreement is for the benefit of, and may be relied upon by the City. The undersigned hereby agrees to indemnify, defend and hold harmless each of the foregoing, the Project, work or improvement, and real property from any and all Claims, or liens that are or should have been released in accordance with this Agreement.

Contractor Name: _____

Authorized Signature: _____

Title: _____

The foregoing instrument was acknowledged before me this _____, day of _____, 20____ by _____.


Signature and Seal of person taking acknowledgement:

VI. LOCATIONS

A. LOCATION MAPS

B. LOCATION DETAILS


A. LOCATIONS MAPS



NORTH





89



0 250 500 Feet





71	72	73	74	75
87	88	89	90	91
102	103	104	105	106



2014 Sidewalk Repair Locations







2014 Sidewalk Repair Locations






 City of Dublin

 2014 Sidewalk Repair Locations







NORTH


0 250 500 Feet

City of Dublin

 2014 Sidewalk Repair Locations





88	89	90	91	92
103	104	105	106	107
119	120	121	122	123





106




 2014 Sidewalk Repair Locations







City of Dublin



2014 Sidewalk Repair Locations




116	117	118	119	120
132	133	134	135	136
148	149	150	151	152



2014 Sidewalk Repair Locations








139







 2014 Sidewalk Repair Locations





 2014 Sidewalk Repair Locations







152

City of Dublin

2014 Sidewalk Repair Locations






City of Dublin

Sidewalk Program 2014

City of Dublin
Division of Engineering



2014 Sidewalk Maintenance Program

Item Repair Summary By Address - All Failure Types

ACHILL DR

7155 ACHILL DR,

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.75</u>

7158 ACHILL DR,

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Reverse Slope</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7161 ACHILL DR,

6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0</u>

7180 ACHILL DR,

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.75</u>

7183 ACHILL DR,

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.75</u>

7215 ACHILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Cross Slope</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7231 ACHILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

7236 ACHILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2</u>

7239 ACHILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.5</u>

7263 ACHILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

7277 ACHILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.25</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7284 ACHILL DR.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2</u>

7292 ACHILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Settlement</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>	
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>1</u>	V. Offset: <u>1.5</u>	
4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>1.5</u>	
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Expansion Joint</u>		Quadrant: <u>1</u>	V. Offset: <u>0.5</u>	

ADVENTURE DR

5308 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5316 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

4" Concrete Walk, Remove and Repl	50' x 4'	200.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

5324 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Cracking</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Spalling</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Cracking</u>	Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

5325 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Cracking</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5332 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

5333 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>1</u>

5340 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>

5348 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>

5349 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

5357 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5364 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.5</u>

5365 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5373 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Utility Structure</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5381 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 0.5

5388 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.5

5389 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.5

5396 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.5

5397 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 0.5

5404 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Utility Structure **Quadrant:** 2 **V. Offset:** 0.75

5412 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 0.5

6" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 3 **V. Offset:** 0.5

5420 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.5

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Cracking **Quadrant:** 4 **V. Offset:** 0.5

5428 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>5</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>5</u>	V. Offset: <u>1</u>

5437 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>3</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Reverse Slope</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>

5463 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>5</u>	V. Offset: <u>0.75</u>

5491 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>

5500 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>3</u>	V. Offset: <u>0.5</u>

5515 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>

5525 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>

5535 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5544 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1</u>
4" Concrete Walk w/ AGG. Base, A.P	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>2.5</u>

5545 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5555 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5560 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
6" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>1</u>

5576 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

5592 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1.5</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5613 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>

5623 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5633 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset:	<u>2</u>

5640 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5652 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5655 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>

5684 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 1

5694 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.5

5704 ADVENTURE DR.

6" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 3 **V. Offset:** 0.5

5713 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Expansion Joint **Quadrant:** 3 **V. Offset:** 0.75

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.5

4" Concrete Walk, Remove and Repl 25' x 4' 100.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

5724 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.75

5755 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 30' x 4' 120.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 1

5756 ADVENTURE DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.5

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Cracking **Quadrant:** 1 **V. Offset:** 0.5

6" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Expansion Joint **Quadrant:** 3 **V. Offset:** 0.5

5766 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>

5776 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Expansion Joint</u>		Quadrant:	<u>3</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>

5786 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Expansion Joint</u>		Quadrant:	<u>3</u>	V. Offset: <u>0.5</u>
6" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Expansion Joint</u>		Quadrant:	<u>3</u>	V. Offset: <u>0.75</u>

5798 ADVENTURE DR.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>1</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.75</u>

ALAN MOSS CT

5595 ALAN MOSS CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Cross Slope</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5600 ALAN MOSS CT.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

5610 ALAN MOSS CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Settlement</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

5611 ALAN MOSS CT.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Settlement</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>

5623 ALAN MOSS CT.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>1</u>	V. Offset: <u>1.25</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Spalling</u>		Quadrant: <u>1</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	35' x 4'		140.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>1</u>	V. Offset: <u>2</u>
4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF
Failure: <u>Utility Structure</u>		Quadrant: <u>2</u>	V. Offset: <u>1.25</u>

ANSELMO CT

7073 ANSELMO CT.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Utility Structure</u>		Quadrant: <u>2</u>	V. Offset: <u>0.5</u>
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>3</u>	V. Offset: <u>1.25</u>

7076 ANSELMO CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Cracking</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

BARDSTON DR

7548 BARDSTON DR.

4" Concrete Walk, Remove and Repl 15' x 4'

60.0 SF

Failure: Tree Root Heave

Quadrant: 4

V. Offset: 1.5

BARNEY DR

5599 BARNEY DR.

4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF	
Failure: <u>None Noted</u>		Quadrant:	<u>2</u>	V. Offset: <u>3.25</u>
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>1</u>

BEERY LN6974 BEERY LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

6981 BEERY LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

6992 BEERY LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>2</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>1</u>	V. Offset: <u>0.75</u>

6993 BEERY LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

6999 BEERY LN.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>1.25</u>

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>1.5</u>

BONALY CT

5729 BONALY CT.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>	
4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>2.75</u>	
4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>1</u>	

5745 BONALY CT.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>None Noted</u>		Quadrant: <u>3</u>	V. Offset: <u>0.5</u>	

CARRICK CT

6988 CARRICK CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>None Noted</u>		Quadrant: <u>5</u>	V. Offset: <u>0.75</u>	
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>2</u>	

CAVALRY CT

7010 CAVALRY CT.

4" Concrete Walk, Remove and Repl	60' x 4'	240.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>2</u>

CLASSICS CT

5500 CLASSICS CT,

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Expansion Joint</u>		Quadrant: <u>3</u>	V. Offset: <u>0.75</u>

5507 CLASSICS CT,

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Cracking</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5510 CLASSICS CT,

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF
Failure: <u>Utility Structure</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Settlement</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>

5515 CLASSICS CT,

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Cracking</u>		Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Cracking</u>		Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5516 CLASSICS CT,

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5527 CLASSICS CT,

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

5537 CLASSICS CT,

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5559 CLASSICS CT,

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

CONQUISTADOR CT

6855 CONQUISTADOR CT.

4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset: <u>2.25</u>

6878 CONQUISTADOR CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset: <u>1.5</u>

6879 CONQUISTADOR CT.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Expansion Joint</u>	Quadrant:	<u>4</u>	V. Offset: <u>1.5</u>

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset: <u>0.75</u>

6900 CONQUISTADOR CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Expansion Joint</u>	Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>1</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset: <u>1.5</u>

6" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>

COREY SWIRL DR

5597 COREY SWIRL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>		
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>		
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>		
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>		

5624 COREY SWIRL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Settlement</u>	Quadrant: <u>1</u>	V. Offset: <u>1</u>		
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.25</u>		
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>		
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>1</u>	V. Offset: <u>1</u>		
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>0</u>	V. Offset: <u>2</u>		

ERNEST WY

6910 ERNEST WY.

4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF	
Failure: <u>None Noted</u>		Quadrant:	<u>1</u>	V. Offset: <u>1.5</u>

6933 ERNEST WY.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>5</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>5</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>None Noted</u>		Quadrant:	<u>5</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>None Noted</u>		Quadrant:	<u>2</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>None Noted</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>

FALLEN TIMBERS DR

6635 FALLEN TIMBERS DR.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

6647 FALLEN TIMBERS DR.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

6847 FALLEN TIMBERS DR.

4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF
Failure: <u>Cross Slope</u>		Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

6965 FALLEN TIMBERS DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Settlement</u>		Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>2.25</u>

FITZGERALD RD

7023 FITZGERALD RD.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF	
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset: <u>1.5</u>

INNISFREE CT

7179 INNISFREE CT.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Reverse Slope</u>		Quadrant:	<u>5</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>

7180 INNISFREE CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1.25</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>1.5</u>

INNISFREE LN

7159 INNISFREE LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

7162 INNISFREE LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>0.75</u>

7165 INNISFREE LN.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>
4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>

7170 INNISFREE LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>1.75</u>

7171 INNISFREE LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.75</u>

7183 INNISFREE LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.75</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>1</u>

7210 INNISFREE LN.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Utility Structure</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

7218 INNISFREE LN.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2.5</u>

7226 INNISFREE LN.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7231 INNISFREE LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.75</u>

7247 INNISFREE LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.5</u>

7250 INNISFREE LN.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	40' x 4'	160.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.25</u>

7255 INNISFREE LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

7266 INNISFREE LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2</u>

7287 INNISFREE LN.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.5</u>

7295 INNISFREE LN.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>2</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	40' x 4'	160.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.5</u>

LITERARY LN

6911 LITERARY LN.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>1.25</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Cracking</u>		Quadrant:	<u>5</u>	V. Offset: <u>0.5</u>

6932 LITERARY LN.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>2</u>

6947 LITERARY LN.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1.25</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>1.5</u>

LONGBRANCH DR

260 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.5</u>
6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Spalling</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.75</u>

275 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2.25</u>

278 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.5</u>

283 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>

291 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

294 LONGBRANCH DR.

6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.75</u>

307 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

331 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: None Noted **Quadrant:** 4 **V. Offset:** 0.5

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: None Noted **Quadrant:** 1 **V. Offset:** 0.75

339 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 1

348 LONGBRANCH DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Cracking **Quadrant:** 2 **V. Offset:** 0.5

MACDERMOTT CT

5797 MACDERMOTT CT,

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Expansion Joint</u>		Quadrant: <u>1</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Expansion Joint</u>		Quadrant: <u>1</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF
Failure: <u>Expansion Joint</u>		Quadrant: <u>1</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Reverse Slope</u>		Quadrant: <u>3</u>	V. Offset: <u>1.25</u>

5800 MACDERMOTT CT,

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>2</u>	V. Offset: <u>1</u>

5806 MACDERMOTT CT,

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Cracking</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

MUIRFIELD DR

7076 MUIRFIELD DR.

4" Concrete Walk, Remove and Repl 20' x 4'

80.0 SF

Failure: Tree Root Heave

Quadrant: 5

V. Offset: 0.75

OLD POND DR

5535 OLD POND DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset: <u>1</u>

PARKER HILL LN

5535 PARKER HILL LN.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>4</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>2.75</u>

PARNELL CT

6973 PARNELL CT.

4" Concrete Walk, Remove and Repl	35' x 4'	140.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>3</u>
4" Concrete Walk, Remove and Repl	35' x 4'	140.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>3</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1</u>

6991 PARNELL CT.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.5</u>

RAYMOND DR

6995 RAYMOND DR,

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>	
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>	
4" Concrete Walk, Remove and Repl	30' x 4'		120.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant: <u>5</u>	V. Offset: <u>1.75</u>	
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Expansion Joint</u>		Quadrant: <u>5</u>	V. Offset: <u>0.75</u>	

ROMERO CT

5700 ROMERO CT.

4" Concrete Walk, Remove and Repl 25' x 4'

100.0 SF

Failure: None Noted

Quadrant: 4

V. Offset: 1.5

ROYAL DUBLIN CT

6542 ROYAL DUBLIN CT.

4" Concrete Walk w/ AGG. Base, A.P 15' x 4'

60.0 SF

Failure: Tree Root Heave

Quadrant: 2

V. Offset: 0.5

SCHOOLCRAFT DR

7100 SCHOOLCRAFT DR.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>5</u>	V. Offset: <u>1</u>
4" Concrete Walk w/ AGG. Base, A.P	45' x 4'		180.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>2</u>
Remove/Dispose of Rubberized Side			180.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>2</u>

7108 SCHOOLCRAFT DR.

4" Concrete Walk w/ AGG. Base, A.P	25' x 4'		100.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1</u>
Remove/Dispose of Rubberized Side			100.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1.5</u>

7120 SCHOOLCRAFT DR.

4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk w/ AGG. Base, A.P	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1</u>
Remove/Dispose of Rubberized Side			60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>2</u>	V. Offset: <u>1</u>

SCRIBNER WY

7025 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	35' x 4'	140.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0</u>
6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

7030 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7034 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1</u>

7039 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>

7044 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>1.25</u>

7047 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

7055 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

7061 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

7064 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

7075 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

7081 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

7084 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

7087 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

7095 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

7101 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2</u>

7115 SCRIBNER WY.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

SELLS MILL DR

5549 SELLS MILL DR.

4" Concrete Walk w/ AGG. Base, A.P	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>0.75</u>		
4" Concrete Walk w/ AGG. Base, A.P	25' x 4'	100.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>4</u>	V. Offset: <u>2</u>		
Remove/Dispose of Rubberized Side		100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>2</u>		

5587 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>		
4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>		
Remove/Dispose of Rubberized Side		100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>		

5607 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>		
Remove/Dispose of Rubberized Side		120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>		

5649 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>		
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>1</u>	V. Offset: <u>3</u>		
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant: <u>1</u>	V. Offset: <u>0.5</u>		

5673 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	30' x 0'	0.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>2.5</u>		
6" Concrete Walk, Remove and Repl	5' x 0'	0.0 SF		
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>		

5689 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	30' x 0'		0.0 SF	
Failure: <u>Settlement</u>		Quadrant: <u>2</u>	V. Offset: <u>3</u>	
4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>Settlement</u>		Quadrant: <u>2</u>	V. Offset: <u>0.75</u>	

5767 SELLS MILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'		20.0 SF	
Failure: <u>None Noted</u>		Quadrant: <u>4</u>	V. Offset: <u>0.5</u>	
4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF	
Failure: <u>Spalling</u>		Quadrant: <u>2</u>	V. Offset: <u>1.25</u>	
4" Concrete Walk, Remove and Repl	35' x 4'		140.0 SF	
Failure: <u>Settlement</u>		Quadrant: <u>4</u>	V. Offset: <u>1.5</u>	
6" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF	
Failure: <u>Cracking</u>		Quadrant: <u>3</u>	V. Offset: <u>0</u>	

SHADY NELMS DR

6920 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.5</u>
6" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.5</u>

6949 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.5</u>

6969 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	45' x 4'	180.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

6982 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>3</u>

7030 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.75</u>

7042 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	35' x 4'	140.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>2.5</u>

7095 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	45' x 4'	180.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Spalling</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

7105 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	40' x 4'	160.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>2</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

7194 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>1</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>1</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

7244 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

7254 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
6" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>0.75</u>

7264 SHADY NELMS DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>3</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.5</u>

STEIN CT

5458 STEIN CT.

4" Concrete Walk, Remove and Repl 35' x 4'

140.0 SF

Failure: Tree Root Heave

Quadrant:

5

V. Offset:

2

STOVER CT

5597 STOVER CT.

4" Concrete Walk, Remove and Repl	20' x 4'		80.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>1.75</u>
4" Concrete Walk, Remove and Repl	10' x 4'		40.0 SF
Failure: <u>Settlement</u>		Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5606 STOVER CT.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>5</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF
Failure: <u>Tree Root Heave</u>		Quadrant: <u>4</u>	V. Offset: <u>1.5</u>

SWEENY CT

7141 SWEENY CT.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	40' x 4'	160.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>2.75</u>
6" Concrete Walk, Remove and Repl	16' x 4'	64.0 SF		
Failure: <u>Severe Cracking</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.75</u>
6" Concrete Walk, Remove and Repl	40' x 4'	160.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1</u>

TARA HILL DR

5299 TARA HILL DR,

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5302 TARA HILL DR,

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5313 TARA HILL DR,

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

5326 TARA HILL DR,

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>4</u>	V. Offset: <u>1</u>

5355 TARA HILL DR,

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Utility Structure</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

6" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>1</u>

5363 TARA HILL DR,

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

5375 TARA HILL DR,

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

5390 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>5</u>	V. Offset:	<u>0.5</u>

5393 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>3</u>

5396 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Cracking</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

5399 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>1</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>1</u>	V. Offset:	<u>0.5</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>

5404 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

5407 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>

5412 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

5423 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 1

5428 TARA HILL DR.

4" Concrete Walk, Remove and Repl 45' x 4' 180.0 SF
Failure: None Noted **Quadrant:** 1 **V. Offset:** 2

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: None Noted **Quadrant:** 1 **V. Offset:** 1

5567 TARA HILL DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 1

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 0.5

5594 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 5 **V. Offset:** 1.5

5597 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: Longitudinal Slope **Quadrant:** 2 **V. Offset:** 1

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 2.25

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: None Noted **Quadrant:** 4 **V. Offset:** 0.5

5607 TARA HILL DR.

4" Concrete Walk, Remove and Repl 25' x 4' 100.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 2

5608 TARA HILL DR.

4" Concrete Walk, Remove and Repl 30' x 4' 120.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 1

5627 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

5628 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2.5</u>

5637 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.25</u>

5638 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2</u>

5648 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.5</u>

5658 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2</u>

5667 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.25</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>

5668 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>2.5</u>
4" Concrete Walk, Remove and Repl	30' x 4'	120.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>3</u>

5676 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>5</u>	V. Offset:	<u>1.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Expansion Joint</u>	Quadrant:	<u>3</u>	V. Offset:	<u>0.75</u>

5677 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2.5</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Utility Structure</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5711 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1.5</u>

5716 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

5728 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

5729 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

5740 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Reverse Slope</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

5741 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>3</u>	V. Offset: <u>1</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

5752 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>1.25</u>

5764 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Expansion Joint</u>	Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

5779 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

5813 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>

5814 TARA HILL DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.75

5822 TARA HILL DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 0.75

5827 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 1.25

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 1.5

5830 TARA HILL DR.

4" Concrete Walk, Remove and Repl 15' x 4' 60.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 1

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 1

5838 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 2.5

5841 TARA HILL DR.

4" Concrete Walk, Remove and Repl 45' x 4' 180.0 SF
Failure: Cross Slope **Quadrant:** 2 **V. Offset:** 1.5

5853 TARA HILL DR.

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 2

4" Concrete Walk, Remove and Repl 30' x 4' 120.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 3

5854 TARA HILL DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 1

4" Concrete Walk, Remove and Repl 20' x 4' 80.0 SF
Failure: None Noted **Quadrant:** 2 **V. Offset:** 0.75

5862 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.5</u>
4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

5870 TARA HILL DR.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1.5</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:		V. Offset:	<u>1.5</u>

5880 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>1</u>

5888 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>
6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>4</u>	V. Offset:	<u>1</u>

5896 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

5904 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>2</u>
4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset:	<u>0.75</u>

5918 TARA HILL DR.

6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF		
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.75</u>

5926 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF		
Failure: <u>None Noted</u>	Quadrant:	<u>2</u>	V. Offset:	<u>0.5</u>

5964 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>2</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>

5976 TARA HILL DR.

6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>

5988 TARA HILL DR.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1</u>

6000 TARA HILL DR.

6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Expansion Joint</u>	Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

6012 TARA HILL DR.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Expansion Joint</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

6036 TARA HILL DR.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>0.75</u>

6046 TARA HILL DR.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>
6" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

6085 TARA HILL DR.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 1

6097 TARA HILL DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 2 **V. Offset:** 0.75

4" Concrete Walk, Remove and Repl 30' x 4' 120.0 SF
Failure: Spalling **Quadrant:** 4 **V. Offset:** 0.75

6174 TARA HILL DR.

6" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Cross Slope **Quadrant:** 4 **V. Offset:** 0.75

6204 TARA HILL DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.75

6" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

6218 TARA HILL DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: Settlement **Quadrant:** 4 **V. Offset:** 0.75

6234 TARA HILL DR.

4" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: None Noted **Quadrant:** 4 **V. Offset:** 0.5

VALLY DOWN RD

6859 VALLY DOWN RD.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>4</u>	V. Offset: <u>2</u>

6887 VALLY DOWN RD.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset: <u>1.5</u>

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF	
Failure: <u>Settlement</u>	Quadrant:	<u>4</u>	V. Offset: <u>0.5</u>

6895 VALLY DOWN RD.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF	
Failure: <u>Tree Root Heave</u>	Quadrant:	<u>2</u>	V. Offset: <u>2</u>

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF	
Failure: <u>Cracking</u>	Quadrant:	<u>4</u>	V. Offset: <u>0.75</u>

6956 VALLY DOWN RD.

4" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF	
Failure: <u>Settlement</u>	Quadrant:	<u>1</u>	V. Offset: <u>1</u>

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF	
Failure: <u>None Noted</u>	Quadrant:	<u>1</u>	V. Offset: <u>1.25</u>

WENDY TRAIL LN

7066 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>5</u>	V. Offset: <u>1.25</u>
6" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7080 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Expansion Joint</u>	Quadrant: <u>4</u>	V. Offset: <u>0.5</u>

7081 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7094 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

7108 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>

7111 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	25' x 4'	100.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>2</u>

7122 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>

7136 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

7164 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>None Noted</u>	Quadrant: <u>2</u>	V. Offset: <u>0.5</u>
6" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Settlement</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7177 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7180 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	5' x 4'	20.0 SF
Failure: <u>Longitudinal Slope</u>	Quadrant: <u>4</u>	V. Offset: <u>0.75</u>
4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1.5</u>

7185 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>4</u>	V. Offset: <u>1.25</u>
4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>

7191 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	20' x 4'	80.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7196 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>0.75</u>
6" Concrete Walk, Remove and Repl	10' x 4'	40.0 SF
Failure: <u>Cracking</u>	Quadrant: <u>3</u>	V. Offset: <u>0.5</u>

7202 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl	15' x 4'	60.0 SF
Failure: <u>Tree Root Heave</u>	Quadrant: <u>2</u>	V. Offset: <u>1</u>

7205 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

7208 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl 10' x 4' 40.0 SF
Failure: Tree Root Heave **Quadrant:** 4 **V. Offset:** 0.75

6" Concrete Walk, Remove and Repl 5' x 4' 20.0 SF
Failure: None Noted **Quadrant:** 4 **V. Offset:** 0.5

7211 WENDY TRAIL LN.

4" Concrete Walk, Remove and Repl 25' x 4' 100.0 SF
Failure: Tree Root Heave **Quadrant:** 2 **V. Offset:** 1.25

WICHITA ST

7011 WICHITA ST.

4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>1</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	15' x 4'		60.0 SF	
Failure: <u>Tree Root Heave</u>		Quadrant:	<u>1</u>	V. Offset: <u>1</u>
4" Concrete Walk, Remove and Repl	25' x 4'		100.0 SF	
Failure: <u>Settlement</u>		Quadrant:	<u>1</u>	V. Offset: <u>2</u>

B. LOCATION DETAILS