

DRAWING PATH:

1 FIRST FLOOR PLAN

SCALE: 3/32" = 1'-0"

PLAN NORTH



- KEY NOTES:**
- 1 ALTERNATING TREAD STAIR FROM FOURTH FLOOR STAIR LANDING TO ROOF
 - 2 LINE OF ROOF CANOPY ABOVE
 - 3 VEHICULAR DROP OFF - REFER TO SITE PLAN AND DETAILS
 - 4 MECHANICAL, ELECTRICAL AND PLUMBING CHASE
 - 5 CARRY CARPET PATTERN INTO DOOR TO TRANSITION STRIP AS INDICATED - REFER TO FINISH FLOOR PLAN SHEET FOR TRANSITION DETAIL
 - 6 FLOOR DRAIN
 - 7 PTAC UNIT
 - 8 HOSE BIB - REFER TO PLUMBING DRAWINGS
 - 9 HOTEL LAUNDRY EQUIPMENT - REFER TO ENLARGED PLAN
 - 10 GUEST LAUNDRY EQUIPMENT - REFER TO ENLARGED PLAN
 - 11 DASHED LINE INDICATES PATH OF FULLY CONCEALED ROOF LEADER FROM CANOPY ROOF TO EXTERIOR WALL CAVITY
 - 12 CANOPY ROOF OVERFLOW SCUPPER
 - 13 ACCESSIBLE ICE MACHINE WITH REQUIRED ACCESSIBLE APPROACH AREA; PROVIDE FLOOR DRAIN CENTERED UNDER ICE MACHINE AND PROVIDE POSITIVE SLOPE TOWARDS DRAIN WITHOUT AFFECTING ACCESSIBLE REQUIREMENTS; INSULATE DRAIN PIPES.
 - 14 ROOF OF POOL BELOW
 - 15 CANOPY TRELLIS BELOW
 - 16 DRYER VENT LOUVER - REFER TO ELEVATIONS
 - 17 36" x 36" MOP SINK LOCATION
 - 18 MAINTENANCE DESK
 - 19 WIRE SHELVING SYSTEM - REFER TO FF&E
 - 20 FIRE EXTINGUISHER (CABINET IN PUBLIC AREAS); INSTALLED SO THAT NO OPERABLE PART IS HIGHER THAN 48" A.F.F.
 - 21 MEMBRANE ROOF SLOPE STRUCTURE TO DRAIN TOWARDS ROOF DRAIN/GUTTERS
 - 22 TAPERED INSULATION CRICKET
 - 23 ROOF LEADER AND OVERFLOW DRAIN REFER TO PLUMBING DRAWINGS
 - 24 ROOF HATCH - ACCESSED VIA AN ALTERNATING TREAD STAIR
 - 25 ROOF PARAPET
 - 26 GRAVEL STOP EDGE
 - 27 EXHAUST FAN
 - 28 MAKE UP AIR UNIT ON ROOF CURB
 - 29 ELEVATOR OVER RUN PENTHOUSE
 - 30 LAMINATED GLASS BEACON; REFER TO EXTERIOR ELEVATIONS
 - 31 ALUMINUM GUTTER AND DOWNSPOUT
 - 32 MECHANICAL EQUIPMENT SCREEN TO BE TALL ENOUGH TO FULLY HIDE EQUIPMENT - PROVIDE CLEARANCE AND ACCESS AS REQUIRED BY EQUIPMENT MANUFACTURER
 - 33 KEYCARD READER ENTRANCE HARDWARE; MOUNTED SO THAT TOP OF READER IS A MAXIMUM OF 48" ABOVE GRADE OR FINISH FLOOR
 - 34 PUSH BUTTON INTERCOM OR HOUSE PHONE; MOUNT SO TOP OF DEVICE IS MAXIMUM OF 48" ABOVE GRADE; PROVIDE CLEAR FLOOR SPACE AS REQUIRED BY ACCESSIBILITY AT DEVICE.
 - 35 SPLASH-BLOCK
 - 36 FRP WANSKOT 4" HIGH ON ALL SIDES INDICATED; PROVIDE APPROPRIATE VINYL EDGE TREATMENT
 - 37 MECHANICAL LOUVER
 - 38 FLUORESCENT FLOODLIGHT
 - 39 EXPOSED CMU CORNER TO HAVE 1" RADIUS BULLNOSE
 - 40 WALKWAY PROTECTION PAD IN CONTRASTING COLOR TO ROOF
 - 41 ALTERNATING TREAD STAIR TO UPPER ROOF
 - 42 INDICATES DIRECTION OF CARPET PATTERN; REFER TO FINISH FLOOR PLAN SHEET
- SYMBOL / FIXTURES KEY:**
- ACCESSIBLE ROOM
 - C.F. ROOM - REFER TO ELECTRICAL DRAWINGS

OHM
ARCHITECTS ENGINEERS PLANNERS
101 HILL STREET
DUBLIN, OHIO 43017
614.433.6600
614.433.6284
OHM-ADVISORS.COM

DATE: _____
SCALE: _____
REVISIONS: _____

PROJECT: HOME2 HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
LOCATION: FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO
SHEET: A1.01
FIRST FLOOR PLAN

DRAWING PATH:

2 SECOND (TYPICAL) FLOOR PLAN

SCALE: 3/32" = 1'-0"

PLAN NORTH



- KEY NOTES:**
- 1 ALTERNATING TREAD STAIR FROM FOURTH FLOOR STAIR LANDING TO ROOF
 - 2 LINE OF ROOF CANOPY ABOVE
 - 3 VEHICULAR DROP OFF - REFER TO SITE PLAN AND DETAILS
 - 4 MECHANICAL, ELECTRICAL AND PLUMBING CHASE
 - 5 CARRY CARPET PATTERN TO DOOR TO TRANSITION STRIP AS INDICATED - REFER TO FINISH FLOOR PLAN SHEET FOR TRANSITION DETAIL
 - 6 FLOOR DRAIN
 - 7 PTAC UNIT
 - 8 HOSE BB - REFER TO PLUMBING DRAWINGS
 - 9 HOTEL LAUNDRY EQUIPMENT - REFER TO ENLARGED PLAN
 - 10 GUEST LAUNDRY EQUIPMENT - REFER TO ENLARGED PLAN
 - 11 DASHED LINE INDICATES PATH OF FULLY CONCEALED ROOF LEADER FROM CANOPY ROOF TO EXTERIOR WALL CAVITY
 - 12 CANOPY ROOF OVERFLOW SCUPPER
 - 13 ACCESSIBLE ICE MACHINE WITH REQUIRED ACCESSIBLE APPROACH AREA; PROVIDE FLOOR DRAIN CENTERED UNDER ICE MACHINE AND PROVIDE POSITIVE SLOPE TOWARDS DRAIN WITHOUT AFFECTING ACCESSIBLE REQUIREMENTS. INSULATE DRAIN PIPES.
 - 14 ROOF OF POOL BELOW
 - 15 CANOPY TRELLIS BELOW
 - 16 DRYER VENT LOUVER - REFER TO ELEVATIONS
 - 17 36" x 36" MOP SINK LOCATION
 - 18 MAINTENANCE DESK
 - 19 WIRE SHELVING SYSTEM -- REFER TO FF&E
 - 20 FIRE EXTINGUISHER CABINET IN PUBLIC AREAS; INSTALLED SO THAT NO OPERABLE PART IS HIGHER THAN 48" A.F.F.
 - 21 MEMBRANE ROOF, SLOPE STRUCTURE TO DRAIN TOWARDS ROOF DRAINS/GUTTERS
 - 22 TAPERED INSULATION CRIBCKET
 - 23 ROOF LEADER AND OVERFLOW DRAIN-REFER TO PLUMBING DRAWINGS
 - 24 ROOF HATCH - ACCESSED VIA AN ALTERNATING TREAD STAIR
 - 25 ROOF PARAPET
 - 26 GRAVEL STOP EDGE
 - 27 EXHAUST FAN
 - 28 MAKE UP AIR UNIT ON ROOF CURB
 - 29 ELEVATOR OVER RUN PENTHOUSE
 - 30 LAMINATED GLASS BEACON, REFER TO EXTERIOR ELEVATIONS
 - 31 ALUMINUM GUTTER AND DOWNSPOUT
 - 32 MECHANICAL EQUIPMENT SCREEN TO BE TALL ENOUGH TO FULLY HIDE EQUIPMENT-PROVIDE CLEARANCE AND ACCESS AS REQUIRED BY EQUIPMENT MANUFACTURER
 - 33 KEYCARD READER ENTRANCE HARDWARE; MOUNTED SO THAT TOP OF READER IS A MAXIMUM OF 48" ABOVE GRADE OR FINISH FLOOR.
 - 34 PUSH BUTTON INTERCOM OR HOUSE PHONE; MOUNT SO TOP OF DEVICE IS MAXIMUM OF 48" ABOVE GRADE. PROVIDE CLEAR FLOOR SPACE AS REQUIRED BY ACCESSIBILITY AT DEVICE.
 - 35 SPLASHBLOCK
 - 36 FRP WAINSCOT 4'-0" HIGH ON ALL SIDES INDICATED. PROVIDE APPROPRIATE VINYL EDGE TREATMENT
 - 37 MECHANICAL LOUVER
 - 38 FLUORESCENT FLOODLIGHT
 - 39 EXPOSED CMU CORNER TO HAVE 1" RADIUS BULLNOSE
 - 40 WALKWAY PROTECTION PAD IN CONTRASTING COLOR TO ROOF
 - 41 ALTERNATING TREAD STAIR TO UPPER ROOF
 - 42 INDICATES DIRECTION OF CARPET PATTERN. REFER TO FINISH FLOOR PLAN SHEET
- SYMBOL / FIXTURES KEY:**
- ACCESSIBLE ROOM
 - C.F. ROOM - REFER TO ELECTRICAL DRAWINGS




ARCHITECTS ENGINEERS PLANNERS
101 HILL STREET
DUBLIN, OHIO 43017
614.434.6600
614.434.6204
OHM-ADVISORS.COM

DATE: 11/15/2017
PROJECT: ICH DUBLIN HOTEL
SHEET: A1.02

HOMEZ HOTEL
ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
FRONT ROAD & STATE ROUTE 611, DUBLIN, OHIO
SECOND (TYPICAL) FLOOR PLAN

DATE: 11/15/2017
PROJECT: ICH DUBLIN HOTEL
SHEET: A1.02

DRAWING PATH:



2 ROOF ACCESS LADDER
SCALE: 1/2" = 1'-0"

3 ROOF PLAN
SCALE: 3/32" = 1'-0"




- KEY NOTES:**
- 1 42" x 84" ROOF HATCH W/ ACCESS FROM ALTERNATING TREAD
 - 2 SFRM, SEE DETAIL
 - 3 ROOF DRAINAGE TYP.
 - 4 MECHANICAL EGS. IN DET. SEE MECHANICAL DRAWINGS.
 - 5 FULLY ADHERED TPO ROOF MEMBRANE (SFRM)
 - 6 ELEVATOR PENHOUSE ENCLOSURE
 - 7 EPS CORNER W/ ROOF EDGE FLASHING
 - 8 OVERFLOW DRAIN LEADER, EXTEND TO OVERFLOW NOZZLE @ EXT. WALL
 - 9 ALTERNATING TREAD START TO UPPER ROOF.
 - 10 LAMINATED GLASS BEACON
 - 11 GUTTER, DOWNSPOUT AND SPLASH-BACK.
 - 12 UNFINISHED METAL SCREEN PANELS, COLOR TO MATCH EPS CORNER.
 - 13 200# REINFORCY MISC.
 - 14 STAINED WOOD TRUSS

OHM
ARCHITECTS ENGINEERS PLANNERS
101 HILL STREET
DUBLIN, OHIO 43017
614.762.0000
614.762.0004
OHM-ADVISORS.COM

SCALE	
REVISIONS	

HOMEZ HOTEL
ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
FRANKE ROAD & STATE ROUTE 101, DUBLIN, OHIO


COPYRIGHT 2015 CH2M HILL. ALL RIGHTS RESERVED. THESE COORDINATES, DIMENSIONS AND OTHER INFORMATION ARE THE PROPERTY OF CH2M HILL AND SHALL REMAIN THE PROPERTY OF CH2M HILL. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF CH2M HILL.



1 NORTH ELEVATION
SCALE: 1/8" = 1'-0"

CODED NOTES:

1. STONE VENEER
2. LIGHT BRICK VENEER
3. DARK BRICK VENEER
4. EPS CORNICE
5. EPS BANDING
6. STONE BANDING
7. FIBER CEMENT BOARD - DARK
8. FIBER CEMENT BOARD - LIGHT
9. LOUVER - TYP.
10. ALUM. WINDOW SYSTEM
11. AUTO SLIDING ALUM. ENTRY SYSTEM
12. ALUM. ENTRY SYSTEM
13. HOLLOW METAL DOOR + FRAME - PAINTED



2 EAST ELEVATION
SCALE: 1/8" = 1'-0"

DRAWING PATH:

COPYRIGHT 2012 CH2M HILL. ALL RIGHTS RESERVED. PREPARED FOR THE CLIENT AND FOR THE ARCHITECT. THE ORIGINAL AND UNPUBLISHED WORK OF CH2M HILL. THIS DRAWING IS THE PROPERTY OF CH2M HILL AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF CH2M HILL.

DRAWING PATH:



DATE: _____

REVISIONS:

DATE: _____
 DRAWN BY: _____
 CHECKED BY: _____
 PROJECT: _____
 SHEET: _____

A2.02

HOMER HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 FRANKLIN ROAD & STATE ROUTE 161, DUBLIN, OHIO
 EXTERIOR ELEVATIONS

COPYRIGHT 2015 CH2M HILL. DRAWINGS AND RELATED MATERIALS PREPARED HEREIN SHALL BE THE ORIGINAL, UNCOMPLETED WORK OF CH2M AND THE SAME MAY NOT BE REPRODUCED, COPIED, EITHER WHOLLY OR IN PART, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN CONSENT OF CH2M.



- CODED NOTES:**
1. STONE VENEER
 2. LIGHT BRICK VENEER
 3. DARK BRICK VENEER
 4. EIFS CORNICE
 5. EIFS BANDING
 6. STONE BANDING
 7. FIBER CEMENT BOARD - DARK
 8. FIBER CEMENT BOARD - LIGHT
 9. LOUVER + TYP.
 10. ALUM. WINDOW SYSTEM
 11. AUTO SLIDING ALUM. ENTRY SYSTEM
 12. ALUM. ENTRY SYSTEM
 13. HOLLOW METAL DOOR + FRAME - PAINTED



1 NORTH ELEVATION
 SCALE: 1/8" = 1'-0"

TRANSPARENCY PERCENTAGE NORTH FACADE		
ELEVATION TRANSPARENCY = 29%		
TRANSPARENCY PERCENTAGES PER FLOOR		
1ST FLR.	38%	380 SF / 1004 SF
2ND FLR.	25%	416 SF / 1688 SF
3RD FLR.	27%	449 SF / 1688 SF
4TH FLR.	27%	449 SF / 1673 SF

TRANSPARENCY PERCENTAGE EAST FACADE		
ELEVATION TRANSPARENCY = 38%		
TRANSPARENCY PERCENTAGES PER FLOOR		
1ST FLR.	61%	626 SF / 1033 SF
2ND FLR.	37.5%	653 SF / 1741 SF
3RD FLR.	27%	472 SF / 1754 SF
4TH FLR.	27%	472 SF / 1741 SF



2 EAST ELEVATION
 SCALE: 1/8" = 1'-0"

DATE: _____

REVISIONS:

DATE: _____ PROJECT: _____ DRAWN BY: _____ CHECKED BY: _____
 HOME2 HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO
 TRANSPARENCY PERCENTAGE ELEVATIONS

DRAWING PATH:

COPYRIGHT © 2018 CAPITAL EXPANSION AND WEST FULTON TERRACE. PREPARED FOR THE CLIENT AND UNPUBLISHED WORK OF OHM AND THE SAME MAY NOT BE REPRODUCED WITHOUT PERMITS FROM WEST FULTON OF OHM.



1 SOUTH ELEVATION
 SCALE: 1/8" = 1'-0"

TRANSPARENCY PERCENTAGE SOUTH FACADE		
ELEVATION TRANSPARENCY = 21%		
TRANSPARENCY PERCENTAGES PER FLOOR		
1ST FLR.	40.5%	442 SF / 1091 SF
2ND FLR.	15%	265 SF / 1824 SF
3RD FLR.	15%	276 SF / 1836 SF
4TH FLR.	15%	276 SF / 1836 SF



2 WEST ELEVATION
 SCALE: 1/8" = 1'-0"

TRANSPARENCY PERCENTAGE WEST FACADE		
ELEVATION TRANSPARENCY = 18%		
TRANSPARENCY PERCENTAGES PER FLOOR		
1ST FLR.	40%	251 SF / 620 SF
2ND FLR.	4%	190 SF / 1644 SF
3RD FLR.	14%	255 SF / 1642 SF
4TH FLR.	14%	255 SF / 1646 SF



3 WEST ELEVATION
 SCALE: 1/8" = 1'-0"

SCALE

REVISIONS

DATE: 05/14/2024
 DRAWN BY: J. COOPER
 CHECKED BY: J. COOPER
 PROJECT: HOME2 HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 FRANTZ ROAD & STATE ROUTE 161, DUBLIN, OHIO



1 SOUTH ELEVATION
 SCALE: 1/8" = 1'-0"



2 WEST ELEVATION
 SCALE: 1/8" = 1'-0"

MATERIALS PERCENTAGES SOUTH FACADE (equals 100%)				
PRIMARY MATERIALS			TRIM	
STONE	BRICK	GLASS	FIBER CEMENT BOARD	EIFS
26%	51%	7%	5%	11%
1840 SF	3578 SF	491 SF	335 SF	772 SF
84% = 5909 SF / 7016 SF			16% = 1107 SF / 7016 SF	



3 WEST ELEVATION
 SCALE: 1/8" = 1'-0"

MATERIALS PERCENTAGES WEST FACADE (equals 100%)				
PRIMARY MATERIALS			TRIM	
STONE	BRICK	GLASS	FIBER CEMENT BOARD	EIFS
21%	58%	8%	3%	10%
1505 SF	4135 SF	570 SF	206 SF	713 SF
87% = 6210 SF / 7129 SF			13% = 919 SF / 7129 SF	


REVISIONS:

HOME2 HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 PROJECT: 19014
 19014 STATE ROUTE 161, DUBLIN, OHIO

MATERIAL PERCENTAGE ELEVATIONS

DRAWING PATH:

1 BUILDING SECTION
 SCALE: 1/4" = 1'-0"



SCALE
 REFERENCE


DATE: 02/03/2020
 PROJECT: ICH DUBLIN HOTEL
 DRAWN BY: J. G. W. / J. G. W.
 CHECKED BY: J. G. W. / J. G. W.
 DESIGNED BY: J. G. W. / J. G. W.

**HOMEZ HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL**
 FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO


BUILDING SECTIONS

© COPYRIGHT 2018 OHM ARCHITECTS ENGINEERS PLANNERS. ALL RIGHTS RESERVED. THIS IS THE ORIGINAL, UNMODIFIED WORK OF OHM AND THE SAME MAY NOT BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN CONSENT OF OHM.

DRAWING PATH:




4 DETAIL
SCALE: 1/2" = 1'-0"



3 DETAIL
SCALE: 1 1/2" = 1'-0"


2 BUILDING SECTION
SCALE: 1/4" = 1'-0"




NOTE:
CLEAR LAMINATED GLASS HSHS 68% LIGHT TRANSMITTANCE WHITE (ARCTIC SNOW) HEAT TREATED GLASS
MANUFACTURER: VTRACON (1-800-533-2080)
4'-0" FLORESCENT LIGHT FIXTURES ARE SPECIFIED TO PROVIDE A WHITE, EVENLY BRIGHT GLOW AT NIGHT. HIGH OUTPUT LED LIGHTS MAY ALSO BE USED TO ACHIEVE THE DESIRED LIGHTING EFFECT.
-SYSTEM MUST BE ENGINEERED TO MEET LOCAL CODE REQUIREMENTS

ALUMINUM CHANNEL CAP W/ WELDED CORNERS, SET IN CONTINUOUS SEALANT
LAMINATED GLAZING W/ SHADED INNER LAYER, 4'-0" OF GLASS EXPOSED ABOVE THE TOP OF THE ADJACENT PARAPET.
SS EXTERIOR RAILING SHOE ASSEMBLY - PROVIDE GLAZING GASKET TO SECURE GLASS
NOTE: ASSEMBLY SHALL BE ENGINEERED TO MEET ALL LOCAL BUILDING CODES
GALVANIZED STEEL ANGLE SECURED TO PARAPET WALLS - PROVIDE SLOTTED HOLES (VERTICAL ORIENTATION) TO ACCOMMODATE LEVELING OF HANDRAIL/GLASS SYSTEM
FLOURESCENT OR LED LIGHT FIXTURE MOUNT TO STRUCT, AS NECESSARY
FULLY WRAP ROOFING MEMBRANE UP AND UNDER WALL ON 1/2" EXTERIOR GRADE PLYWOOD SHEATHING AS INDICATED


COPYRIGHT 2012 CH2M HILL. ALL RIGHTS RESERVED. PREPARED FOR THE CLIENT. NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF CH2M HILL.




1 BUILDING SECTION
SCALE: 1/2" = 1'-0"




2 WALL SECTION
SCALE: 1/2" = 1'-0"




3 WALL SECTION
SCALE: 1/2" = 1'-0"




4 ELEVATION
SCALE: 1/2" = 1'-0"



5 ELEVATION
SCALE: 1/2" = 1'-0"




6 ELEVATION
SCALE: 1/2" = 1'-0"




7 DUMPSTER ENCLOSURE PLAN
SCALE: 1/4" = 1'-0"

DRAWING PATH:

COPYRIGHT 2012 CH2M HILL. ALL RIGHTS RESERVED. THIS DOCUMENT IS THE PROPERTY OF CH2M HILL. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.



1 CEILING PLAN
SCALE: 3/8" = 1'-0"




2 CONSTRUCTION PLAN
SCALE: 3/8" = 1'-0"

FINISH LEGEND:

PT	PLASTIC LAMINATE	ADHESIVE	ADHESIVE TO SUBSTRATE
ST	STONE	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
SP	SPRINKLER HEAD	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
CC	CONCRETE	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
CT	CONCRETE	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
GT	Gypsum Board	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
MT	MASONRY TILE	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
MB	MASONRY BLOCK	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE
VF	VENEER FLOORING	ADHESIVE TO SUBSTRATE	ADHESIVE TO SUBSTRATE

CEILING DIMENSION LEGEND:



FURNISHINGS LEGEND:

300	WALL MOUNTED ARTWORK
301	QUICKENEST TABLE
302	ACCESSIBLE COUNTER/STAIR
303	WALL MOUNTED TV
304	CEILING MOUNTED DRAPERY ROD
305	WALL MOUNTED TV
306	WALL MOUNTED TV
307	WALL MOUNTED TV
308	WALL MOUNTED TV
309	WALL MOUNTED TV
310	WALL MOUNTED TV
311	WALL MOUNTED TV
312	WALL MOUNTED TV
313	WALL MOUNTED TV
314	WALL MOUNTED TV
315	WALL MOUNTED TV
316	WALL MOUNTED TV
317	WALL MOUNTED TV
318	WALL MOUNTED TV
319	WALL MOUNTED TV
320	WALL MOUNTED TV
321	WALL MOUNTED TV
322	WALL MOUNTED TV
323	WALL MOUNTED TV
324	WALL MOUNTED TV
325	WALL MOUNTED TV
326	WALL MOUNTED TV
327	WALL MOUNTED TV
328	WALL MOUNTED TV
329	WALL MOUNTED TV
330	WALL MOUNTED TV
331	WALL MOUNTED TV
332	WALL MOUNTED TV
333	WALL MOUNTED TV
334	WALL MOUNTED TV
335	WALL MOUNTED TV
336	WALL MOUNTED TV
337	WALL MOUNTED TV
338	WALL MOUNTED TV
339	WALL MOUNTED TV
340	WALL MOUNTED TV
341	WALL MOUNTED TV
342	WALL MOUNTED TV
343	WALL MOUNTED TV
344	WALL MOUNTED TV
345	WALL MOUNTED TV
346	WALL MOUNTED TV
347	WALL MOUNTED TV
348	WALL MOUNTED TV
349	WALL MOUNTED TV
350	WALL MOUNTED TV
351	WALL MOUNTED TV
352	WALL MOUNTED TV
353	WALL MOUNTED TV
354	WALL MOUNTED TV
355	WALL MOUNTED TV
356	WALL MOUNTED TV
357	WALL MOUNTED TV
358	WALL MOUNTED TV
359	WALL MOUNTED TV
360	WALL MOUNTED TV
361	WALL MOUNTED TV
362	WALL MOUNTED TV
363	WALL MOUNTED TV
364	WALL MOUNTED TV
365	WALL MOUNTED TV
366	WALL MOUNTED TV
367	WALL MOUNTED TV
368	WALL MOUNTED TV
369	WALL MOUNTED TV
370	WALL MOUNTED TV
371	WALL MOUNTED TV
372	WALL MOUNTED TV
373	WALL MOUNTED TV
374	WALL MOUNTED TV
375	WALL MOUNTED TV
376	WALL MOUNTED TV
377	WALL MOUNTED TV
378	WALL MOUNTED TV
379	WALL MOUNTED TV
380	WALL MOUNTED TV
381	WALL MOUNTED TV
382	WALL MOUNTED TV
383	WALL MOUNTED TV
384	WALL MOUNTED TV
385	WALL MOUNTED TV
386	WALL MOUNTED TV
387	WALL MOUNTED TV
388	WALL MOUNTED TV
389	WALL MOUNTED TV
390	WALL MOUNTED TV
391	WALL MOUNTED TV
392	WALL MOUNTED TV
393	WALL MOUNTED TV
394	WALL MOUNTED TV
395	WALL MOUNTED TV
396	WALL MOUNTED TV
397	WALL MOUNTED TV
398	WALL MOUNTED TV
399	WALL MOUNTED TV
400	WALL MOUNTED TV
401	WALL MOUNTED TV
402	WALL MOUNTED TV
403	WALL MOUNTED TV
404	WALL MOUNTED TV
405	WALL MOUNTED TV
406	WALL MOUNTED TV
407	WALL MOUNTED TV
408	WALL MOUNTED TV
409	WALL MOUNTED TV
410	WALL MOUNTED TV
411	WALL MOUNTED TV
412	WALL MOUNTED TV
413	WALL MOUNTED TV
414	WALL MOUNTED TV
415	WALL MOUNTED TV
416	WALL MOUNTED TV
417	WALL MOUNTED TV
418	WALL MOUNTED TV
419	WALL MOUNTED TV
420	WALL MOUNTED TV
421	WALL MOUNTED TV
422	WALL MOUNTED TV
423	WALL MOUNTED TV
424	WALL MOUNTED TV
425	WALL MOUNTED TV
426	WALL MOUNTED TV
427	WALL MOUNTED TV
428	WALL MOUNTED TV
429	WALL MOUNTED TV
430	WALL MOUNTED TV
431	WALL MOUNTED TV
432	WALL MOUNTED TV
433	WALL MOUNTED TV
434	WALL MOUNTED TV
435	WALL MOUNTED TV
436	WALL MOUNTED TV
437	WALL MOUNTED TV
438	WALL MOUNTED TV
439	WALL MOUNTED TV
440	WALL MOUNTED TV
441	WALL MOUNTED TV
442	WALL MOUNTED TV
443	WALL MOUNTED TV
444	WALL MOUNTED TV
445	WALL MOUNTED TV
446	WALL MOUNTED TV
447	WALL MOUNTED TV
448	WALL MOUNTED TV
449	WALL MOUNTED TV
450	WALL MOUNTED TV
451	WALL MOUNTED TV
452	WALL MOUNTED TV
453	WALL MOUNTED TV
454	WALL MOUNTED TV
455	WALL MOUNTED TV
456	WALL MOUNTED TV
457	WALL MOUNTED TV
458	WALL MOUNTED TV
459	WALL MOUNTED TV
460	WALL MOUNTED TV
461	WALL MOUNTED TV
462	WALL MOUNTED TV
463	WALL MOUNTED TV
464	WALL MOUNTED TV
465	WALL MOUNTED TV
466	WALL MOUNTED TV
467	WALL MOUNTED TV
468	WALL MOUNTED TV
469	WALL MOUNTED TV
470	WALL MOUNTED TV
471	WALL MOUNTED TV
472	WALL MOUNTED TV
473	WALL MOUNTED TV
474	WALL MOUNTED TV
475	WALL MOUNTED TV
476	WALL MOUNTED TV
477	WALL MOUNTED TV
478	WALL MOUNTED TV
479	WALL MOUNTED TV
480	WALL MOUNTED TV
481	WALL MOUNTED TV
482	WALL MOUNTED TV
483	WALL MOUNTED TV
484	WALL MOUNTED TV
485	WALL MOUNTED TV
486	WALL MOUNTED TV
487	WALL MOUNTED TV
488	WALL MOUNTED TV
489	WALL MOUNTED TV
490	WALL MOUNTED TV
491	WALL MOUNTED TV
492	WALL MOUNTED TV
493	WALL MOUNTED TV
494	WALL MOUNTED TV
495	WALL MOUNTED TV
496	WALL MOUNTED TV
497	WALL MOUNTED TV
498	WALL MOUNTED TV
499	WALL MOUNTED TV
500	WALL MOUNTED TV
501	WALL MOUNTED TV
502	WALL MOUNTED TV
503	WALL MOUNTED TV
504	WALL MOUNTED TV
505	WALL MOUNTED TV
506	WALL MOUNTED TV
507	WALL MOUNTED TV
508	WALL MOUNTED TV
509	WALL MOUNTED TV
510	WALL MOUNTED TV
511	WALL MOUNTED TV
512	WALL MOUNTED TV
513	WALL MOUNTED TV
514	WALL MOUNTED TV
515	WALL MOUNTED TV
516	WALL MOUNTED TV
517	WALL MOUNTED TV
518	WALL MOUNTED TV
519	WALL MOUNTED TV
520	WALL MOUNTED TV
521	WALL MOUNTED TV
522	WALL MOUNTED TV
523	WALL MOUNTED TV
524	WALL MOUNTED TV
525	WALL MOUNTED TV
526	WALL MOUNTED TV
527	WALL MOUNTED TV
528	WALL MOUNTED TV
529	WALL MOUNTED TV
530	WALL MOUNTED TV
531	WALL MOUNTED TV
532	WALL MOUNTED TV
533	WALL MOUNTED TV
534	WALL MOUNTED TV
535	WALL MOUNTED TV
536	WALL MOUNTED TV
537	WALL MOUNTED TV
538	WALL MOUNTED TV
539	WALL MOUNTED TV
540	WALL MOUNTED TV
541	WALL MOUNTED TV
542	WALL MOUNTED TV
543	WALL MOUNTED TV
544	WALL MOUNTED TV
545	WALL MOUNTED TV
546	WALL MOUNTED TV
547	WALL MOUNTED TV
548	WALL MOUNTED TV
549	WALL MOUNTED TV
550	WALL MOUNTED TV
551	WALL MOUNTED TV
552	WALL MOUNTED TV
553	WALL MOUNTED TV
554	WALL MOUNTED TV
555	WALL MOUNTED TV
556	WALL MOUNTED TV
557	WALL MOUNTED TV
558	WALL MOUNTED TV
559	WALL MOUNTED TV
560	WALL MOUNTED TV
561	WALL MOUNTED TV
562	WALL MOUNTED TV
563	WALL MOUNTED TV
564	WALL MOUNTED TV
565	WALL MOUNTED TV
566	WALL MOUNTED TV
567	WALL MOUNTED TV
568	WALL MOUNTED TV
569	WALL MOUNTED TV
570	WALL MOUNTED TV
571	WALL MOUNTED TV
572	WALL MOUNTED TV
573	WALL MOUNTED TV
574	WALL MOUNTED TV
575	WALL MOUNTED TV
576	WALL MOUNTED TV
577	WALL MOUNTED TV
578	WALL MOUNTED TV
579	WALL MOUNTED TV
580	WALL MOUNTED TV
581	WALL MOUNTED TV
582	WALL MOUNTED TV
583	WALL MOUNTED TV
584	WALL MOUNTED TV
585	WALL MOUNTED TV
586	WALL MOUNTED TV
587	WALL MOUNTED TV
588	WALL MOUNTED TV
589	WALL MOUNTED TV
590	WALL MOUNTED TV
591	WALL MOUNTED TV
592	WALL MOUNTED TV
593	WALL MOUNTED TV
594	WALL MOUNTED TV
595	WALL MOUNTED TV
596	WALL MOUNTED TV
597	WALL MOUNTED TV
598	WALL MOUNTED TV
599	WALL MOUNTED TV
600	WALL MOUNTED TV

KEY NOTES:

- PTAC UNIT-REFER TO MECHANICAL DRAWINGS
- DESIGNATED REED CLEAR FLOOR SPACE PER ACCESSIBILITY
- BLACK OUT ROLLER SHADE (W/O, TO FACE OF WALL) AND OTHER ROLLER SHADE (W/O, WINDOW POCKET) - SWITCHED OPENING DEVICE IN ACCESSIBLE ROOMS-REFER TO HADG FOR ACCESSIBLE CONTROL REOS - REFER TO ELECTRICAL PLAN FOR LOCATION OF SWITCH
- SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
- FLOOR DRAIN
- PRE-MANUFACTURED SHOWER PAN
- CEILING MOUNTED DRAPERY ROD- PROVIDE BLOCKING AS REED
- ALTERNATE LOCATION OF DOOR FOR CONNECTING ROOMS TO ACCESSIBLE ROOMS-REFER TO OVERALL PLANS FOR LOCATION OF ACCESSIBLE ROOMS
- RANGE TOP STYLE MICROWAVE AFFIXED TO WALL
- FULL HEIGHT MIRROR
- BEGIN CARPET TILE SIDE W/ FULL TILE-FIRST TWO ROWS OF TILE TO BE INSTALLED AROUND BUILT IN CASEGOODS
- DEVICE SHOWN THIS LOCATION ON PLAN FOR CLARITY
- MAKEUP AIR DIFFUSER
- OUTLINE OF SOFA
- APPROXIMATE LOCATIONS OF MILLWORK SUPPORTS ON FLOOR PROVIDE SHIMS OR LEVELERS UNDER SUPPORTS TO PREVENT CARPET CRUSHING
- ROOM SIGNAGE
- DRYWALL GYPSUM BOARD BULKHEAD @ ROUGH OPENING - WHERE PRE-MANUFACTURED SHOWER INSERT IS INDICATED IN GROUND ROUGH OPENING FROM FACE OF GYPSUM BOARD
- WALL SCIENCE
- DOORBELL ON/OFF SWITCH (I.F. ROOMS ONLY) AS REED.
- START TILE @ DOOR W/ ONE ROW OF FULL TILES
- EDGE OF PTAC ABOVE CARPET TILES
- DRAWING SUBCONTRACTOR TO PROVIDE 3/4" F.R.T. PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED - EXTEND FULL LENGTH OF OBJECT
- GENERAL CONTRACTOR TO COORDINATE W/ FUTURE FABRICATOR WHERE NECESSARY TO PROVIDE PROPER BLOCKING IN WALL FOR ITEM KEYNOTED
- SWITCHES CONTROLLING MECHANICAL SHADES
- REED ACCESSIBLE CLEAR FLOOR AREA
- DESIGNATOR
- INDICATES DIRECTION OF CARPET PATTERN
- ALIGN EDGE OF ARTWORK W/ EDGE OF SOFA BACK
- GRAPHIC ART REFER TO ACCESSORIES LEGEND & CONSTRUCTION PLAN
- COUNTERTOP MICROWAVE

CEILING LEGEND:

- TRIMMED & PAINTED GYPSUM BOARD
- PRIMED & PAINTED GYPSUM BOARD - MOISTURE RESISTANT
- 2X4 LAY IN ACoustICAL CLO. TILE SUSPENDED FROM STRUCTURE - INFILLED WITH 1/2" VINYL FIBER GYPSUM BOARD PANELS
- 2X4 LAY IN ACoustICAL CLO. TILE SUSPENDED FROM STRUCTURE - INFILLED WITH 1/2" VINYL FIBER GYPSUM BOARD PANELS

LIGHTING AND MECHANICAL-CEILING LEGEND:

- (R)-RECESSED DOWNLIGHT (FLUORESCENT LAMP)
- (R)-4" SMALL RECESSED DOWNLIGHT (HALOGEN LAMP) NARROW BEAM SPREAD
- (R)-2" RECESSED DOWNLIGHT W/ LENS (FLUORESCENT LAMP/HAL WET LABELLED)
- MECHANICAL EXHAUST
- MECHANICAL SUPPLY
- DECORATIVE WALL SCIENCE REFER TO FF E
- FLUORESCENT LIGHT

GENERAL NOTES:

- REFER TO FF&E PACKAGE FOR FURNITURE, BULKHEAD, MILLWORK & FINISH SPEC.
- ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED @ 48" A.F.F. & 48" A.F.F. & PROVIDE A 36" X 48" CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 17" MUST BE MOUNTED NO HIGHER THAN 48" A.F.F. -ACCESSIBLE CONTROLS MUST NOT REQUIRE "TIGHT GRASPING, PINCHING OR TWISTING OF THE WRIST. ACCESSIBLE CONTROLS SHALL COMPLY W/ THE HADG.
- IN ACCESSIBLE ROOMS @ LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED @ 15" & 48" A.F.F. & PROVIDE A CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. SEE HADG FOR FURTHER RECS.
- OBJECTS MOUNTED W/IN THE CIRCULATION PATH IN ACCESSIBLE ROOMS @ 27" & 48" A.F.F. SHALL NOT PROTRUDE FURTHER THAN 4" FROM WALL REFER TO HADG FOR FURTHER RECS.




DATE: 11/11/2015
TIME: 10:00 AM
PROJECT: ICH DUBLIN HOTEL
SHEET: 15 OF 15

REVISIONS:


DATE: 11/11/2015
TIME: 10:00 AM
PROJECT: ICH DUBLIN HOTEL
SHEET: 15 OF 15

HOMEZ HOTEL
ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO
ENLARGED PLANS - STUDIO KING

DRAWING PATH:



1 CEILING PLAN
SCALE: 3/8" = 1'-0"



2 CONSTRUCTION PLAN
SCALE: 3/8" = 1'-0"

FINISH LEGEND:	
PT	PLASTER/LAMINATE
ST	STONE
SP	SPECIAL FINISH CONCRETE
CT	CARPET
OT	OUTLINE TILE
HT	HARDWOOD FLOORING

FURNISHINGS LEGEND:	
500	WALL MOUNTED ATTORNY
501	FLUORESCENT LIGHT
502	ACCESSIBLE COUNTER/OUT SWITCH
503	WALL MOUNTED SHOWER
504	SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
505	WALL MOUNTED TV
506	WALL MOUNTED TV
507	WALL MOUNTED TV
508	WALL MOUNTED TV
509	WALL MOUNTED TV
510	WALL MOUNTED TV
511	WALL MOUNTED TV
512	WALL MOUNTED TV
513	WALL MOUNTED TV
514	WALL MOUNTED TV
515	WALL MOUNTED TV
516	WALL MOUNTED TV
517	WALL MOUNTED TV
518	WALL MOUNTED TV
519	WALL MOUNTED TV
520	WALL MOUNTED TV
521	WALL MOUNTED TV
522	WALL MOUNTED TV
523	WALL MOUNTED TV
524	WALL MOUNTED TV
525	WALL MOUNTED TV
526	WALL MOUNTED TV
527	WALL MOUNTED TV
528	WALL MOUNTED TV
529	WALL MOUNTED TV
530	WALL MOUNTED TV
531	WALL MOUNTED TV
532	WALL MOUNTED TV
533	WALL MOUNTED TV
534	WALL MOUNTED TV
535	WALL MOUNTED TV
536	WALL MOUNTED TV
537	WALL MOUNTED TV
538	WALL MOUNTED TV
539	WALL MOUNTED TV
540	WALL MOUNTED TV
541	WALL MOUNTED TV
542	WALL MOUNTED TV
543	WALL MOUNTED TV
544	WALL MOUNTED TV
545	WALL MOUNTED TV
546	WALL MOUNTED TV
547	WALL MOUNTED TV
548	WALL MOUNTED TV
549	WALL MOUNTED TV
550	WALL MOUNTED TV



- KEY NOTES**
- PTAC UNIT-REFER TO MECHANICAL DRAWINGS
 - DESIGNATED REED CLEAR FLOOR SPACE PER ACCESSIBILITY
 - BLACK OUT ROLLER SHADE (MTO, TO FACE OF WALL AND INSIDE ROLLER SHADE MTD BY WINDOW POCKET)-SWITCHED OPERING DEVICE IN ACCESSIBLE ROOMS-REFER TO HADG FOR ACCESSIBLE CONTROL RECS - REFER TO SECTION PLAN FOR LOCATION OF SWITCH
 - SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
 - FLOOR DRAIN
 - PRE-MANUFACTURED SHOWER PAN
 - CEILING MOUNTED DRAPERY ROD-PROVIDE BLOCKING AS REED
 - ALTERNATE LOCATION OF DOOR FOR CONNECTING ROOMS TO ACCESSIBLE ROOMS-REFER TO OVERALL PLANS FOR LOCATION OF ACCESSIBLE ROOMS
 - RANKSETO STYLE MICROWAVE AFFIXED TO WALL
 - FULL HEIGHT MIRROR
 - BEGIN CARPET TILE THIS SIDE W/ FULL TILE-FIRST TWO ROWS OF TILE TO BE INSTALLED AROUND BUILT-IN CASE/SIDE
 - DEVICE SHOWN THIS LOCATION ON PLAN FOR CLARITY
 - REFER TO ELEVATIONS FOR EXACT POSITION
 - MAKE-UP AIR DIFFUSER
 - OUTLINE OF SOFA
 - APPROXIMATE LOCATIONS OF MILLWORK SUPPORTS ON FLOOR PROVIDE SHIMS OR LEVELERS UNDER SUPPORTS TO PREVENT CARPET CRUSHING
 - ROOM SIGNAGE
 - ROUGHED GYPSUM BOARD BULKHEAD @ ROUGH OPENING - WHERE PRE-MANUFACTURED SHOWER INSERT IS INDICATED MEASURE ROUGH OPENING FROM FACE OF GYPSUM BOARD
 - WALL SCENCE
 - DOORBELL ON/OFF SWITCH (C.F. ROOMS ONLY) SIGNAGE AS RECO.
 - START TILE @ DOOR IN ONE ROW OF FULL TILES
 - EDGE OF PTAC ABOVE CARPET TILES
 - FRAMING SUBCONTRACTOR TO PROVIDE 3/4" F.F.T. PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED - EXTEND FULL LENGTH OF OBJECT
 - GENERAL CONTRACTOR TO COORDINATE W/ FUTURE FABRICATOR WHERE NECESSARY TO PROVIDE PROPER BLOCKING BY WALL FOR ITEM KEYNOTED
 - SWITCHES CONTROLLING MECHANICAL SHADES
 - REED ACCESSIBLE CLEAR FLOOR AREA DESIGNATION
 - INDICATES DIRECTION OF CARPET PATTERN
 - ALIGN EDGE OF ARTWORK W/ EDGE OF SOFA BACK
 - GRAPHIC ART REFER TO ACCESSORIES LEGEND & CONSTRUCTION PLAN
 - COUNTERTOP MICROWAVE

- CEILING LEGEND:**
- (R-1) RECESSED DOWNLIGHT (FLUORESCENT LAMP)
- (R-4) SMALL RECESSED DOWNLIGHT (HALOGEN LAMP) NARROW BEAM SPREAD
- (R-5) RECESSED DOWNLIGHT W/ LENS (FLUORESCENT LAMP/HAL LAMP) WET LABELED
- MECHANICAL EXHAUST
- MECHANICAL SUPPLY
- DECORATIVE WALL SCENCE-REFER TO FF E FLUORESCENT LIGHT
- GENERAL NOTES:**
- REFER TO FF E PACKAGE FOR FURNITURE, BULB IN - MILLWORK & FINISH SPEC.
 - ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED @ 48" A.F.F. & 48" A.F.F. & PROVIDE A 36" X 48" CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 1" MUST BE MOUNTED NO HIGHER THAN 48" A.F.F. -ACCESSIBLE CONTROLS MUST NOT REQUIRE "TIGHT" GRASPING, FINGERING OR TWISTING OF THE WRIST. ACCESSIBLE CONTROLS SHALL COMPLY W/ THE HADG.
 - IN ACCESSIBLE ROOMS @ LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED BY 1" & 48" A.F.F. & PROVIDE A CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. SEE HADG FOR FURTHER DECS.
 - OBJECTS MOUNTED W/IN THE CIRCULATION PATH IN ACCESSIBLE ROOMS BY 27" & 48" A.F.F. SHALL NOT PROTRUDE FURTHER THAN 4" FROM WALL REFER TO HADG FOR FURTHER RECS.



DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01


DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01


HOMEZ HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 FRONT ROAD & STATE ROUTE 101, DUBLIN, OHIO
 ENLARGED PLANS-STUDIO DOUBLE

A4.02

DATE: 11/11/2014
 TIME: 10:00 AM
 PROJECT: 14-0000
 SHEET: 14-0000-01



1 CEILING PLAN
SCALE: 3/8" = 1'-0"



2 CONSTRUCTION PLAN
SCALE: 3/8" = 1'-0"

FINISH LEGEND:	
PT	PAINT
PL	PLASTER/LAMINATE
ST	STONE
SS	SPICLE SURFACE
CC	CONCRETE
CT	CEILING TILE
CL	CERAMIC TILE
CM	CERAMIC Mosaic
FL	FLOOR FINISHING

CEILING DIMENSION LEGEND:	
CEILING DIMENSION SPACE - CENTER TO CENTER DIMENSION IDENTIFIED BY DIMENSION LINE.	
ALIAS BLOCKS - CLEAR HEIGHT, HANGING CEILING, CEILING SCENE, CONCEALED LIGHTING OVER CONSTRUCTION	

FURNISHINGS LEGEND:	
001	WALL MOUNTED ARTWORK
002	RECESSED LIGHT
003	ACCESSIBLE COUNTERTOP SWITCH
004	WALL MOUNTED MIRROR
005	CEILING MOUNTED SHOWER PAN
006	CEILING MOUNTED SHOWER ROD
007	WALL MOUNTED MIRROR
008	WALL MOUNTED MIRROR
009	WALL MOUNTED MIRROR
010	WALL MOUNTED MIRROR
011	WALL MOUNTED MIRROR
012	WALL MOUNTED MIRROR
013	WALL MOUNTED MIRROR
014	WALL MOUNTED MIRROR
015	WALL MOUNTED MIRROR
016	WALL MOUNTED MIRROR
017	WALL MOUNTED MIRROR
018	WALL MOUNTED MIRROR
019	WALL MOUNTED MIRROR
020	WALL MOUNTED MIRROR
021	WALL MOUNTED MIRROR
022	WALL MOUNTED MIRROR
023	WALL MOUNTED MIRROR
024	WALL MOUNTED MIRROR
025	WALL MOUNTED MIRROR
026	WALL MOUNTED MIRROR
027	WALL MOUNTED MIRROR
028	WALL MOUNTED MIRROR
029	WALL MOUNTED MIRROR
030	WALL MOUNTED MIRROR
031	WALL MOUNTED MIRROR
032	WALL MOUNTED MIRROR
033	WALL MOUNTED MIRROR
034	WALL MOUNTED MIRROR
035	WALL MOUNTED MIRROR
036	WALL MOUNTED MIRROR
037	WALL MOUNTED MIRROR
038	WALL MOUNTED MIRROR
039	WALL MOUNTED MIRROR
040	WALL MOUNTED MIRROR
041	WALL MOUNTED MIRROR
042	WALL MOUNTED MIRROR
043	WALL MOUNTED MIRROR
044	WALL MOUNTED MIRROR
045	WALL MOUNTED MIRROR
046	WALL MOUNTED MIRROR
047	WALL MOUNTED MIRROR
048	WALL MOUNTED MIRROR
049	WALL MOUNTED MIRROR
050	WALL MOUNTED MIRROR
051	WALL MOUNTED MIRROR
052	WALL MOUNTED MIRROR
053	WALL MOUNTED MIRROR
054	WALL MOUNTED MIRROR
055	WALL MOUNTED MIRROR
056	WALL MOUNTED MIRROR
057	WALL MOUNTED MIRROR
058	WALL MOUNTED MIRROR
059	WALL MOUNTED MIRROR
060	WALL MOUNTED MIRROR
061	WALL MOUNTED MIRROR
062	WALL MOUNTED MIRROR
063	WALL MOUNTED MIRROR
064	WALL MOUNTED MIRROR
065	WALL MOUNTED MIRROR
066	WALL MOUNTED MIRROR
067	WALL MOUNTED MIRROR

- KEY NOTES:**
- PTAC UNIT-REFER TO MECHANICAL DRAWINGS
 - DESIGNATED REED CLEAR FLOOR SPACE PER ACCESSIBILITY
 - BLACK OUT ROLLER SHADE (MTO, TO FACE OF WINDOW) REFER TO MECHANICAL DRAWINGS FOR WINDOW POCKET--SWITCHED OPENING DEVICE IN ACCESSIBLE ROOMS-REFER TO HADG FOR ACCESSIBLE CONTROL DEVS - REFER TO ELECTRICAL PLAN FOR LOCATION OF SWITCH
 - SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
 - FLOOR DRAIN
 - PRE-MANUFACTURED SHOWER PAN
 - CEILING MOUNTED DRAPERY ROD--PROVIDE BLOCKING AS REED
 - ALTERNATE LOCATION OF DOOR FOR CONNECTING ROOMS TO ACCESSIBLE ROOMS--REFER TO OVERALL PLANS FOR LOCATION OF ACCESSIBLE ROOMS
 - RANGE TOP STYLE MICROWAVE AFFIXED TO WALL
 - FULL HEIGHT MIRROR
 - SEEN CARPET TILE THIS SIDE W/ FULL TILE--FIRST TWO ROWS OF TILE TO BE INSTALLED AROUND BUILT-IN CASE/SIDE
 - DEVICE SHOWN THIS LOCATION ON PLAN FOR CLAIRTY
 - REFER TO ELEVATIONS FOR EXACT POSITION
 - MAKE-UP AIR DEFUSER
 - OUTLINE OF SOFA
 - APPROXIMATE LOCATIONS OF MILLWORK SUPPORTS ON FLOOR PROVIDE SHIMS ON LEVELERS/SCISS SUPPORTS TO PREVENT CARPET CRUSHING.
 - ROOM SIGNAGE
 - SKIPPED GYPSUM BOARD BULKHEAD @ ROUGH OPENING--WHERE PRE-MANUFACTURED SHOWER INSERT IS INDICATED MEASURE ROUGH OPENING FROM FACE OF GYPSUM BOARD
 - WALL SCIENCE
 - DOORBELL ON/OFF SWITCH (C.F. ROOMS ONLY) W/ SHIMS AS REED.
 - START TILE @ DOOR IN ONE ROW OF FULL TILES
 - EDGE OF PTAC ABOVE CARPET TILES
 - FRAMING SUBCONTRACTOR TO PROVIDE 3/4" F.T. PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED + EXTEND FULL LENGTH OF OBJECT
 - GENERAL CONTRACTOR TO COORDINATE W/ FEATURE FABRICATOR WHERE NECESSARY TO PROVIDE PROPER BLOCKING BY WALL FOR ITEM KEYNOTED
 - SWITCHES CONTROLLING MECHANICAL SHADES
 - REED ACCESSIBLE CLEAR FLOOR AREA
 - DESIGNATION
 - INDICATES DIRECTION OF CARPET PATTERN
 - ALIGN EDGE OF ARTWORK W/ EDGE OF SOFA BACK
 - GRAPHIC ART REFER TO ACCESSORIES LEGEND & CONSTRUCTION PLAN
 - COUNTERTOP MICROWAVE
- CEILING LEGEND:**
- | SYMBOL | DESCRIPTION |
|--------|---|
| (S) | TRIMMED & PAINTED GYPSUM BOARD |
| (M) | TRIMMED & PAINTED GYPSUM BOARD - MOISTURE RESISTANT |
| (A) | 3/2" LAY-IN ACOUSTICAL CLG. TILE SUSPENDED FROM STRUCT. |
| (D) | 2X4 LAY-IN CEILING GRID SYSTEM SUSPENDED FROM STRUCTURE--INFILLED WITH 1/2" VINYL FACED GYPSUM BOARD PANELS |
- LIGHTING AND MECHANICAL-CEILING LEGEND:**
- | SYMBOL | DESCRIPTION |
|--------|--|
| (R-1) | RECESSED DOWNLIGHT FLUORESCENT LAMP |
| (R-2) | SMALL RECESSED DOWNLIGHT (HALOGEN LAMP) NARROW BEAM SPREAD |
| (R-3) | RECESSED DOWNLIGHT W/ LENS (FLUORESCENT LAMP/HAL WET LABELLED) |
| (M) | MECHANICAL EXHAUST |
| (S) | MECHANICAL SUPPLY |
| (F) | DECORATIVE WALL SCIENCE-REFER TO FF E FLUORESCENT LIGHT |
- GENERAL NOTES:**
- REFER TO FF/E PACKAGE FOR FURNITURE, BULTAN, MILLWORK & FINISH SPEC.
 - ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED @ 48" A.F.F. & 48" A.F.F. & PROVIDE A 30" X 48" CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 12" MUST BE MOUNTED NO HIGHER THAN 48" A.F.F. ACCESSIBLE CONTROLS MUST NOT REQUIRE "TIGHT GRASPING, FINGERING, OR TWISTING OF THE WRIST. ACCESSIBLE CONTROLS SHALL COMPLY W/ THE HADG.
 - IN ACCESSIBLE ROOMS @ LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED @ 18" & 48" A.F.F. PROVIDE A CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. SEE HADG FOR FURTHER RECS.
 - OBJECTS MOUNTED WITHIN THE CIRCULATION PATH IN ACCESSIBLE ROOMS @ 27" & 48" A.F.F. SHALL NOT PROTRUDE FURTHER THAN 4" FROM WALL REFER TO HADG FOR FURTHER RECS.

OHM
ARCHITECTS ENGINEERS PLANNERS
101 WALL STREET
DUBLIN, OHIO 43003
614.432.0204
OHM-ADVISORS.COM

DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03

DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03


DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03

DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03


DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03

DATE: 10/20/2015
PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
SHEET: A4.03

DRAWING PATH:



1 CEILING PLAN
SCALE: 3/8" = 1'-0"



2 CONSTRUCTION PLAN
SCALE: 3/8" = 1'-0"

FINISH LEGEND:

PT	PAINT
PL	PLASTER/LAMINATE
ST	STYRE
BS	BUILD SURFACE
SP	SPECIAL FINISH
CP	CONCRETE
CT	TILE
G	Gypsum
OT	OUTDOOR TILE
WB	WALL BASE
VF	WALL FINISHING

CEILING DIMENSION LEGEND:

FURNISHINGS LEGEND:

500	WALL MOUNTED MIRROR
501	QUEEN BED SET UP
502	ACCESSIBLE GUEST OUTLET SHIRT
503	PRELUMINOUS LIGHT
504	PRELUMINOUS TOP SHEET
505	CASPER MATTRESS & BOX SPRING
506	CASPER MATTRESS & BOX SPRING
507	CASPER MATTRESS & BOX SPRING
508	ACCESSIBLE CLOSET
509	ACCESSIBLE CLOSET
510	ACCESSIBLE CLOSET
511	ACCESSIBLE CLOSET
512	ACCESSIBLE CLOSET
513	ACCESSIBLE CLOSET
514	ACCESSIBLE CLOSET
515	ACCESSIBLE CLOSET
516	ACCESSIBLE CLOSET
517	ACCESSIBLE CLOSET
518	ACCESSIBLE CLOSET
519	ACCESSIBLE CLOSET
520	ACCESSIBLE CLOSET
521	ACCESSIBLE CLOSET
522	ACCESSIBLE CLOSET
523	ACCESSIBLE CLOSET
524	ACCESSIBLE CLOSET
525	ACCESSIBLE CLOSET
526	ACCESSIBLE CLOSET
527	ACCESSIBLE CLOSET
528	ACCESSIBLE CLOSET
529	ACCESSIBLE CLOSET
530	ACCESSIBLE CLOSET
531	ACCESSIBLE CLOSET
532	ACCESSIBLE CLOSET
533	ACCESSIBLE CLOSET
534	ACCESSIBLE CLOSET
535	ACCESSIBLE CLOSET
536	ACCESSIBLE CLOSET
537	ACCESSIBLE CLOSET
538	ACCESSIBLE CLOSET
539	ACCESSIBLE CLOSET
540	ACCESSIBLE CLOSET
541	ACCESSIBLE CLOSET
542	ACCESSIBLE CLOSET
543	ACCESSIBLE CLOSET
544	ACCESSIBLE CLOSET
545	ACCESSIBLE CLOSET
546	ACCESSIBLE CLOSET
547	ACCESSIBLE CLOSET
548	ACCESSIBLE CLOSET
549	ACCESSIBLE CLOSET
550	ACCESSIBLE CLOSET
551	ACCESSIBLE CLOSET
552	ACCESSIBLE CLOSET
553	ACCESSIBLE CLOSET
554	ACCESSIBLE CLOSET
555	ACCESSIBLE CLOSET
556	ACCESSIBLE CLOSET
557	ACCESSIBLE CLOSET
558	ACCESSIBLE CLOSET
559	ACCESSIBLE CLOSET
560	ACCESSIBLE CLOSET
561	ACCESSIBLE CLOSET
562	ACCESSIBLE CLOSET
563	ACCESSIBLE CLOSET
564	ACCESSIBLE CLOSET
565	ACCESSIBLE CLOSET
566	ACCESSIBLE CLOSET
567	ACCESSIBLE CLOSET
568	ACCESSIBLE CLOSET
569	ACCESSIBLE CLOSET
570	ACCESSIBLE CLOSET
571	ACCESSIBLE CLOSET
572	ACCESSIBLE CLOSET
573	ACCESSIBLE CLOSET
574	ACCESSIBLE CLOSET
575	ACCESSIBLE CLOSET
576	ACCESSIBLE CLOSET
577	ACCESSIBLE CLOSET
578	ACCESSIBLE CLOSET
579	ACCESSIBLE CLOSET
580	ACCESSIBLE CLOSET
581	ACCESSIBLE CLOSET
582	ACCESSIBLE CLOSET
583	ACCESSIBLE CLOSET
584	ACCESSIBLE CLOSET
585	ACCESSIBLE CLOSET
586	ACCESSIBLE CLOSET
587	ACCESSIBLE CLOSET
588	ACCESSIBLE CLOSET
589	ACCESSIBLE CLOSET
590	ACCESSIBLE CLOSET
591	ACCESSIBLE CLOSET
592	ACCESSIBLE CLOSET
593	ACCESSIBLE CLOSET
594	ACCESSIBLE CLOSET
595	ACCESSIBLE CLOSET
596	ACCESSIBLE CLOSET
597	ACCESSIBLE CLOSET
598	ACCESSIBLE CLOSET
599	ACCESSIBLE CLOSET
600	ACCESSIBLE CLOSET
601	ACCESSIBLE CLOSET
602	ACCESSIBLE CLOSET
603	ACCESSIBLE CLOSET
604	ACCESSIBLE CLOSET
605	ACCESSIBLE CLOSET
606	ACCESSIBLE CLOSET
607	ACCESSIBLE CLOSET
608	ACCESSIBLE CLOSET
609	ACCESSIBLE CLOSET
610	ACCESSIBLE CLOSET
611	ACCESSIBLE CLOSET
612	ACCESSIBLE CLOSET
613	ACCESSIBLE CLOSET
614	ACCESSIBLE CLOSET
615	ACCESSIBLE CLOSET
616	ACCESSIBLE CLOSET
617	ACCESSIBLE CLOSET
618	ACCESSIBLE CLOSET
619	ACCESSIBLE CLOSET
620	ACCESSIBLE CLOSET
621	ACCESSIBLE CLOSET
622	ACCESSIBLE CLOSET
623	ACCESSIBLE CLOSET
624	ACCESSIBLE CLOSET
625	ACCESSIBLE CLOSET
626	ACCESSIBLE CLOSET
627	ACCESSIBLE CLOSET
628	ACCESSIBLE CLOSET
629	ACCESSIBLE CLOSET
630	ACCESSIBLE CLOSET
631	ACCESSIBLE CLOSET
632	ACCESSIBLE CLOSET
633	ACCESSIBLE CLOSET
634	ACCESSIBLE CLOSET
635	ACCESSIBLE CLOSET
636	ACCESSIBLE CLOSET
637	ACCESSIBLE CLOSET
638	ACCESSIBLE CLOSET
639	ACCESSIBLE CLOSET
640	ACCESSIBLE CLOSET
641	ACCESSIBLE CLOSET
642	ACCESSIBLE CLOSET
643	ACCESSIBLE CLOSET
644	ACCESSIBLE CLOSET
645	ACCESSIBLE CLOSET
646	ACCESSIBLE CLOSET
647	ACCESSIBLE CLOSET
648	ACCESSIBLE CLOSET
649	ACCESSIBLE CLOSET
650	ACCESSIBLE CLOSET
651	ACCESSIBLE CLOSET
652	ACCESSIBLE CLOSET
653	ACCESSIBLE CLOSET
654	ACCESSIBLE CLOSET
655	ACCESSIBLE CLOSET
656	ACCESSIBLE CLOSET
657	ACCESSIBLE CLOSET
658	ACCESSIBLE CLOSET
659	ACCESSIBLE CLOSET
660	ACCESSIBLE CLOSET
661	ACCESSIBLE CLOSET
662	ACCESSIBLE CLOSET
663	ACCESSIBLE CLOSET
664	ACCESSIBLE CLOSET
665	ACCESSIBLE CLOSET
666	ACCESSIBLE CLOSET
667	ACCESSIBLE CLOSET
668	ACCESSIBLE CLOSET
669	ACCESSIBLE CLOSET
670	ACCESSIBLE CLOSET
671	ACCESSIBLE CLOSET
672	ACCESSIBLE CLOSET
673	ACCESSIBLE CLOSET
674	ACCESSIBLE CLOSET
675	ACCESSIBLE CLOSET
676	ACCESSIBLE CLOSET
677	ACCESSIBLE CLOSET
678	ACCESSIBLE CLOSET
679	ACCESSIBLE CLOSET
680	ACCESSIBLE CLOSET
681	ACCESSIBLE CLOSET
682	ACCESSIBLE CLOSET
683	ACCESSIBLE CLOSET
684	ACCESSIBLE CLOSET
685	ACCESSIBLE CLOSET
686	ACCESSIBLE CLOSET
687	ACCESSIBLE CLOSET
688	ACCESSIBLE CLOSET
689	ACCESSIBLE CLOSET
690	ACCESSIBLE CLOSET
691	ACCESSIBLE CLOSET
692	ACCESSIBLE CLOSET
693	ACCESSIBLE CLOSET
694	ACCESSIBLE CLOSET
695	ACCESSIBLE CLOSET
696	ACCESSIBLE CLOSET
697	ACCESSIBLE CLOSET
698	ACCESSIBLE CLOSET
699	ACCESSIBLE CLOSET
700	ACCESSIBLE CLOSET

- KEY NOTES:**
- PTAC UNIT-REFER TO MECHANICAL DRAWINGS
 - DESIGNATED REED CLEAR FLOOR SPACE PER ACCESSIBILITY
 - BLACK OUT ROLLER SHADE (MTO, TO FACE OF WALL AND SHEER ROLLER SHADE (MTO, IN WINDOW POCKET) - SWITCHED OPENING DEVICE IN ACCESSIBLE ROOMS-REFER TO HADG FOR ACCESSIBLE CONTROL REQS - REFER TO SECTION PLAN FOR LOCATION OF SWITCH
 - SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
 - FLOOR DRAIN
 - PRE-MANUFACTURED SHOWER PAN
 - CEILING MOUNTED DRAPERY ROD-PROVIDE BLOCKING AS REED
 - ALTERNATE LOCATION OF DOOR FOR CONNECTING ROOMS TO ACCESSIBLE ROOMS-REFER TO OVERALL PLANS FOR LOCATION OF ACCESSIBLE ROOMS
 - RANKETOP STYLE MICROWAVE AFFIXED TO WALL
 - FULL HEIGHT MIRROR
 - BEGIN CARPET TILE THIS SIDE W/ FULL TILE- FIRST TWO ROWS OF TILE TO BE INSTALLED AROUND BUILT-IN CASE/SIDE
 - DEVICE SHOWN THIS LOCATION ON PLAN FOR CLARITY
 - REFER TO ELEVATIONS FOR EXACT POSITION
 - MAKE-UP AIR DIFFUSER
 - OUTLINE OF SOFA
 - APPROXIMATE LOCATIONS OF MILLWORK SUPPORTS ON FLOOR. PROVIDE SHIMS OR LEVELERS UNDER SUPPORTS TO PREVENT CARPET CRUSHING.
 - ROOM SIGNAGE
 - CURVED GYPSUM BOARD BULLHEAD @ ROUGH OPENING - WHERE PRE-MANUFACTURED SHOWER INSERT IS INDICATED. MEASURE ROUGH OPENING FROM FACE OF GYPSUM BOARD.
 - WALL SCENCE
 - DOORBELL ON/OFF SWITCH (C.F. ROOMS ONLY) AS REED.
 - START TILE @ DOOR W/ ONE ROW OF FULL TILES
 - EDGE OF PTAC ABOVE CARPET TILES
 - FRAMING SUBCONTRACTOR TO PROVIDE 3/4" F.T. PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED + EXTEND FULL LENGTH OF OBJECT
 - GENERAL CONTRACTOR TO COORDINATE W/ FURNITURE FABRICATOR WHERE NECESSARY TO PROVIDE PROPER BLOCKING IN WALL FOR ITEM KEYNOTED
 - SWITCHES CONTROLLING MECHANICAL SHADES
 - REED ACCESSIBLE CLEAR FLOOR AREA DESIGNATION
 - INDICATES DIRECTION OF CARPET PATTERN
 - ALIGN EDGE OF ARTWORK W/ EDGE OF SOFA BACK
 - GRAPHIC ART REFER TO ACCESSORIES LEGEND & CONSTRUCTION PLAN
 - COUNTERTOP MICROWAVE

- CEILING LEGEND:**
- | | |
|-----|--|
| 502 | PRIMED & PAINTED GYPSUM BOARD |
| 503 | PRIMED & PAINTED GYPSUM BOARD - MOISTURE RESISTANT |
| 504 | 3/2" LAY IN ACUSTICAL CLG. TILE SUSPENDED FROM STRUCT. |
| 505 | 2X4 LAY IN CEILING GRID SYSTEM SUSPENDED FROM STRUCTURE - INFILLED WITH 1/2" VINYL FACED GYPSUM BOARD PANELS |
- LIGHTING AND MECHANICAL-CEILING LEGEND:**
- | | |
|-------|---|
| (R-1) | RECESSED DOWNLIGHT (FLUORESCENT LAMP) |
| (R-4) | SMALL RECESSED DOWNLIGHT (HALOGEN LAMP) NARROW BEAM SPREAD |
| (R-2) | RECESSED DOWNLIGHT W/ LENS (FLUORESCENT LAMP/PHIL WET LABELLED) |
| (M) | MECHANICAL EXHAUST |
| (S) | MECHANICAL SUPPLY |
| (W) | DECORATIVE WALL SCENCE REFER TO FFE |
| (F) | FLUORESCENT LIGHT |
- GENERAL NOTES:**
- REFER TO FFE PACKAGE FOR FURNITURE, BULLHEAD, MILLWORK & FINISH SPEC'S.
 - ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED @ 48" AFF. & 48" AFF. & PROVIDE A 36"X48" CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 1" MUST BE MOUNTED NO HIGHER THAN 48" AFF. -ACCESSIBLE CONTROLS MUST NOT REQUIRE TIGHT GRASPING, FINGERING OR TWISTING OF THE WRIST. ACCESSIBLE CONTROLS SHALL COMPLY W/ THE HADG.
 - IN ACCESSIBLE ROOMS @ LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED @ 15" & 48" AFF. & PROVIDE A CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. SEE HADG FOR FURTHER DETS.
 - OBJECTS MOUNTED W/IN THE CIRCULATION PATH IN ACCESSIBLE ROOMS @ 27" & 87" AFF. SHALL NOT PROTRUDE FURTHER THAN 4" FROM WALL REFER TO HADG FOR FURTHER REQS.



DATE: 02/01/2018
 TIME: 10:00 AM
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 SHEET: ENLARGED PLANS-KING BEDROOM


DATE: 02/01/2018
 TIME: 10:00 AM
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 SHEET: ENLARGED PLANS-KING BEDROOM

DATE: 02/01/2018
 TIME: 10:00 AM
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 SHEET: ENLARGED PLANS-KING BEDROOM


DATE: 02/01/2018
 TIME: 10:00 AM
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 SHEET: ENLARGED PLANS-KING BEDROOM

DATE: 02/01/2018
 TIME: 10:00 AM
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT: HOMEZ HOTEL ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 SHEET: ENLARGED PLANS-KING BEDROOM

DRAWING PATH:




1 CEILING PLAN
SCALE: 3/8" = 1'-0"



2 CONSTRUCTION PLAN
SCALE: 3/8" = 1'-0"

FINISH LEGEND:	
PT	PAINT
PL	PLASTER/LAMINATE
ST	STONE
SI	WOOD SURFACE
CD	CONCRETE
CF	CERAMIC TILE
OT	OTHER TILE
WF	WOOD FLOORING



FURNISHINGS LEGEND:	
S01	WALL MOUNTED RECESSED LIGHT
S02	ACCESSIBLE DOWNLIGHT
S03	WALL MOUNTED RECESSED LIGHT
S04	WALL MOUNTED RECESSED LIGHT
S05	WALL MOUNTED RECESSED LIGHT
S06	WALL MOUNTED RECESSED LIGHT
S07	WALL MOUNTED RECESSED LIGHT
S08	WALL MOUNTED RECESSED LIGHT
S09	WALL MOUNTED RECESSED LIGHT
S10	WALL MOUNTED RECESSED LIGHT
S11	WALL MOUNTED RECESSED LIGHT
S12	WALL MOUNTED RECESSED LIGHT
S13	WALL MOUNTED RECESSED LIGHT
S14	WALL MOUNTED RECESSED LIGHT
S15	WALL MOUNTED RECESSED LIGHT
S16	WALL MOUNTED RECESSED LIGHT
S17	WALL MOUNTED RECESSED LIGHT
S18	WALL MOUNTED RECESSED LIGHT
S19	WALL MOUNTED RECESSED LIGHT
S20	WALL MOUNTED RECESSED LIGHT
S21	WALL MOUNTED RECESSED LIGHT
S22	WALL MOUNTED RECESSED LIGHT
S23	WALL MOUNTED RECESSED LIGHT
S24	WALL MOUNTED RECESSED LIGHT
S25	WALL MOUNTED RECESSED LIGHT
S26	WALL MOUNTED RECESSED LIGHT
S27	WALL MOUNTED RECESSED LIGHT
S28	WALL MOUNTED RECESSED LIGHT
S29	WALL MOUNTED RECESSED LIGHT
S30	WALL MOUNTED RECESSED LIGHT
S31	WALL MOUNTED RECESSED LIGHT
S32	WALL MOUNTED RECESSED LIGHT
S33	WALL MOUNTED RECESSED LIGHT
S34	WALL MOUNTED RECESSED LIGHT
S35	WALL MOUNTED RECESSED LIGHT
S36	WALL MOUNTED RECESSED LIGHT
S37	WALL MOUNTED RECESSED LIGHT
S38	WALL MOUNTED RECESSED LIGHT
S39	WALL MOUNTED RECESSED LIGHT
S40	WALL MOUNTED RECESSED LIGHT
S41	WALL MOUNTED RECESSED LIGHT
S42	WALL MOUNTED RECESSED LIGHT
S43	WALL MOUNTED RECESSED LIGHT
S44	WALL MOUNTED RECESSED LIGHT
S45	WALL MOUNTED RECESSED LIGHT
S46	WALL MOUNTED RECESSED LIGHT
S47	WALL MOUNTED RECESSED LIGHT
S48	WALL MOUNTED RECESSED LIGHT
S49	WALL MOUNTED RECESSED LIGHT
S50	WALL MOUNTED RECESSED LIGHT

- KEY NOTES:**
- PTAC UNIT-REFER TO MECHANICAL DRAWINGS
 - DESIGNATED REED CLEAR FLOOR SPACE PER ACCESSIBILITY
 - BLACK OUT ROLLER SHADE (MTO, TO FACE OF WINDOW) REFER TO MECHANICAL DRAWINGS FOR WINDOW POCKET - SWITCHED OPENING DEVICE IN ACCESSIBLE ROOMS - REFER TO HADG FOR ACCESSIBLE CONTROL RECS - REFER TO ELECTRICAL PLAN FOR LOCATION OF SWITCH
 - SHOWER ENCLOSURE W/ TEMPERED GLASS DOOR
 - FLOOR DRAIN
 - PRE-MANUFACTURED SHOWER PAN
 - CEILING MOUNTED DRAPERY ROD-PROVIDE BLOCKING AS RECD
 - ALTERNATE LOCATION OF DOOR FOR CONNECTING ROOMS TO ACCESSIBLE ROOMS-REFER TO OVERALL PLANS FOR LOCATION OF ACCESSIBLE ROOMS
 - RANGE TOP STYLE MICROWAVE AFFIXED TO WALL
 - FULL HEIGHT MIRROR
 - BEGIN CARPET TILE THIS SIDE W/ FULL TILE - FIRST TWO ROWS OF TILE TO BE INSTALLED AROUND BUILT-IN CASE/SIDE
 - DEVICE SHOWN THIS LOCATION ON PLAN FOR CLART
 - REFER TO ELEVATIONS FOR EXACT POSITION
 - MAKE-UP AIR DIFFUSER
 - OUTLINE OF SOFA
 - APPROXIMATE LOCATIONS OF MILLWORK SUPPORTS ON FLOOR. PROVIDE SHIMS OR LEVELERS UNDER SUPPORTS TO PREVENT CARPET CRUSING.
 - ROOM SIGNAGE
 - SHIMMED GYPSUM BOARD BULKHEAD @ ROUGH OPENING - WHERE PRE-MANUFACTURED SHOWER INSERT IS INDICATED MEASURE ROUGH OPENING FROM FACE OF GYPSUM BOARD
 - WALL SCIENCE
 - DOORBELL ON/OFF SWITCH (C.F. ROOMS ONLY) INDICATE AS RECD.
 - START TILE @ DOOR IN ONE ROW OF FULL TILES
 - EDGE OF PTAC ABOVE CARPET TILES
 - EDGE OF SUBCONTRACTOR TO PROVIDE 3/4" F.T. PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED - EXTEND FULL LENGTH OF OBJECT
 - GENERAL CONTRACTOR TO COORDINATE W/ FUTURE FABRICATOR WHERE NECESSARY TO PROVIDE PROPER BLOCKING BY WALL FOR ITEM KEYNOTED
 - SWITCHES CONTROLLING MECHANICAL SHADES
 - RECD ACCESSIBLE CLEAR FLOOR AREA
 - DESIGNATION
 - INDICATES DIRECTION OF CARPET PATTERN
 - ALIGN EDGE OF ARTWORK W/ EDGE OF SOFA BACK
 - GRAPHIC ART REFER TO ACCESSORIES LEGEND & CONSTRUCTION PLAN
 - COUNTERTOP MICROWAVE

- CEILING LEGEND:**
- PRIMED & PAINTED GYPSUM BOARD
 - PRIMED & PAINTED GYPSUM BOARD - MOISTURE RESISTANT
 - 3/2 LAY IN ACOUSTICAL CLG. TILE SUSPENDED FROM STRUCT.
 - 3/4 LAY IN CEILING GRID SYSTEM SUSPENDED FROM STRUCTURE - INFILLED WITH 1/2" VINYL Faced GYPSUM BOARD PANELS
- LIGHTING AND MECHANICAL-CEILING LEGEND:**
- (R-1)- RECESSED DOWNLIGHT (FLUORESCENT LAMP)
 - (R-4)- SMALL RECESSED DOWNLIGHT (HALOGEN LAMP) NARROW BEAM SPREAD
 - (R-2)- RECESSED DOWNLIGHT W/ LENS (FLUORESCENT LAMP/AL WET LABELED)
 - MECHANICAL EXHAUST
 - MECHANICAL SUPPLY
 - DECORATIVE WALL SCIENCE-REFER TO FF&E
 - FLUORESCENT LIGHT

- GENERAL NOTES:**
- REFER TO FF&E PACKAGE FOR FURNITURE, BOLT-IN MILLWORK & FINISH SPEC'S
 - ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED @ BIT 15" A.F.F. & 40" A.F.F. & PROVIDE A 30" X 48" CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 10" MUST BE MOUNTED NO HIGHER THAN 40" A.F.F. -ACCESSIBLE CONTROLS MUST NOT REQUIRE TIGHT GRASPING, PINCHING OR TWISTING OF THE WRIST. ACCESSIBLE CONTROLS SHALL COMPLY W/ THE HADG.
 - IN ACCESSIBLE ROOMS @ LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED BIT 15" & 40" A.F.F. & PROVIDE A CLEAR FLOOR AREA IN COMPLIANCE W/ ACCESSIBLE STANDARDS. SEE HADG FOR FURTHER RECS.
 - OBJECTS MOUNTED W/IN THE CIRCULATION PATH IN ACCESSIBLE ROOMS BIT 27" & 80" A.F.F. SHALL NOT PROTRUDE FURTHER THAN 4" FROM WALL REFER TO HADG FOR FURTHER RECS.



DATE: 04/11/2016
 TIME: 10:45 AM
 PROJECT: 15-0000
 SHEET: 15-0000

DATE: 04/11/2016
 TIME: 10:45 AM
 PROJECT: 15-0000
 SHEET: 15-0000

DATE: 04/11/2016
 TIME: 10:45 AM
 PROJECT: 15-0000
 SHEET: 15-0000

DATE: 04/11/2016
 TIME: 10:45 AM
 PROJECT: 15-0000
 SHEET: 15-0000

**HOMEZ HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL
 FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO**


ENLARGED PLANS-KING BEDROOM ADA

A4.05

DRAWING PATH:

1 ENLARGED LOBBY CONSTRUCTION FLOOR PLAN

SCALE: 3/16" = 1'-0"



SCALE

REVISIONS


DATE: 02/03/2016
 PROJECT: ICH HOTEL
 DRAWN BY: J. WILSON
 CHECKED BY: J. WILSON
 PROJECT MANAGER: J. WILSON
 ARCHITECT: J. WILSON

**HOMEZ HOTEL
 ICH DUBLIN HOTEL, LLC - FINAL DEVELOPMENT/FINAL SITE SUBMITTAL**
 FRANKLIN ROAD & STATE ROUTE 101, DUBLIN, OHIO


ENLARGED LOBBY CONSTRUCTION FLOOR PLAN

© COPYRIGHT 2016 OHM ARCHITECTS ENGINEERS PLANNERS. ALL RIGHTS RESERVED. THIS IS THE ORIGINAL, UNPUBLISHED WORK OF OHM AND THE SAME MAY NOT BE REPRODUCED, COPIED, DISTRIBUTED, OR DISSEMINATED WITHOUT THE WRITTEN CONSENT OF OHM.

SHEET: A4.06



1 ENLARGED POOL CEILING PLAN
SCALE: 1/4" = 1'-0"



2 ENLARGED POOL CONSTRUCTION PLAN
SCALE: 1/4" = 1'-0"