


DRAWING PATH: P:\P\02_5100891001010_Brow_Ford_Road\PA_U\DCAS\Sheet1001_1001.dwg, Jul 17, 2015, 1:39pm



1 OVERALL SITE PLAN
SCALE: 1" = 30'-0"

OHM
ARCHITECTS ENGINEERS PLANNERS
10 MILL STREET
GAHANNA, OHIO 43230
614.476.0400
614.476.0414
OHM-ADVISORS.COM


DATE:

REVISIONS:

DATE: PROJECT NUMBER: SHEET: PROJECT NAME: CADD: PROJECT NUMBER: SHEET: PROJECT NAME: CADD:
 08/14/2015 1001-1001 03 200004 HOME2 HOTEL ICH DUBLIN HOTEL, LLC
 FRANCIS ROAD & STATE ROUTE 161, DUBLIN, OHIO
 OVERALL SITE PLAN
 COPYRIGHT 2015 OHM ARCHITECTS ENGINEERS PLANNERS. THE ORIGINAL AND UNPUBLISHED WORK OF OHM AND THE SAME MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF OHM.

SHEET: L000


DRAWING PATH: P:\900_510089101010_3\Home2_Front_Road\PA_Uplink\Sheet1101.101.dwg, Jul 17, 2015 - 11:30am




1 MATERIALS ENLARGEMENT
SCALE: 1/16" = 1'-0"



MATERIALS LEGEND				
CODE	ITEM	FINISH	SIZE	NOTES
BE	BENCH	LANDSCAPE FORMS - SCARBOROUGH - SILVER	PER PLAN	SEE DETAIL 5L300
BO	BOULDER	RELOCATED EXISTING BOULDER		SEE DETAIL 5L301
BR	BIKE RACK	CREATIVE PIPE - CP-7-F-SS		SEE DETAIL 4L300
P-1	CONCRETE PAVEMENT	LIGHT BROOM FINISH	PER PLAN	SEE DETAIL 1L300
P-2	ARCHITECTURAL CONCRETE	PER OWNER	PER PLAN	SEE DETAIL 1L300
PA	PATIO		PER PLAN	
PB	PLANT BED	SEE PLANTING PLANS	PER PLAN	
PR-1	DECORATIVE PLANTER POTS	LANDSCAPE FORMS - ROSA	PER PLAN	SEE DETAIL 3L300
S-1	CONCRETE STEPS @ PLANTER	LIGHT BROOM FINISH - 6 STEPS @ 6.5" RISE	PER PLAN	SEE DETAIL 9L300
S-2	CONCRETE STEPS	LIGHT BROOM FINISH - 6 STEPS @ 6.5" RISE	PER PLAN	SEE DETAIL 10L300
S-3	CONCRETE STEPS	LIGHT BROOM FINISH - 6 STEPS @ 6" RISE	PER PLAN	SEE DETAIL 11L300
SC	SCULPTURE	TBD	PER PLAN	
SE	STEEL EDGE	BLACK STEEL EDGING	LF PER PLAN	SEE DETAIL 8 7&8L300
SP	STONE POST		PER PLAN	SEE DETAIL 2L301
TR	TRASH RECEPTACLE	LANDSCAPE FORMS - SCARBOROUGH - SILVER	PER PLAN	SEE DETAIL 6L300
W-1	ROCK WALL	SEE GRADING PLAN FOR TYPE OF WALL USED	PER PLAN	SEE DETAIL 143L301




DATE: PROJECT NUMBER: 5054 POLYMER: CADD: 10/10/15
 BY: 699-124010 GS: 03/04/15
 SHEET: HOME2 HOTEL
 ICH DUBLIN HOTEL, LLC
 FRANTZ ROAD & STATE ROUTE 161, DUBLIN, OHIO
 MATERIALS ENLARGEMENT
 COPYRIGHT 2015. ALL RIGHTS RESERVED. ANY PARTIAL REPRODUCTIONS OR ADAPTATIONS OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF OHM ARE PROHIBITED. THIS DOCUMENT IS THE PROPERTY OF OHM AND THE SAME MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF OHM.



1 OVERALL LANDSCAPE
 SCALE: 1" = 30'-0"

PLANTING LEGEND:



PLANTING NOTES

- STAKE ALL BED LINES AND TREE LOCATIONS FOR THE LANDSCAPE ARCHITECT'S REVIEW PRIOR TO INSTALLATION. ALL PLANTING PROCEDURES ARE SUBJECT TO THE REVIEW OF THE LANDSCAPE ARCHITECT AND THE CONTRACTOR SHALL CORRECT ANY DEFICIENCIES FOUND AT NO ADDITIONAL COST TO THE OWNER.
- PROTECT ALL PLANT MATERIAL DURING DELIVERY TO PREVENT DAMAGE TO ROOT BALLS, TRUNKS, BRANCHES AND THE DESICCATION OF LEAVES. PROTECT ALL PLANT MATERIAL DURING SHIPPING WITH SHADE CLOTH OR SHIP WITH ENCLOSED TRANSPORT. MAINTAIN PROTECTIONS AND HEALTH OF PLANT MATERIAL STORED ON SITE. HANDLE ALL TREES WITH NYLON STRAPS. NO CHAINS OR CABLES WILL BE ALLOWED. REMOVE UNACCEPTABLE PLANT MATERIAL IMMEDIATELY FROM THE SITE.
- ALL PLANT MATERIALS SHALL BE PLANTED IN A PROFESSIONAL MANNER TYPICAL TO THE INDUSTRY STANDARDS OF THE AREA TO ASSURE COMPLETE SURVIVABILITY OF ALL INSTALLED PLANT MATERIALS AS WELL AS TO PROVIDE AN AESTHETICALLY APPROVED PROJECT. CONTRACTOR SHALL REFER TO THE PLANTING DETAILS FOR MINIMUM SIZE AND WIDTH OF PLANTING PITS AND BEDS, GUYING AND STAKING, MULCHING, AND OTHER PLANTING REQUIREMENTS.

SITE CALCULATIONS

SECTION 153.065 SITE DEVELOPMENT STANDARDS
 (D) LANDSCAPING AND TREE PRESERVATION

- STREET TREES
 - A minimum of one tree is required per 40 linear feet of street frontage 20' O.C. for a small street tree provided
- PERIMETER LANDSCAPE BUFFERING
 - Maintain existing hedge row along the west property line
- SURFACE PARKING AND CIRCULATION AREA LANDSCAPING
 - (2) Parking located within 20' of existing street R.O.W., a street wall and at least five deciduous shrubs per 25 linear feet are required
 Wall to match existing stone wall
 31 Shrubs required
 35 Shrubs provided
 - (c) INTERIOR LANDSCAPING
 (2)(A) Option A: One medium deciduous tree shall be planted per 12 parking spaces.
 11 Trees required
 12 Trees provided
- FOUNDATION PLANTING
 - One shrub per ten linear feet of building
 86 Shrubs required
 100 Shrubs provided

(E) FENCING, WALLS & SCREENING

- (C)(1) Masonry Street Wall
 Five shrubs per 25 Linear feet
 (Along Frantz Road)
 84 Shrubs required
 85 Shrubs provided
 (Along Bridge St.)
 59 Shrubs required
 60 Shrubs provided

PLANT LIST						
CODE	COMMON NAME	LATIN NAME	SIZE	COND.	SPACING	QUANTITY
TREES						
AC FR	ARMSTRONG RED MAPLE	<i>Acer x freemanii 'Armstrong'</i>	2.5"	B&B	AS SHOWN	2
AM AB	SERVICEBERRY	<i>Amelanchier x grandiflora 'Autumn Brilliance'</i>	5-6"	B&B	AS SHOWN	7
GY DI	KENTUCKY COFFEETREE	<i>Gymnocladus dioica</i>	2.5 CAL.	B&B	AS SHOWN	13
MA SO	SAUCER MAGNOLIA	<i>Magnolia x soulangeana</i>	2.5"	B&B	AS SHOWN	3
PL OC	AMERICAN SYCAMORE	<i>Platanus occidentalis</i>	2.5 CAL.	B&B	AS SHOWN	8
SY RE	IVORY SILK LILAC	<i>Syringa reticulata 'Ivory Silk'</i>	2.5"	B&B	AS SHOWN	19
SHRUBS						
BU GR	GREEN VELVET BOXWOOD	<i>Buxus x 'Green Velvet'</i>	24"	#3 CONT.	AS SHOWN	25
CO AL	SIBERIAN PEARLS	<i>Cornus alba 'Siberian Pearl'</i>	36"	#5 CONT.	AS SHOWN	46
TA EV	EVERLOW SPREADING YEW	<i>Taxus x media 'Everlow'</i>	24"	#3 CONT.	AS SHOWN	38
TA ME	DENSE SPREADING YEW	<i>Taxus x media 'Densaformis'</i>	24"	#3 CONT.	AS SHOWN	133
TH OC	EMERALD GREEN ARBOVITAE	<i>Thuja occidentalis 'Smaragd'</i>	6-7"	B&B	AS SHOWN	14
VI CA	CAYUGA FRAGRANT VIBURNUM	<i>Viburnum carlesii 'Cayuga'</i>	36"	B&B	AS SHOWN	27
GROUND COVER / GRASS						
GA OD	GALIUM ODORATUM	Sweet Woodruff		#1 CONT.	12' O.C.	728
HY PA	HIDCOTE ST. JOHNSWORT	<i>Hypericum patulum 'Hidcote'</i>		#3 CONT.	18" O.C.	160
LI MU	BIG BLUE LILY TURF	<i>Liriope muscari 'Big Blue'</i>		#1 CONT.	12" O.C.	428
SE SP	AUTUMN JOY SEDUM	<i>Sedum spectabile 'Autumn Joy'</i>		#2 CONT.	18" O.C.	406
AN OW	ANNUALS PER OWNER					


DATE: 08/14/2024
 DRAWN BY: J. BROWN
 CHECKED BY: M. BROWN
 PROJECT NUMBER: 2024-001

REVISIONS

HOME2 HOTEL
 ICH DUBLIN HOTEL, LLC
 FRANTZ ROAD & STATE ROUTE 161, DUBLIN, OHIO
 OVERALL LANDSCAPE PLAN
 SHEET


DRAWING PATH: P:\P\2024\100001\HOME2_Front_Road\PLN_L200.dwg, 08/14/2024, 11:15:15 AM

COPYRIGHT 2024 OHM ARCHITECTS ENGINEERS PLANNERS. ALL RIGHTS RESERVED. THE ORIGINAL AND UNPUBLISHED WORK OF OHM AND THE SAME MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.



1 LANDSCAPE ENLARGEMENT
SCALE: 1/16" = 1'-0"


PLANTING LEGEND:




PLANTING NOTES

- STAKE ALL BED LINES AND TREE LOCATIONS FOR THE LANDSCAPE ARCHITECT'S REVIEW PRIOR TO INSTALLATION. ALL PLANTING PROCEDURES ARE SUBJECT TO THE REVIEW OF THE LANDSCAPE ARCHITECT AND THE CONTRACTOR SHALL CORRECT ANY DEFICIENCIES FOUND AT NO ADDITIONAL COST TO THE OWNER.
- PROTECT ALL PLANT MATERIAL DURING DELIVERY TO PREVENT DAMAGE TO ROOT BALLS, TRUNKS, BRANCHES AND THE DESICCATION OF LEAVES. PROTECT ALL PLANT MATERIAL DURING SHIPPING WITH SHADE CLOTH OR SHIP WITH ENCLOSED TRANSPORT. MAINTAIN PROTECTIONS AND HEALTH OF PLANT MATERIAL STORED ON SITE. HANDLE ALL TREES WITH NYLON STRAPS. NO CHAINS OR CABLES WILL BE ALLOWED. REMOVE UNACCEPTABLE PLANT MATERIAL IMMEDIATELY FROM THE SITE.
- ALL PLANT MATERIALS SHALL BE PLANTED IN A PROFESSIONAL MANNER TYPICAL TO THE INDUSTRY STANDARDS OF THE AREA TO ASSURE COMPLETE SURVIVABILITY OF ALL INSTALLED PLANT MATERIALS AS WELL AS TO PROVIDE AN AESTHETICALLY APPROVED PROJECT. CONTRACTOR SHALL REFER TO THE PLANTING DETAILS FOR MINIMUM SIZE AND WIDTH OF PLANTING PITS AND BEDS, GUYING AND STAKING, MULCHING, AND OTHER PLANTING REQUIREMENTS.


PLANT LIST						
CODE	COMMON NAME	LATIN NAME	SIZE	COND.	SPACING	QUANTITY
TREES						
AC FR	ARMSTRONG RED MAPLE	<i>Acer x freemanii 'Armstrong'</i>	2.5"	B&B	AS SHOWN	2
AM AB	SERVICEBERRY	<i>Amelanchier x grandiflora 'Autumn Brilliance'</i>	5-6' MULTI-STEM	B&B	AS SHOWN	7
GY DI	KENTUCKY COFEE TREE	<i>Gymnocladus dioica</i>	2.5 CAL.	B&B	AS SHOWN	13
MA SO	SALICER MAGNOLIA	<i>Magnolia x soulangeana</i>	2.5"	B&b	AS SHOWN	3
PL OC	AMERICAN SYCAMORE	<i>Platanus occidentalis</i>	2.5 CAL.	B&B	AS SHOWN	8
SY RE	IVORY SILK LILAC	<i>Syringa reticulata 'Ivory Silk'</i>	2.5"	B&B	AS SHOWN	19
SHRUBS						
BU GR	GREEN VELVET BOXWOOD	<i>Buxus x 'Green Velvet'</i>	24"	#3 CONT.	AS SHOWN	25
CO AL	SIBERIAN PEARLS REDTIG DOGWOOD	<i>Cornus alba 'Siberian Pearls'</i>	36"	#5 CONT.	AS SHOWN	46
TA EV	EVERLOW SPREADING YEW	<i>Taxus x media 'Everlow'</i>	24"	#3 CONT.	AS SHOWN	38
TA ME	DENSE SPREADING YEW	<i>Taxus x media 'Densiformis'</i>	24"	#3 CONT.	AS SHOWN	133
TH OC	EMERALD GREEN ARBORVITAE	<i>Thuja occidentalis 'Smaragd'</i>	6-7'	B&B	AS SHOWN	14
VI CA	CAYUGA FRAGRANT VIBURNUM	<i>Viburnum carlesii 'Cayuga'</i>	36"	B&B	AS SHOWN	27
GROUND COVER / GRASS						
GA OD	GALIUM ODORATUM	Sweet Woodruff		#1 CONT.	12" O.C.	728
HY PA	HIDCOTE ST. JOHNSWORT	<i>Hypericum patulum 'Hidcote'</i>		#3 CONT.	18" O.C.	160
LI MU	BIG BLUE LILY TURF	<i>Liloupe muscaris 'Big Blue'</i>		#1 CONT.	12" O.C.	428
SE SP	AUTUMN JOY SEDUM	<i>Sedum 'Spectabile 'Autumn Joy'</i>		#2 CONT.	18" O.C.	406
AN OW	ANNUALS PER OWNER					




1 NATURAL STONE WALL - RETAINING
SCALE: 1" = 1'-0"




2 NATURAL STONE POST
SCALE: 1" = 1'-0"



3 NATURAL STONE WALL - FREE STANDING
SCALE: 1" = 1'-0"



4 COURTYARD PLANTER SECTION
SCALE: 1/2" = 1'-0"




5 BOULDER IN CONCRETE
SCALE: 1" = 1'-0"

DRAWING PATH: P:\0002_1026291\0010\Home2\Draws\Plan\ICHD\Sheet\300-L301_SHEET.rvt
DATE: JUL 17, 2015 10:46am

COPYRIGHT © 2015 OHM ARCHITECTS AND PLANNERS. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM OHM ARCHITECTS AND PLANNERS.

DRAWING PATH: P:\6802_11020591\001\Home_Frantz_Hotel_Plan\11020591_001_TREE_SURVEY.dwg - Jul 29, 2015 - 9:20am



1 TREE SURVEY

HOME 2 - FRANTZ ROAD TREE SURVEY						
#	SPECIES	CALIPER	HEALTH	KEEP/ REMOVE DUE TO HEALTH	JUSTIFICATION FOR REMOVAL	CALIPER REPLACEMENTS
1	Red Oak: Quercus rubra	12"	Good	Keep		Count toward caliper replacement
2	Serviceberry: Amelanchier spp.	2" (6-8')	Good	Keep		Count toward caliper replacement
3	Serviceberry: Amelanchier spp.	2" (6-8')	Good	Keep		Count toward caliper replacement
4	Honey Locust: Gleditsia tricanthos var. inermis	9"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
5	White Ash: Fraxinus americana	10"	Poor (ash borer)	Remove	Poor quality, Emerald Ash Borer	Remove
6	White Ash: Fraxinus americana	10"	Poor (ash borer)	Remove	Poor quality, Emerald Ash Borer	Remove
7	White Ash: Fraxinus americana	8"	Poor (ash borer)	Remove	Poor quality, Emerald Ash Borer	Remove
8	Sugar Maple: Acer saccharum	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
9	White Ash: Fraxinus americana	7"	Poor (ash borer)	Remove	Poor quality, Emerald Ash Borer	Remove
10	White Ash: Fraxinus americana	8"	Poor (ash borer)	Remove	Poor quality, Emerald Ash Borer	Remove
11	Sugar Maple: Acer saccharum	7"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
12	Honey Locust: Gleditsia tricanthos var. inermis	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
13	Red Oak: Quercus rubra	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
14	Sugar Maple: Acer saccharum	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
15	Sugar Maple: Acer saccharum	7"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
16	Sugar Maple: Acer saccharum	7"	Good	Keep	Parking Lot Construction	Remove
17	Sugar Maple: Acer saccharum	7"	Good	Keep	Parking Lot Construction	Remove
18	Sugar Maple: Acer saccharum	8"	Good	Keep	Parking Lot Construction	Remove
19	Sugar Maple: Acer saccharum	9"	Good	Keep	Parking Lot Construction	Remove
20	Sugar Maple: Acer saccharum	9"	Good	Keep	Building Footprint	Remove
21	Sugar Maple: Acer saccharum	8"	Good	Keep	Building Footprint	Remove
22	Sugar Maple: Acer saccharum	7"	Good	Keep	Building Footprint	Remove
23	Red Oak: Quercus rubra	10"	Good	Keep	Building Footprint	Remove
24	Sugar Maple: Acer saccharum	10"	Good	Keep	Building Footprint	Remove
25	Sugar Maple: Acer saccharum	6"	Good	Keep	Building Footprint	Remove
26	Red Maple: Acer rubrum	6"	Good	Keep	Building Footprint	Remove
27	Red Maple: Acer rubrum	5"	Good	Keep	Parking Lot Construction	Remove
28	Sugar Maple: Acer saccharum	6"	Good	Keep	Parking Lot Construction	Remove
29	Sugar Maple: Acer saccharum	6"	Good	Keep	Building RBZ/ROW Zone	Remove
30	Red Oak: Quercus rubra	9"	Good	Keep	Building RBZ/ROW Zone	To Remain
31	Red Oak: Quercus rubra	8"	Good	Keep	Building Construction	Remove
32	Red Oak: Quercus rubra	7"	Good	Keep	Building Footprint	Remove
33	Sugar Maple: Acer saccharum	8"	Good	Keep	Building RBZ/ROW Zone	Remove
34	Red Oak: Quercus rubra	8"	Good	Keep	Building RBZ/ROW Zone	Remove
35	Red Oak: Quercus rubra	9"	Good	Keep	Building Footprint	Remove
36	Red Maple: Acer rubrum	6"	Good	Keep	Building Footprint	Remove
37	Sugar Maple: Acer saccharum	6"	Good	Keep	Building Footprint	Remove
38	Honey Locust: Gleditsia tricanthos var. inermis	12"	Good	Keep	Building Footprint	Remove
39	Sugar Maple: Acer saccharum	6"	Fair	Keep	Building Footprint	To Remain
40-48	Arbutus: Thuja occidentalis 'nigra'	3" (10-12')	Good	Keep	Building Footprint	Remove
49	Honey Locust: Gleditsia tricanthos var. inermis	10"	Good	Keep	Building Footprint	Remove
50	Serviceberry: Amelanchier spp.	3" (8-10')	Good	Keep	Building Footprint	Remove
51	Honey Locust: Gleditsia tricanthos var. inermis	8"	Good	Keep	Building Footprint	Remove
52	Sugar Maple: Acer saccharum	6"	Good	Keep	Building Footprint	Remove

#	SPECIES	CALIPER	HEALTH	KEEP/ REMOVE DUE TO HEALTH	JUSTIFICATION FOR REMOVAL	CALIPER REPLACEMENTS
53	Red Maple: Acer rubrum	5"	Good	Keep	Building Footprint	Remove
54	Red Oak: Quercus rubra	6"	Good	Keep	Building Footprint	Remove
55	Red Oak: Quercus rubra	8"	Good	Keep	Building Footprint	Remove
56	Red Oak: Quercus rubra	9"	Good	Keep	Building RBZ/ROW Zone	Remove
57	Red Maple: Acer rubrum	6"	Good	Keep	Building Footprint	Remove
58	Sugar Maple: Acer saccharum	6"	Good	Keep	Building RBZ/ROW Zone	Remove
59	Red Maple: Acer rubrum	4"	Good	Keep	Building Footprint	Remove
60	Red Maple: Acer rubrum	4"	Good	Keep	Building RBZ/ROW Zone	Remove
61	Sugar Maple: Acer saccharum	6"	Good	Keep	Building Construction	Count toward caliper replacement
62	Sugar Maple: Acer saccharum	6"	Good	Keep	Wall Relocation	Count toward caliper replacement
63	Sugar Maple: Acer saccharum	6"	Good	Keep	Wall Relocation	Count toward caliper replacement
64	Red Maple: Acer rubrum	6"	Good	Keep	Wall Relocation	Count toward caliper replacement
65	Red Maple: Acer rubrum	5"	Good	Keep	Wall Relocation	Count toward caliper replacement
66	Red Maple: Acer rubrum	5"	Good	Keep	Wall Relocation	Count toward caliper replacement
67	Sugar Maple: Acer saccharum	6"	Good	Keep	Wall Relocation	Count toward caliper replacement
68	Sugar Maple: Acer saccharum	6"	Good	Keep	Wall Relocation	Count toward caliper replacement
69-73	Hawthorn: Crataegus spp.	3"	Good	Keep		To Remain
74	Honey Locust: Gleditsia tricanthos var. inermis	8"	Good	Keep		Count toward caliper replacement
75	Sugar Maple: Acer saccharum	8"	Good	Keep		To Remain
76	Red Oak: Quercus rubra	8"	Good	Keep		Count toward caliper replacement
77	Red Oak: Quercus rubra	8"	Good	Keep		To Remain
78	Sugar Maple: Acer saccharum	9"	Good	Keep		Count toward caliper replacement
79	Sugar Maple: Acer saccharum	6"	Good	Keep		To Remain
80	Red Oak: Quercus rubra	10"	Good	Keep	Building RBZ/ROW Zone	Remove
81	Red Oak: Quercus rubra	10"	Good	Keep		To Remain
82	Sugar Maple: Acer saccharum	8"	Good	Keep	Building RBZ/ROW Zone	Remove
83	Sugar Maple: Acer saccharum	6"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
84	Sugar Maple: Acer saccharum	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
85	Honey Locust: Gleditsia tricanthos var. inermis	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
86	Honey Locust: Gleditsia tricanthos var. inermis	6"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
87	Honey Locust: Gleditsia tricanthos var. inermis	5"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
88	Sugar Maple: Acer saccharum	6"	Fair	Keep	Parking Lot Construction	Count toward caliper replacement
89	Sugar Maple: Acer saccharum	8"	Good	Keep	Parking Lot Construction	Count toward caliper replacement
90-93	Kousa Dogwood: Cornus kousa	2"	Good	Keep	Parking Lot Construction	Count toward caliper replacement

TOTAL NUMBER OF INDIVIDUAL SPECIES ON SITE		TOTAL NUMBER OF INDIVIDUAL SPECIES BEING REMOVED		NUMBER OF INDIVIDUAL SPECIES COUNTED FOR REPLACEMENT				
1	Sugar Maple: Acer saccharum	33	1	Sugar Maple: Acer saccharum	12	1	Sugar Maple: Acer saccharum	14
2	Red Oak: Quercus rubra	15	2	Red Oak: Quercus rubra	8	2	Honey Locust: Gleditsia tricanthos var. inermis	5
3	Red Maple: Acer rubrum	10	3	Red Maple: Acer rubrum	7	3	Red Oak: Quercus rubra	2
4	Honey Locust: Gleditsia tricanthos var. inermis	9	4	Honey Locust: Gleditsia tricanthos var. inermis	3	4	Red Maple: Acer rubrum	1
5	Arbutus: Thuja occidentalis 'nigra'	9	5	Arbutus: Thuja occidentalis 'nigra'	9	5	Kousa Dogwood: Cornus kousa	4
6	White Ash: Fraxinus americana	5	6	White Ash: Fraxinus americana	5			
7	Hawthorn: Crataegus spp.	5	7	Hawthorn: Crataegus spp.	0			
8	Kousa Dogwood: Cornus kousa	4	8	Kousa Dogwood: Cornus kousa	0			
9	Serviceberry: Amelanchier spp.	3	9	Serviceberry: Amelanchier spp.	1			
TOTAL CALIPER (") REMOVED		323		TOTAL CALIPER (") COUNTED FOR REPLACEMENT		195"		
TOTAL NUMBER OF TREES ON SITE		93		TOTAL NUMBER OF TREES REMOVED		82		
NUMBER OF TREES REMOVED FOR REPLACEMENT		32		NUMBER OF TREES REMOVED FOR REPLACEMENT		32		

NOTES:
 1. ALL TREES WITHIN BUILDING FOOTPRINT DO NOT COUNT TOWARD CALIPER REPLACEMENT
 2. ALL TREES WITH THE LABEL 'REMOVE' ARE TO BE REMOVED AND DO NOT COUNT IN THE CALIPER REPLACEMENT NUMBER
 3. ALL TREES WITH THE LABEL 'COUNT TOWARD CALIPER REPLACEMENT' ARE TO BE REMOVED AND COUNTED TOWARD CALIPER REPLACEMENT

OHM
 ARCHITECTS ENGINEERS PLANNERS
 101 MILL STREET
 COLUMBUS, OHIO 43210
 614.461.5500
 614.461.5514
 OHM-ADVISORS.COM

DATE: 07/29/15
 DRAWN BY: REINHOLDT
 NO. 1

PROJECT: HOME 2 HOTEL
 ICH DUBLIN HOTEL, LLC
 FRANTZ ROAD & STATE ROUTE 161, DUBLIN, OHIO

DATE: 07/29/15
 DRAWN BY: REINHOLDT
 NO. 1
 PROJECT: HOME 2 HOTEL
 ICH DUBLIN HOTEL, LLC
 FRANTZ ROAD & STATE ROUTE 161, DUBLIN, OHIO
 TREE SURVEY PLAN