PIR Request to Exit

BEA Egle Motion Sensor

Nabco GT710 Operator

2" x 4" Button

1200 lb Mag Locks

TUBELITE®
DEPENDABLE
LEADERS IN ECO-EFFICIENT STOREFRONT, CURTAINWALL AND ENTRANCE SYSTEMS



F1 EXTERIOR STOREFRONT (1 THUS)
SCALE: NTS

- FRAMING: Tubelite T14000 Dark Bronze Anodized (2" x 4 ½")
- GLASS: 1" ClearInsulated (¼" clear, ½" air-space, ¼" clear)



Carbon Steel Bollard

PRECISION GLASS AND SHOWER
1904 BRITAINS LN, COLUMBUS, OH 43224
PH:614-267-0280 | FAX:614-453-8855

DATE: 3/21/2016

FOR: DUBLIN CHURCH

PROJECT: DOOR REPLACEMENT
DUBLIN CHURCH
81 W. Bridge St Dublin OH

Elevations
E1

RECEIVED
MAR 31 2016
CITY OF DUBLIN
PLANNING
FILE COPY
16-026ARB/INPR

www.BEAinc.com

Product image and Application Photo



BEA Inc.
RIDC Park West
100 Enterprise Drive
Pittsburgh, PA 15275-1213

Phone: 1.800.523.2462
Fax: 1.888.523.2462

AADM Member American Association of Automatic Door Manufacturers

A HALMA COMPANY

FILE COPY
RECEIVED
MAR 31 2016
CITY OF DUBLIN
PLANNING
16-026ARB/MPR

79.0426.01

www.BEAinc.com

Technical Specs:

DESCRIPTION	SPECIFICATION
Dimensions (with cap attached)	6 ¼" W x 4 ¼"D x 41 ½"H (15.88 cm x 10.8 cm x 105.41 cm)
Material • Post • Cap • Bracket	 Powder-Coated (Inside and Out) Carbon Steel UV-Resistant ABS Plastic Stainless Steel
Pushplate Options	4 ½" (11.43 cm) Square Pushplate, 4 ¾" (12.07 cm) Square Pushplate, 4 ¾" (12.07 cm) Square Panther Pushplate, Dual Vestibule Pushplate and 4 ½" (11.43 cm) Round Pushplate
Weight	35 lbs (16 kilos)
Color	Black, Bronze, Silver
Hardware (Included) - Bracket - Cap - Post	Expansion Anchors (4), Lock Washers (4) & Nuts (4) Screws (3) & Finishing Washers (3) Screws (4)

Dimensions:

6¼" (15.88 cm) W x 4¼" (10.8 cm) D X 41½" H (105.41 cm)

BEA Inc.
RIDC Park West
100 Enterprise Drive
Pittsburgh, PA 15275-1213

Phone: 1.800.523.2462
Fax: 1.888.523.2462

AADM Member American Association of Automatic Door Manufacturers

RECEIVED
MAR 31 2016
CITY OF DUBLIN
PLANNING

COPY
RECEIVED
MAR 31 2016
CITY OF DUBLIN
PLANNING
16-026ARB/mPR

FOOD PANTRY
WORSHIP
ELEVATOR

EXIT