



NOTE:
REFERENCE THE CITY OF COLUMBUS STANDARD DRAWING
2000 DR. A FOR ADDITIONAL DETAILS AND SPECIFICATIONS.

STRAIGHT 18" CONCRETE CURB DETAIL
N.T.S.




NOTE:
PLACE 1/2" EXPANSION JOINT BETWEEN NEW
CONCRETE AND ANY EXISTING CONCRETE OR
STRUCTURE.

CONCRETE SIDEWALK
N.T.S.




NOTE:
PLACE 1/2" EXPANSION JOINT BETWEEN NEW
CONCRETE AND ANY EXISTING CONCRETE OR
STRUCTURE.

CONCRETE APRON
N.T.S.




LIGHT DUTY PAVEMENT
N.T.S.




NOTE:
TURNDOWN TO OCCUR ANYWHERE ASPHALT MEETS CONCRETE


CONCRETE/ASPHALT TURNDOWN DETAIL
N.T.S.



PARKING BLOCK DETAIL
N.T.S.



HANDICAP PARKING SPACE
N.T.S.




INSET A
SCALE: 1" = 10'

REV	DATE	DESCRIPTION

CITY OF DUBLIN, FRANKLIN COUNTY, OHIO
SITE DETAILS FOR
EVERY ROAD CAR WASH
5740 AVERY ROAD
DUBLIN, OHIO 43016



DATE:	July 15, 2016
SCALE:	As Noted
JOB NO.:	2016-0618
SHEET:	5/10




MAINTENANCE:
SILT FENCES AND FILTER BARRIERS SHALL BE INSPECTED IMMEDIATELY AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL. ANY REQUIRED REPAIRS SHALL BE MADE IMMEDIATELY.

SHOULD THE FABRIC ON A SILT FENCE OR FILTER BARRIER DECOMPOSE OR BECOME INEFFECTIVE PRIOR TO THE END OF THE EXPECTED USABLE LIFE AND THE BARRIER IS STILL NECESSARY, THE FABRIC SHALL BE REPLACED PROMPTLY.

SEDIMENT DEPOSITS SHOULD BE REMOVED AFTER EACH STORM EVENT. THEY MUST BE REMOVED WHEN DEPOSITS REACH APPROXIMATELY ONE-HALF THE HEIGHT OF THE BARRIER.

ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE SILT FENCE OR FILTER BARRIER IS NO LONGER REQUIRED SHALL BE DRESSED TO CONFORM WITH THE EXISTING GRADE, PREPARED AND SEEDED.



INSTALLATION: STAND GRATE ON END. PLACE DANDY BAG OVER GRATE. FLIP GRATE OVER SO THAT OPEN END IS UP. PULL UP SLACK. TUCK FLAP IN. BE SURE END OF GRATE IS COMPLETELY COVERED BY FLAP OR DANDY BAG WILL NOT FIT PROPERLY. HOLDING HANDLES, CAREFULLY PLACE DANDY BAG WITH GRATE INSERTED INTO CATCH BASIN FRAME SO THAT RED DOT ON THE TOP OF THE DANDY BAG IS VISIBLE. MAINTENANCE: AFTER SILT HAS DRIED, REMOVE IT FROM THE SURFACE OF DANDY BAG WITH BROOM.

MAINTENANCE: AFTER SILT HAS DRIED, REMOVE IT FROM THE SURFACE OF DANDY BAG WITH BROOM.

SILT FENCE:
THIS SEDIMENT BARRIER UTILIZES STANDARD STRENGTH OR EXTRA STRENGTH SYNTHETIC FILTER FABRICS. IT IS DESIGNED FOR SITUATIONS IN WHICH ONLY SHEET OR OVERLAND FLOWS ARE EXPECTED.

1. THE HEIGHT OF A SILT FENCE SHALL NOT EXCEED 36-INCHES (HIGHER FENCES MAY IMPOUND VOLUMES OF WATER SUFFICIENT TO CAUSE FAILURE OF THE STRUCTURE).
2. THE FILTER FABRIC SHALL BE PURCHASED IN A CONTINUOUS ROLL CUT TO THE LENGTH OF THE BARRIER TO AVOID THE USE OF JOINTS. WHEN JOINTS ARE NECESSARY, FILTER CLOTH SHALL BE SPICED TOGETHER ONLY AT A SUPPORT POST, WITH A MINIMUM OF A 6-INCH OVERLAP, AND SECURELY SEALED.
3. POSTS SHALL BE SPACED A MAXIMUM OF 10 FEET APART AT THE BARRIER LOCATION AND DRIVEN SECURELY INTO THE GROUND (MINIMUM OF 12-INCHES). WHEN EXTRA STRENGTH FABRIC IS USED WITHOUT THE WIRE SUPPORT FENCE, POST SPACING SHALL NOT EXCEED 6 FEET.
4. A TRENCH SHALL BE EXCAVATED APPROXIMATELY 4-INCHES WIDE AND 4 INCHES DEEP ALONG THE LINE OF POSTS AND UPSLOPE FROM THE BARRIER.
5. WHEN STANDARD STRENGTH FILTER FABRIC IS USED, A WIRE MESH SUPPORT FENCE SHALL BE FASTENED SECURELY TO THE UPSLOPE SIDE OF THE POSTS USING HEAVY DUTY WIRE STAPLES AT LEAST 1-INCH LONG. THE WIRES OR HOG RINGS, THE WIRE SHALL EXTEND INTO THE TRENCH A MINIMUM OF 2-INCHES AND SHALL NOT EXTEND MORE THAN 36-INCHES ABOVE THE ORIGINAL GROUND SURFACE.
6. THE STANDARD STRENGTH FILTER FABRIC SHALL BE STAPLED OR WIRED TO THE FENCE, AND 8-INCHES OF THE FABRIC SHALL BE EXTENDED INTO THE TRENCH. THE FABRIC SHALL NOT EXTEND MORE THAN 36-INCHES ABOVE THE ORIGINAL GROUND SURFACE. FILTER FABRIC SHALL NOT BE STAPLED TO EXISTING TREES.
7. WHEN EXTRA STRENGTH FILTER FABRIC AND CLOSER POST SPACING ARE USED, THE WIRE MESH SUPPORT FENCE MAY BE ELIMINATED. IN SUCH A CASE, THE FILTER FABRIC IS STAPLED OR WIRED DIRECTLY TO THE POSTS WITH ALL OTHER PROVISIONS OF ITEM NO. 6 APPLYING.
8. THE TRENCH SHALL BE BACKFILLED AND SOIL COMPACTED OVER THE FILTER FABRIC.
9. SILT FENCES SHALL BE REMOVED WHEN THEY HAVE SERVED THEIR USEFUL PURPOSE, BUT NOT BEFORE THE UPSLOPE AREA HAS BEEN PERMANENTLY STABILIZED.

SEDIMENT FENCE DETAIL
N.T.S.

THE DANDY BAG
N.T.S.



REVISIONS	REV	DATE	DESCRIPTION

CITY OF DUBLIN, FRANKLIN COUNTY, OHIO
EROSION & SEDIMENT CONTROL DETAILS
FOR
AVERY ROAD CAR WASH
5740 AVERY ROAD
DUBLIN, OHIO 43016



DATE:	July 15, 2016
SCALE:	As Noted
JOB NO.:	2016-0618
SHEET:	6/10

1/20160618/01/04/05/06/07/08/09/10/11/12/13/14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54/55/56/57/58/59/60/61/62/63/64/65/66/67/68/69/70/71/72/73/74/75/76/77/78/79/80/81/82/83/84/85/86/87/88/89/90/91/92/93/94/95/96/97/98/99/100



LEGEND

	EXISTING RIGHT-OF-WAY
	PROJECT BOUNDARY
	EXISTING PROPERTY LINE
	EXISTING OVERHEAD ELECTRIC
	EXISTING SANITARY SEWER
	EXISTING STORM SEWER
	EXISTING UNDERDRAIN/TRENCH DRAIN
	EXISTING UNDERDRAIN/TRENCH DRAIN (TBR)
	EXISTING NATURAL GAS LINE
	EXISTING WATER MAIN
	EXISTING WATER SERVICE
	EXISTING C/L OF DITCH
	EXISTING FENCE
	EXISTING C/L OF PAVEMENT
	EXISTING EDGE OF PAVEMENT/CURB/SIDEWALK
	EXISTING EDGE OF PAVEMENT/CURB/SIDEWALK (TBR)
	EXISTING PAVEMENT (ASPHALT OR CONCRETE) (TBR)
	EXISTING PAVEMENT MARKING
	EXISTING PAVEMENT MARKING (TBR)
	EXISTING TREE LINE
	EXISTING HEDGE LINE
	EXISTING HEDGE LINE (TBR)
	EXISTING TREE
	EXISTING TREE (TBR)
	EXISTING LIGHT POLE
	EXISTING LIGHT POLE (TBR/TBRL)
	EXISTING POWER POLE
	EXISTING OVERHEAD LIGHT
	EXISTING OVERHEAD LIGHT (TBR/L)
	EXISTING ELECTRIC TRANSFORMER
	EXISTING ELECTRIC METER
	EXISTING ELECTRIC CABINET
	EXISTING BUILDING
	EXISTING BUILDING (TBR)
	EXISTING WATER VALVE
	EXISTING BOLLARD
	EXISTING BOLLARD (TBR)
	EXISTING STRUCTURE NUMBER
	BENCHMARK

BENCH MARKS

ALL ELEVATIONS ARE BASED UPON N.A.D. 85

BM 1	WEST FLANGE BOLT OF THE FIRST FIRE HYDRANT NORTH OF THE SOUTHERLY PROPERTY LINE AND LOCATED ON THE EAST SIDE OF AVERY ROAD. N:759969.188 E:1784270.016 ELEVATION: 925.97
BM 2	WEST FLANGE BOLT OF A FIRE HYDRANT 6 FEET NORTH OF 5750 MAILBOX AND LOCATED ON THE EAST SIDE OF AVERY ROAD. N:760262.928 E:1784269.608 ELEVATION: 927.52
BM 3	CHISELED "X" ON THE EAST RIM OF A SANITARY MANHOLE LOCATED 40 FEET NORTH OF THE SOUTHEAST PROPERTY CORNER OF AVERY ROAD CAR WASH. N:759973.517 E:1784684.012 ELEVATION: 923.55

CODED NOTES

1	EX. BOLLARD (TBR)
2	EX. BUILDING (TBR)
3	EX. HEDGES (TBR)
4	EX. TRENCH DRAIN (TBR)
5	EX. SAN. CLEANOUT (TO BE ADJUSTED TO GRADE)
6	EX. OWS MANHOLE (TO BE ADJUSTED TO GRADE)
7	EX. SAN. LATERAL (TBA)

STRUCTURE INFORMATION

1	EX. STM. CB (TRM) W/INGALLS (TRM) RIM=923.67 INV.(E)=918.80 12" RCP INV.(W)=920.05 8" PVC
2	EX. STM. CB (TRM) RIM=923.86 INV.(N)=921.40 4" CPP INV.(W)=921.81 12" RCP INV.(E)=921.81 12" RCP INV.(W)=921.50 4" CPP
3	EX. STM. CB (TRM) RIM=923.93 INV.(N)=921.01 12" RCP INV.(E)=922.26 4" CPP INV.(W)=920.21 12" RCP INV.(W)=922.04 8" CPP INV.(W)=921.14 12" RCP
4	EX. STM. CB (TRM) RIM=926.42 INV.(E)=924.85 4" PVC INV.(E)=922.04 12" RCP INV.(E)=922.91 8" PVC INV.(W)=923.90 4" PVC
5	EX. STM. CB (TRM) RIM=924.50 INV.(N)=922.67 4" CPP INV.(N)=922.40 8" PVC INV.(W)=922.78 4" CPP INV.(W)=922.78 12" RCP INV.(E)=922.62 4" CPP INV.(E)=922.86 4" CPP

STANDARD ABBREVIATIONS

AC	ACRE	RCP	REINFORCED CONCRETE PIPE
B/C	BACK OF CURB	SAN	SOUTH
C/L	CENTERLINE	STM.	SANITARY SEWER
CB	CATCH BASIN	SC. FT.	SQUARE FEET
CONC.	CONCRETE	TBR	TO BE REMOVED
DIA.	DIAMETER	TBRL	TO BE RELOCATED
E	EAST	TWP.	TOWNSHIP
EX.	EXISTING	UD	UNDERDRAIN
FH	FIRE HYDRANT	W	WEST
INV.	INVERT	W	WITH
HC	HANDICAP		
MH	MANHOLE		
MISC.	MISCELLANEOUS		
NGAS	NATURAL GAS		
OWS	OIL WATER SEPARATOR		
PROP.	PROPOSED		

REV	DATE	DESCRIPTION

CITY OF DUBLIN, FRANKLIN COUNTY, OHIO
EXISTING CONDITIONS AND DEMOLITION PLAN
AVERY ROAD CAR WASH
5740 AVERY ROAD
DUBLIN, OHIO 43016



DATE: July 15, 2016

SCALE: 1" = 30'

JOB NO.: 2016-0618

SHEET: 7/10

IF THIS DRAWING IS LESS THAN 22" X 34" IT IS A REDUCED SIZE DRAWING



LEGEND

	EXISTING RIGHT-OF-WAY
	PROJECT BOUNDARY
	EXISTING PROPERTY LINE
	EXISTING C/L OF PAVEMENT
	EXISTING EDGE OF PAVEMENT/CURB
	PROPOSED EDGE OF PAVEMENT/CURB
	EXISTING PAVEMENT MARKING
	PROPOSED PAVEMENT MARKING
	EXISTING TREE LINE
	EXISTING TREE
	EXISTING BUILDING
	PROPOSED BUILDING
	EXISTING BOLLARD

REV	DATE	DESCRIPTION

CITY OF DUBLIN, FRANKLIN COUNTY, OHIO
 LANDSCAPE PLAN
 FOR
EVERY ROAD CAR WASH
5740 AVERY ROAD
DUBLIN, OHIO 43016



DATE:	July 15, 2016
SCALE:	1" = 30'
JOB NO.:	2016-0618
SHEET:	8/10

PLAN KEY

QTY.	KEY	COMMON NAME	BOTANICAL NAME	SIZE
11	GLE TRI	THORNLESS HONEYLOCUST	<i>GLEDITSIA TRIACANTHOS</i>	3" CAL.
2	ACE RUB	RED MAPLE	<i>ACER RUBRUM "RED SUNSET"</i>	3" CAL.
6	ACE CAM	HEDGE MAPLE	<i>ACER CAMPESTRE</i>	2.5" CAL.

NOTES
 1. REFER TO TREE SURVEY FOR TREE REMOVAL AND DATA ON EXISTING TREES.

LANDSCAPE TABLE

EXISTING BUILDING FOOTPRINT:	4,866 SF
PROPOSED BUILDING FOOTPRINT:	7,064 SF
PERCENTAGE INCREASE:	45%
VEHICULAR USE PAVEMENT AREA:	58,245 SF
PLANTED ISLAND AREA:	10,380 SF

J:\20160618\Cop\045sheet\Landscape Plan\LS 101.dgn - LS 101

IF THIS DRAWING IS LESS THAN 22" X 34" IT IS A REDUCED SIZE DRAWING

POINT NO.	LATIN NAME	COMMON NAME	SIZE (DBH)	TRUNK(S)	STATUS	CONDITION
1538	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
1540	<i>Picea pungens</i>	Blue Spruce	3	1	TO REMAIN	Good
1541	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	REMOVED	Good
1542	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Poor
1543	<i>Picea pungens</i>	Blue Spruce	9	1	REMOVED	Good
1544	<i>Picea pungens</i>	Blue Spruce	5	1	REMOVED	Good
1545	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1546	<i>Picea pungens</i>	Blue Spruce	9	2	REMOVED	Good
1547	<i>Picea pungens</i>	Blue Spruce	7	1	REMOVED	Good
1549	<i>Picea pungens</i>	Blue Spruce	7	1	REMOVED	Good
1550	<i>Malus x</i>	Crabapple	5	1	TO REMAIN	Fair
1551	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1552	<i>Malus x</i>	Crabapple	5	1	TO REMAIN	Fair
1554	<i>Picea pungens</i>	Blue Spruce	8	1	TO REMAIN	Good
1555	<i>Picea pungens</i>	Blue Spruce	8	1	TO REMAIN	Good
1556	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	6	1	TO REMAIN	Good
1557	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1558	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1559	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1560	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
1561	<i>Malus x</i>	Crabapple	5	1	TO REMAIN	Fair
1562	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1563	<i>Malus x</i>	Crabapple	2	1	TO REMAIN	Poor
1564	<i>Picea pungens</i>	Blue Spruce	8	1	TO REMAIN	Good
1565	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
1566	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1567	<i>Malus x</i>	Crabapple	4	1	TO REMAIN	Fair
1568	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	4	1	TO REMAIN	Good
1569	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Good
1570	<i>Acer rubrum</i>	Red Maple	2.5	1	TO REMAIN	Poor
1571	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	4	1	TO REMAIN	Good
1781	<i>Malus x</i>	Crabapple	4	2	TO REMAIN	Fair
1823	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Fair
1824	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7.5	1	REMOVED	Good
1825	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
1826	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	2.5	1	REMOVED	Good
1827	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
1828	<i>Malus x</i>	Crabapple	3.5	1	TO REMAIN	Fair
1829	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	9	1	REMOVED	Good
1830	<i>Malus x</i>	Crabapple	1.5	1	REMOVED	Good
1831	<i>Malus x</i>	Crabapple	1.5	1	REMOVED	Good
1849	<i>Acer rubrum</i>	Red Maple	2	1	TO REMAIN	Fair
1850	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
1851	<i>Ulmus x</i>	Hybrid Elm	6	1	TO REMAIN	Good
1852	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
1853	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Poor
1854	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	9	1	TO REMAIN	Good
1860	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1861	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1862	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1863	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	6	1	TO REMAIN	Good
1921	<i>Celtis occidentalis</i>	Hackberry	11	1	TO REMAIN	Good
1922	<i>acer rubrum</i>	Red Maple	3	1	TO REMAIN	Good
1923	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
1924	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Good
1925	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Poor
1926	<i>Malus rubra</i>	Mulberry	5	4	TO REMAIN	Poor
1927	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
1928	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Poor
1929	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
1931	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
1932	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
1933	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	6	1	TO REMAIN	Good
1934	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
1964	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	REMOVED	Good
2034	<i>Acer rubrum</i>	Red Maple	2	1	TO REMAIN	Good
2036	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
2040	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	2	1	TO REMAIN	Fair
2090	<i>Acer rubrum</i>	Red Maple	2	1	TO REMAIN	Good
2156	<i>Acer rubrum</i>	Red Maple	2	1	REMOVED	Good
2158	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	9	1	REMOVED	Good
2159	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	5	5	REMOVED	Poor
2162	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	2	1	TO REMAIN	Good
2164	<i>Acer rubrum</i>	Red Maple	2	1	TO REMAIN	Good
2202	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	13	5	TO REMAIN	Poor
2203	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good

POINT NO.	LATIN NAME	COMMON NAME	SIZE (DBH)	TRUNK(S)	STATUS	CONDITION
2204	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	3	TO REMAIN	Poor
2206	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Fair
2207	<i>Acer rubrum</i>	Red Maple	8	4	TO REMAIN	Poor
2208	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2209	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2210	<i>Acer rubrum</i>	Red Maple	5.5	1	TO REMAIN	Good
2211	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Fair
2234	<i>Picea pungens</i>	Blue Spruce	3	1	TO REMAIN	Fair
2235	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Fair
2236	<i>Acer saccharinum</i>	Silver Maple	3C	3	TO REMAIN	Fair
2237	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Poor
2238	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Poor
2239	<i>Acer negundo</i>	Boxelder	2C	3	TO REMAIN	Fair
2240	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2241	<i>Malus x</i>	Crabapple	4	1	TO REMAIN	Fair
2272	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	7	1	TO REMAIN	Good
2278	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
2285	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
2289	<i>Malus x</i>	Crabapple	3.5	1	TO REMAIN	Fair
2301	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
2302	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
2303	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2304	<i>Acer rubrum</i>	Red Maple	5	1	TO REMAIN	Good
2305	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
2308	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Fair
2309	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Good
2311	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Fair
2313	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2315	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2314	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Fair
2316	<i>Picea pungens</i>	Blue Spruce	7	1	TO REMAIN	Fair
2321	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Fair
2322	<i>Picea pungens</i>	Blue Spruce	3	1	TO REMAIN	Fair
2323	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Fair
2324	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Fair
2326	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Fair
2327	<i>Acer rubrum</i>	Red Maple	3	1	REMOVED	Fair
2334	<i>Picea pungens</i>	Blue Spruce	4	1	TO REMAIN	Good
2335	<i>Acer negundo</i>	Boxelder	3C	3	TO REMAIN	Fair
2336	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2337	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2342	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	11	1	REMOVED	Good
2344	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	11	1	TO REMAIN	Good
2347	<i>Acer rubrum</i>	Red Maple	4	1	REMOVED	Fair
2349	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2350	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2351	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2352	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2355	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	10.5	1	REMOVED	Good
2357	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2358	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2359	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2360	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Poor
2361	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2364	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2365	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2366	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Good
2367	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
2369	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2370	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Good
2409	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	11	1	TO REMAIN	Good
a	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	8	1	TO REMAIN	Good
b	<i>Acer rubrum</i>	Red Maple	3	1	TO REMAIN	Fair
c	<i>Acer rubrum</i>	Red Maple	4	1	TO REMAIN	Fair
d	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Fair
e	<i>Malus rubra</i>	Mulberry	11	5	TO REMAIN	Poor
f	<i>Picea pungens</i>	Blue Spruce	5	1	TO REMAIN	Fair
g	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Fair
h	<i>Picea pungens</i>	Blue Spruce	6	1	TO REMAIN	Fair
i	<i>Gleditsia triacanthos var. inermis</i>	Thornless Honeylocust	4	1	TO REMAIN	Good
j	<i>Malus x</i>	Crabapple	3	1	TO REMAIN	Poor

REV	DATE	DESCRIPTION

CITY OF DUBLIN, FRANKLIN COUNTY, OHIO
TREE SURVEY DETAILS
AVERY ROAD CAR WASH
5740 AVERY ROAD
DUBLIN, OHIO 43016



DATE: July 15, 2016
SCALE: N/A
JOB NO.: 2016-0618
SHEET: 10/10

J:\20160618\Cop\0605sheet1\Tree Survey\TP-201.dwg -- TP-201