

EXTERIOR FINISH SCHEDULE			
BRK-1	4" FACE BRICK: TAYLOR CLAY BLACK ONYX MODULAR (OR EQUAL)	RAIL-1	ALUMINUM RAILING SYSTEM; SUPERIOR ALUMINUM RAILING SYSTEM (BLACK) WITH CROSS-X PATTERN BALUSTER (OR EQUAL)
BRK-1a	THIN BRICK: TAYLOR CLAY BLACK ONYX MODULAR (3/4" THICK) (OR EQUAL)	RAIL-2	ALUMINUM RAILING SYSTEM: SUPERIOR ALUMINUM RAILING SYSTEM (BLACK) WITH HORIZONTAL WELDED INTERMEDIATE RAILS @ 4" O.C. (OR EQUAL)
BRK-2	4" FACE BRICK: TAYLOR CLAY 119 GRAY SMOOTH MODULAR (OR EQUAL)	KAIL-Z	
BRK-2a	THIN BRICK: TAYLOR CLAY 119 GRAY SMOOTH MODULAR (3/4" THICK) (OR EQUAL)	RAIL-3	GALVANIZED METAL HANDRAIL: 1 1/2" DIAMETER GALVANIZED RAILING, TOP OF RAILING AT 2-10" A.F.F. (MIN) AND 3-0" A.F.F. (MAX); ANCHOR PER SECTIONS (OR EQUAL)
PNL-1	CEMENT PANEL SYSTEM: NICHIHA "ILLUMINATION SERIES" FIBER CEMENT BOARD (10mm) WITH HIDDEN FASTENER MOUNTING SYSTEM (OR EQUAL)	AWNING-1	PRE-ENGINEERED ALUMINUM AWNING: MAPES MANUFACTURED AWNING WITH 12" FASCIA AND TIE-BACKS: AWNING DEPTH RANGES FROM 12" TO 36" FROM FACE
PNL-2	CEMENT PANEL SYSTEM: HARDI PANEL SYSTEM WITH METAL REVEAL SEAM (4'x8' PANELS)		OF WALL (OR EQUAL)
SIDING-1	6" CEMENT LAP SIDING: HARDI HORIZONTAL LAP SIDING AND 1X EDGE TRIM	STEEL	PRE-ENGINEERED GALVANIZED STEEL FRAME
COPING-1	METAL COPING; DMI WHITE (OR EQUAL)	WINDOW-1	OPERABLE OR FIXED PANE WINDOW: WHITE FINISH (ANDERSEN 100 SERIES OR EQUAL)
COPING-2	METAL COPING: DMI PUTTY (OR EQUAL)	WINDOW-2	OPERABLE OR FIXED PANE WINDOW: DARK BRONZE FINISH (ANDERSEN 100 SERIES OR EQUAL)
E.I.F.S1	EXTERIOR INSULATION FINISH SYSTEM: MECHANICALLY-FASTENED TO SUBSTRATE; COLOR TO MATCH PNL-1 (OR EQUAL)	ENTRY-1	TH-1 AND TH4 UNITS - PREFINISHED ALUMINUM STOREFRONT SYSTEM AND DOOR - CLEAR ANODIZED FRAME, WOOD GRAIN WITH "EBONY" FINISH
E.I.F.S2	EXTERIOR INSULATION FINISH SYSTEM: MECHANICALLY-FASTENED TO SUBSTRATE; COLOR TO MATCH BRK-2 / BRK-2q (OR EQUAL)		MEDIUM-STILE DOOR LEAF (TUBELITE OR EQUAL)
P.L1	PRECAST LINTEL: CALCIUM SILICATE MASONRY UNITS - MATCH THICKNESS WITH ADJACENT BRICK THICKNESS (OR EQUAL)	ENTRY-2	TH-2 UNITS - PREFINISHED ALUMINUM STOREFRONT SYSTEM AND DOOR - CLEAR ANODIZED FRAME AND MEDIUM-STILE DOOR LEAF (TUBELITE OR EQUAL)
P.S1	PRECAST SILL: CALCIUM SILICATE MASONRY UNITS - MATCH THICKNESS WITH ADJACENT BRICK THICKNESS (OR EQUAL)	ENTRY-3	TH-3 UNITS - PREFINISHED ALUMINUM STOREFRONT SYSTEM AND DOOR - CLEAR ANODIZED FRAME, WOOD GRAIN WITH "NATURAL" FINISH MEDIUM-STILE DOOR LEAF (TUBELITE OR EQUAL)
P.C1	PRECAST CAP: 4" THICK CALCIUM SILICATE CAP WITH CROWNED TOP AND 1" OVERHANG ALL SIDES (OR EQUAL)	D.S.	ALUMINUM COLLECTION BOX, GUTTER, OR DOWNSPOUT (SEE ROOF PLAN AND DETAILS FOR SIZES); PREFINISHED WHITE (OR EQUAL)
		GARAGE	METAL OVERHEAD GARAGE DOOR; PREFINISHED DMI WHITE (OR EQUAL); WOOD TRIM SURROUND TO MATCH GARAGE DOOR COLOR









AWN

30 June 17

