

Aluminum Fencing

A classy yet low-maintenance, economical fencing option.

Manufactured from the best aluminum in the industry, our aluminum fencing offers strength and security plus it looks great! Proven not to rust or corrode, aluminum fencing is the perfect addition to your yard.



✓ The Mansfield Aluminum Fencing

Height: 4' & 5'
 Width: 6'
 Gate Width: Single 4', 5' Double 8' & 10'
 Picket Style: Flat top
 Color: ■



The Toledo Aluminum Fencing

Height: 4' & 5'
 Width: 6'
 Gate Width: Single 4', 5' Double 8' & 10'
 Picket Style: Alternating spear flat top
 Color: ■


The Terrier Aluminum Fence

Height: 4'
 Width: 6'
 Gate Width: Single: 4' Double: 8'
 Picket Style: Flat top
 Color: ■

The Pacific Aluminum Fencing

Height: 4.5'
 Width: 6'
 Gate Width: Single 4', 5' Double 8' & 10'
 Picket Style: Flat top & flush bottom
 Color: ■

PBAL-FLTP-5X6




Rails Top Wall: 1" Square, .055"
 Rails Side Wall: 1" Square, .082"
 Pickets: .625" Square, .050"

Alloy	6063-T5	Product Code:	PBAL-FLTP-5X6
Powder Coat	AAMA-2604-13		

INFORMATION SIGN

ALL PANNIER EXHIBIT BASES AND FRAMES PROVIDE A HOST OF BENEFITS:




LOW PROFILE BASES: Ideal for interpretive wayside exhibits, these sturdy bases position the panel at an angle making it easy to read without drawing attention away from the surrounding views.



Low Profile Bases:
TRADITIONAL T

Pannier's most popular style, this base is anchored by two strong, centered posts. This style is also available in an Arch Frame.

AL



Low Profile Bases:
CANTILEVERED

The preferred style for NPS interpretive exhibits, this classic base fits unobtrusively into the landscape while angling the panel for easy viewing.

AL WS




Low Profile Bases:
SINGLE PEDESTAL

This base is low-key and extremely sturdy, sitting on one centered post, positioning the panel at an angle. It is ideal for smaller panels, typically up to 24 inches wide. The Single Pedestal base is also used for **Pannier StoryWalk® Exhibits**. Learn more on our website!


AL




MOUNTING OPTIONS: Pannier's range of mounting options allow panels and signage to be installed virtually anywhere - in concrete or wood, on walls or railings, inside or outside.




DIRECT EMBEDMENT Our most popular installation method, Direct Embedment buries the exhibit base directly into the ground with a concrete base, providing lasting durability.



✓ **BASEPLATE MOUNT** With this method, exhibit bases are fitted with baseplates that allow mounting to any flat surface. Baseplate Mounting is commonly used for mounting on decks, as well as other wood and concrete surfaces.



BASEPLATE COVERS When you want to cover your baseplates, we can provide you with baseplate covers. These covers fit snugly over the baseplates, and are attached using tamper-proof pop rivets.



MASON MOUNT This Low Profile style can be mounted to existing architectural features, such as brick, stone, stucco, or concrete, with minimal impact where the base is attached.

Contact us for more information on these and other mounting and installation options.


:: COLORS & FINISHES ::

Pannier offers a variety of colors and finishes to ensure the perfect fit for any application.

All Pannier frames are available in high-quality powder coating and paint finishes in these standard colors:




BLACK ✓



NPS DARK BROWN




NPS BROWN



NPS MEDIUM GRAY

:: Custom colors are available upon request.

Indiana Limestone Pier Cap



This natural stone cap completes and protects the piers and pillars, while adding a beautiful, decorative accent and focal point.

Description

Create the perfect entrance with a cast stone pier cap. Designed to sit on top of, and offer protection to, a gate pier, post or pillar, our piers caps are also decorative and will provide an elegant finishing touch to any entrance.


Thickness: 2 1/4" -3" Width

Color: Light gray

Type: Limestone

Shoreline Blue Vein Thin Wallstone

An easy stone to work with and can be crafted into a very trim wall.



Description

One of the most popular stones in Central Ohio, Shoreline Blue Vein Thin gives any project an almost aged appearance instantly, through its smooth lines and buff-gray colors.

Thickness: 3" -5"

Color: Light buff with an blue vein accent

Type: Limestone



Create a timeless moment.®



FBF-50

Simple, clean lines through the use of horizontal steel tubing and horizontal steel slat seating.

4, 6 or 8 ft (1.2, 1.8 or 2.4 m) lengths. Horizontal steel slats.

STANDARD

All fabricated metal components are steel shotblasted, etched, phosphatized, preheated and electrostatically powder-coated with TGIC polyester powder coatings.

OPTIONS

Surface mount. In-ground mount. Armrests (special order). Skateboard guards (US Patent D647,729 S).

[RETURN TO STANDARD VIEW](#)

LENGTH

4 ft (1.2 m)

6 ft (1.8 m) ✓

8 ft (2.4 m)

COLORS

Standard

