

WEATHER SHIELD.
WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

PROPOSAL

Printed: 04/03/2023 01:16 PM

Quote #: 2744671

PRESENTED BY: A I M WINDOW & DOOR CO INC

Authorized Weather Shield Dealer

Name: A I M WINDOW & DOOR CO INC
Address: 5695 WESTBOURNE AVE
Cit, State, Zip: COLUMBUS, OH 43213-1486
Phone: 614 861-7077
Fax: 614 861-7087

Customer Information

Job Name: Jeffrey Bolyard - Door
Quote: 2744671
Customer ID:
Name:
Address:
City, State, Zip:
Phone:
Fax:
Quote Date: 04/03/2023
P.O.:

Dealer Notes:

Thank you for choosing Weather Shield Windows & Doors

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

WSOneSource 1.0

QUOTE

Project Date: 04/03/2023

Quote Date: 04/03/2023

Quote #: 2744671


Printed: 04/03/2023 01:16 PM

Total Lead Time: 12 Weeks

Delivery Instructions

Deliver To:

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
1	1	P.O.: Location: Job: Jeffrey Bolyard - Door	Price:	\$2,348.81 \$2,348.81



Signature Series French Side Hinge 1 Panel Rectangle 8510 1 Wide Complete Unit
---- Mfg Date 7/30/2012 to Present
---- Frame Style French Inswing - 1 3/4" Thick Panel
No DP Required
Sizing Method Call Out 2-9 X 6-8
---- R/O Size 33 1/16" X 80"
---- Jamb Size 32 5/16" X 79 17/32"
---- Glass Size 21 1/16" X 64 13/16"
Operating Code - Left
Aluminum Clad
- White - AAMA 2604
---- Exterior Panel/Sash Color White
---- 7 1/2" Bottom Rail - 5" Top Rail - Standard Sill
---- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Pine Interior Material Primed - White
---- Inside Jamb Option Fingerjoint
---- Outside Jamb Option Fingerjoint
Insulated Low E
---- W/Out Neat Clean Glass
---- Glazing Bead Type - Flush Bead Glazing Bead Profile - Colonial - Back
Side Glzg Bd Match Interi
---- W/Out Protective Film
---- Tempered Glass
---- Silver Spacer
11/16" - Sculptured - Grille Between Glass - White - Rectangular -
---- 3 W 5 H /
W/Standard Hardware - No Lockset -
Deadbolt and Lever Set by Owner
---- Adjustable Hinge - Brushed Nickel
---- Double Bore 5 1/2" Ctr to Ctr
---- 2 3/4 Backset
No Screen -

(Viewed from Exterior)

Rough Opening 33-1/16" x 80"
Overall Jamb 32-5/16" x 79-17/32"

Lead Time: 12 Weeks

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

WSOneSource 1.0

QUOTE

Project Date: 04/03/2023

Quote Date: 04/03/2023

Quote #: 2744671

Printed: 04/03/2023 01:16 PM

Total Lead Time: 12 Weeks

Miscellaneous Charges

	Price:	\$2,348.81
Misc. Taxable Charges:		\$0.00
State Taxes:		\$0.00
City Taxes:		\$0.00
Local Taxes:		\$0.00
Taxes (Other):		\$176.16
Misc. Non-Taxable Charges:		\$0.00
	<u>Total Price</u>	<u>\$2,524.98</u>

Thank you for choosing Weather Shield Windows & Doors

WEATHER SHIELD.

WINDOWS & DOORS



















































Quick Spec Guide

Signature Series™ French Door (8510, 8610)

SPECIFICATION	STANDARD FEATURES	OPTIONAL FEATURES
EXTERIOR FINISH	<ul style="list-style-type: none"> • White • Cameo • Tan • Desert Tan • Heritage Brown • Adobe 	<ul style="list-style-type: none"> • Craftsman Bronze • Brick Red • Hartford Green • Gray Matters • Obsidian • Jet Black
EXTERIOR TRIM	<ul style="list-style-type: none"> • Integral Nail Fin 	<ul style="list-style-type: none"> • 7/8" Brickmold • 1-11/16" Brickmold • 1-11/16" Flat Casing • 3-5/16" Flat Casing • Historical Brickmould
INTERIOR FINISH	<ul style="list-style-type: none"> • Natural 	<ul style="list-style-type: none"> • Clear Satin • Fruitwood • Rich Mahogany • Primed • Golden Oak • Chestnut • Prefinished White & Black • Poly – White & Jet Black
INTERIOR SPECIES	<ul style="list-style-type: none"> • Pine 	<ul style="list-style-type: none"> • Character Alder • Mixed Grain Fir
SIZE	<ul style="list-style-type: none"> • Width • Single Panel Doors 2-1, 2-7, 2-9, 3-1, 3-2 Two Panel Doors 4-0, 5-0, 5-4, 6-0, 6-2 • Height Single and Two panel Doors 6-8, 6-10, 7-2, 8-0, 8-2 	<ul style="list-style-type: none"> • Single Panel Doors: Any jamb width: 19-1/4" to 42-5/16" • Two Panel Doors: Any jamb width: 37-1/2" to 83-1/4" • Single and Two Panel Doors: Any jamb height: 57-3/32" to 98-1/32"
GLAZING	<ul style="list-style-type: none"> • Low-E Insulating Glass • Tempered Glass 	<ul style="list-style-type: none"> • Clear IG • Low-E 240 • Zo-e-shield 5 • Zo-e-shield Extreme • Zo-e Shield 6 (laminated) • Grey or Bronze Tint • Obscure
GRILLES		<ul style="list-style-type: none"> • GBG: 5/8" Flat or 11/16" Sculptured • SDL: 5/8", 7/8", 1-1/8", 2" (limited cut styles) • Wood Grille: 7/8"
HARDWARE	<ul style="list-style-type: none"> • 3 point lock • Arch top escutcheon plate • Keyed random lock • 36" lockset location • Butt hinge • Manual flushbolts 	<ul style="list-style-type: none"> • Single point lock • Square top escutcheon plate • Keyed alike locks • 54" lockset location • Adjustable hinges • Handle activated flushbolts • No Lockset No Bore • Deadbolt & Lever Set • Handle extension
HARDWARE COLOR	<ul style="list-style-type: none"> • Bright Brass PVD • Black 	<ul style="list-style-type: none"> • Brushed Nickel PVD • Oil Rubbed Bronze • Antique Brass • Chrome
JAMB	<ul style="list-style-type: none"> • 4-9/16" 	<ul style="list-style-type: none"> • 4-9/16 Min • 7-1/8" (inswing), 12" (outswing) Max
HINGING	<ul style="list-style-type: none"> • Inswing (8510) 	<ul style="list-style-type: none"> • Outswing (8610)
PANEL THICKNESS	<ul style="list-style-type: none"> • 1-3/4" 	
RAILS	<ul style="list-style-type: none"> • 5" (top) • 7-1/2" (bottom) 	<ul style="list-style-type: none"> • 10" (bottom)
SILLS	<ul style="list-style-type: none"> • Standard 	<ul style="list-style-type: none"> • ADA • Low Profile (outswing)

Inswing (8510) or Outswing (8610) Hinged Doors

Jamb Dimension	2'-0 5/16"	2'-6 5/16"	2'-8 5/16"	3'-0 5/16"	3'-1 9/16"	3'-11 1/4"	4'-11 1/4"	5'-3 1/4"	5'-11 1/4"	6'-1 11/16"
Rough Opening	2'-1 1/16"	2'-7 1/16"	2'-9 1/16"	3'-1 1/16"	3'-2 5/16"	4'-0"	5'-0"	5'-4"	6'-0"	6'-2 7/16"
Metric R.O. (mm)	637	789	840	941	973	1219	1524	1626	1829	1891
Glass Size	13 1/16"	19 1/16"	21 1/16"	25 1/16"	26 5/16"	13 1/16"	19 1/16"	21 1/16"	25 1/16"	26 5/16"


6'-7 17/32"	6'-8"	2032	64 13/16"										
1-2168	1-2768	1-2968	1-3168	1-3268	2-4068	2-5068	2-5468	2-6068	2-6268				
6'-10 1/32"	6'-10 1/2"	2096	67 5/16"										
1-21610	1-27610	1-29610	1-31610	1-32610	2-40610	2-50610	2-54610	2-60610	2-62610				
7'-2 1/32"	7'-2 1/2"	2197	71 5/16"										
1-2172	1-2772	1-2972	1-3172	1-3272	2-4072	2-5072	2-5472	2-6072	2-6272				
8'-0 1/32"	8'-0 1/2"	2451	81 5/16"										
1-2180	1-2780	1-2980	1-3180	1-3280	2-4080	2-5080	2-5480	2-6080	2-6280				
8'-2 1/32"	8'-2 1/2"	2502	83 5/16"										
1-2182	1-2782	1-2982	1-3182	1-3282	2-4082	2-5082	2-5482	2-6082	2-6282				


NOTE: Sizes are available inswing or outswing.

Thermal Performance Data

Signature 1-3/4" Inswing Side Hinge French Door (8510)

WEATHER SHIELD.
WINDOWS & DOORS

US Qualification Criteria	Climate Zone	U-Value	SHGC
 <p>As of January 2016</p>	Northern	≤0.30	≤0.40
	North-Central		
	South-Central		≤0.25
	Southern		

Canadian Qualification Criteria	Climate Zone	U-Value	or	Energy Rating
 <p>As of February 2015</p>	Zone 1	≤1.60		≥25
	Zone 2	≤1.40		≥29
	Zone 3	≤1.20		≥34
	Air Leakage ≤ 0.3 cfm/ft ²			

U-Value

A measurement of how much energy a material conducts. The lower the U-Value, the greater the insulating effect.

Solar Heat Gain Coefficient (SHGC)

Measures how well a window or door prevents heat from passing through it. The lower a window or door's SHGC, the less heat it allows to pass through it.

Visible Light Transmittance

The amount of light in the visible portion of the spectrum that passes through a glazing material.

Condensation Resistance Rating

Measures how well a window resists the formation of condensation on the inside surface. The higher the number the better resistance to condensation.

Energy Rating

A value demonstrating the balance between U-Value, SHGC and air leakage. The higher the number, the more efficient the product.

R-Value

A measurement of how much a material resists heat transfer.

A higher R-Value means a greater insulating effect and a lower rate of heat flow out of the home.

While **R-value** measures resistance to heat transfer, **U-value** measures the rate of heat transfer.

In simple terms, **U-value** is the mathematical reciprocal of **R-value**; that is, **U = 1/R and R = 1/U**.

^a Total Unit calculations are derived from computer simulations that are then verified by 3rd party testing in accordance with NFRC 100, NFRC 200, and NFRC 500.

^b Published values reflect 3mm/3mm glass lite thicknesses.



The Home Depot Special Order Quote

Customer Agreement #: H3831-220688
Printed Date: 4/1/2023


Bathroom & Basement
Addition Windows -
Identical Match to
Existing Windows

Customer: JEFFREY BOLYARD
Address: 60 FRANKLIN ST
DUBLIN, OH 43017
Phone 1:
Phone 2:
Email: JEFFREY.BOLYARD.ADS@G
MAIL.COM

Store: 3831
Associate: RANDY
Address: 5858 Sawmill Rd
Dublin, OH 43017
Phone: (614)761-7770

Pre-Savings Total: \$2,222.98
Total Savings: (\$0.00)
Pre-Tax Price: \$2,222.98

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.



Frame Width = 23 1/2"
Frame Height = 35 1/2"
Sash Split = Even Divide

Catalog Version 235

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	JELD-WEN 23.5" x 35.5" V-2500 Double Hung	\$312.50	\$312.50	1	\$0.00	\$312.50
Unit 100 Total:		\$312.50	\$312.50		\$0.00	\$312.50

Begin Line 100 Description


--- Line 100-1 ---

JELD-WEN V-2500 Double Hung
Is This a Remake = No
Specific Information = Not Specified
Assembly = Full Unit
Regional Compliance = US National-AAMA
Rating = PG20, DP+20/-20
Measurement Type = Net Frame Size
Frame Width = 23 1/2"
Frame Height = 35 1/2"
Vent Division = Even Divide
Vent Height = 18
Installation & Frame Type = New Construction
Nail Fin Frame
Extension Jamb = None
Does Unit Meet Egress Req.? = Does Not Meet Egress
Frame Color - Exterior = White
Frame Color - Interior = White
Glass Breakage Warranty = No
Energy Efficiency = Energy Star
Energy Star Zone = Energy Star - Northern

Performance Plus = Standard
Soundmaster = Standard - No Soundmaster
Glazing = Insulated
Low-E = SunFlow
Neat Glass = No
Glass Color/Texture = Obscure
Glass Type = Standard
IG Options = Argon
Select Glass Thickness = 1/8 in - 1/8 out
Screen = Screen
Full or Half Screen = Full Screen
Select Screen Options = Standard Screen Frame
Select Screen Mesh Type = Fiberglass Mesh
Secondary Vent Stop = Window Opening Control
Device ASTM F2090 Compliant
Installation Accessories = None
Interior Frame Options = None
Perimeter Frame Options = None
Lock Type = Cam Lock(s)
Number of Locks = 1 Lock

Hardware Finish - Interior = White
Prep for Shipping = None
Grid Type = 5/8" Contour
Location for Grid = All Lite(s)
Grid Color = White
Grid Pattern = Colonial (Even Rect Lites)
Lites Wide = 2
Lites High - Panel 1 = 2
Lites High - Panel 2 = 2
Grid To Match = No
U-Factor = 0.3
SKU = 163007
Vendor Number = 60061863
Vendor Name = S/O JELDWEN INC SUMMIT
Catalog Version Date = 01/26/2023
Catalog Version = 23.1.1.1
Contact Number = 1-800-246-9131 Option 3
Manufacturer = JELD-WEN, Mt Vernon (OH)

End Line 100 Description



Overall Frame Width = 50"
 Overall Frame Height = 53"
 A1: Sash Split = Even Divide
 B1: Sash Split = Even Divide

Catalog Version 235


Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	JELD-WEN 50" x 53" V-2500 Double Hung2	\$693.06	\$693.06	1	\$0.00	\$693.06
Unit 200 Total:		\$693.06	\$693.06		\$0.00	\$693.06

Begin Line 200 Description

---- Line 200-1 ----

<p>JELD-WEN V-2500 Double Hung2 Is This a Remake = No Specific Information = Not Specified Overall Assembly = CHS Assembly = Full Unit Regional Compliance = US National-AAMA Rating = PG20, DP+20/-20 Overall Measurement Type = Net Frame Size Overall Frame Width = Custom Overall Custom Frame Width = 50 Overall Frame Height = Custom Overall Custom Frame Height = 53 Overall Mull Division = Evenly Divided Overall Left Unit Width = 24.75 Overall Vent Division = Even Divide Overall Vent Height = 26.75 Installation & Frame Type = New Construction Nail Fin Frame Extension Jamb = None Frame Color - Exterior = White Frame Color - Interior = White Glass Breakage Warranty = No</p>	<p>Energy Efficiency = Energy Star Energy Star Zone = Energy Star - Northern Performance Plus = Standard Soundmaster = Standard - No Soundmaster Glazing = Insulated Low-E = SunFlow Neat Glass = No Glass Color/Texture = Clear Glass Type = Standard IG Options = Argon Unit Select Glass Thickness = Standard Default Thickness Screen = Screen Full or Half Screen = Full Screen Select Screen Options = Standard Screen Frame Select Screen Mesh Type = Fiberglass Mesh Secondary Vent Stop = Window Opening Control Device ASTM F2090 Compliant Installation Accessories = None Interior Frame Options = None Perimeter Frame Options = None Lock Type = Cam Lock(s)</p>	<p>Unit Number of Locks = 1 Lock Hardware Finish - Interior = White Prep for Shipping = None Add Grilles? = Yes Grid Type = 5/8" Contour Unit Grid Type = No Grids Location for Grid = Define Grid Location Separately Grid Color = White U-Factor = 0.3 Solar Heat Gain Coefficient = 0.5 Visible Light Transmittance = 0.6 Condensation Resistance = 58 CPD# = JEL-A-725-11880-00001 SKU = 163007 Vendor Number = 60061863 Vendor Name = S/O JELDWEN INC SUMMIT Catalog Version Date = 01/26/2023 Catalog Version = 23.1.1.1 Contact Number = 1-800-246-9131 Option 3 Manufacturer = JELD-WEN, Mt Vernon (OH)</p>
---	---	---

End Line 200 Description



Frame Width = 32"
 Frame Height = 22"
 Sash Split = Even Divide

Catalog Version 235

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
300-1	JELD-WEN 32" x 22" V-2500 2 Panel Slider	\$256.33	\$256.33	1	\$0.00	\$256.33
Unit 300 Total:		\$256.33	\$256.33		\$0.00	\$256.33

Begin Line 300 Description

---- Line 300-1 ----

<p>JELD-WEN V-2500 2 Panel Slider Is This a Remake = No Specific Information = Not Specified Operation = XO (Left Hand) Assembly = Full Unit</p>	<p>Frame Color - Interior = White Glass Breakage Warranty = No Energy Efficiency = Energy Star Energy Star Zone = Energy Star - Northern Performance Plus = Standard</p>	<p>Installation Accessories = None Interior Frame Options = None Perimeter Frame Options = None Drywall Unit = Not a Drywall Unit Lock Type = Cam Lock(s)</p>
--	--	---

Regional Compliance = US National-AAMA
Rating = PG20, DP+20/-20
Measurement Type = Net Frame Size
Frame Width = Custom
Custom Frame Width = 32
Frame Height = Custom
Custom Frame Height = 22
Vent Division = Even Divide
Vent Width = 16.25
Installation & Frame Type = New Construction
Nail Fin Frame
Extension Jamb = None
Does Unit Meet Egress Req.? = Does Not Meet
Egress
Frame Color - Exterior = White

Energy Package to Match = None
Soundmaster = Standard - No Soundmaster
Glazing = Insulated
Low-E = SunFlow
Neat Glass = No
Glass Color/Texture = Clear
Glass Type = Tempered
IG Options = Argon
Select Glass Thickness = Standard Default
Thickness
Screen = Screen
Select Screen Options = Standard Screen Frame
Select Screen Mesh Type = Fiberglass Mesh
Secondary Vent Stop = No Secondary Vent Stop

Number of Locks = 1 Lock
Hardware Finish - Interior = White
Prep for Shipping = None
Grid Type = No Grids
U-Factor = 0.3
SKU = 407644
Vendor Number = 60061863
Vendor Name = S/O JELDWEN INC SUMMIT
Catalog Version Date = 01/26/2023
Catalog Version = 23.1.1.1
Contact Number = 1-800-246-9131 Option 3
Manufacturer = JELD-WEN, Mt Vernon (OH)