





## GENERAL SIGNAGE NOTES


- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.
- B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.
- C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

## SIGNAGE LEGEND

- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
SIGN Q - COMPACT SPACE SIGN


## CODED NOTES - SIGNAGE PLAN

- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.
- 811 BIKE RACK
- 813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.
- 827 BOLLARDS. SEE PLANS FOR LOCATIONS
- 829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES
- 832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 835 4" WIDE WHITE PTD STRIPE (TYP.)
- 858 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.



## PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



first floor striping plan (lower)  
1/8" = 1'-0"

STATUS:

PRELIMINARY  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:

FIRST FLOOR PLAN  
(LOWER) - SIGNAGE &  
STRIPING

SHEET NUMBER:

A8.10



## GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.
- B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.
- C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

## SIGNAGE LEGEND


- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
**SIGN Q - COMPACT SPACE SIGN**

## CODED NOTES - SIGNAGE PLAN

- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.
- 811 BIKE RACK
- 813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.
- 827 BOLLARDS. SEE PLANS FOR LOCATIONS
- 829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES
- 832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 835 4" WIDE WHITE PTD STRIPE (TYP.)
- 858 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

## PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



FIRST FLOOR UPPER AREA

first floor striping plan (upper)

1/8" = 1'-0"

STATUS:

PRELIMINARY  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:

FIRST FLOOR PLAN  
(UPPER) - SIGNAGE &  
STRIPING

SHEET NUMBER:



## GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.
- B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.
- C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

## SIGNAGE LEGEND


- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
**SIGN Q - COMPACT SPACE SIGN**

## CODED NOTES - SIGNAGE PLAN


- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.
- 811 BIKE RACK
- 813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.
- 827 BOLLARDS. SEE PLANS FOR LOCATIONS
- 829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES
- 832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10
- 833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10
- 835 4" WIDE WHITE PTD STRIPE (TYP.)
- 858 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

## PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



SECOND FLOOR (LOWER / UPPER)



second floor striping plan

1/8" = 1'-0"

## THE ELLIS GARAGE AT BRIDGE PARK

6545 COLWELL STREET | DUBLIN, OHIO 43017 |

STATUS:

PRELIMINARY  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:

SECOND FLOOR PLAN -  
SIGNAGE & STRIPING

SHEET NUMBER:

A8.20



### GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.  
B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.  
C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

### SIGNAGE LEGEND

- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
**SIGN Q - COMPACT SPACE SIGN**

### CODED NOTES - SIGNAGE PLAN

- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.  
811 BIKE RACK  
813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.  
827 BOLLARDS. SEE PLANS FOR LOCATIONS.  
829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES  
832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10  
834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10  
835 4" WIDE WHITE PTD STRIPE (TYP.)  
836 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

## THE ELLIS GARAGE AT BRIDGE PARK

6545 COLWELL STREET | DUBLIN, OHIO 43017 |

STATUS:

**PRELIMINARY**  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:


THIRD FLOOR PLAN -  
SIGNAGE & STRIPING

SHEET NUMBER:

A8.30

### PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



THIRD FLOOR (LOWER / UPPER)



third floor striping plan  
1/8" = 1'-0"



GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.  
B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.  
C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

SIGNAGE LEGEND

- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
SIGN Q - COMPACT SPACE SIGN

CODED NOTES - SIGNAGE PLAN

- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.  
811 BIKE RACK  
813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.  
827 BOLLARDS. SEE PLANS FOR LOCATIONS  
829 ACCESSIBLE PARKING SPACE. - SEE SITE DETAILS ON SHEET A1.10  
830 VAN ACCESSIBLE PARKING SPACE. - SEE SITE DETAILS ON SHEET A1.10  
831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES  
832 ELECTRIC VEHICLE PARKING SPACE. - SEE SITE DETAILS ON SHEET A1.10  
833 PAINTED MULTI-DIRECTIONAL ARROW. - SEE SITE DETAILS ON SHEET A1.10  
834 PAINTED DIRECTIONAL ARROW. - SEE SITE DETAILS ON SHEET A1.10  
835 4" WIDE WHITE PTD STRIPE (TYP.)  
836 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

THE ELLIS GARAGE AT BRIDGE PARK

6545 COLWELL STREET | DUBLIN, OHIO 43017 |

STATUS:

PRELIMINARY  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:


FOURTH FLOOR PLAN -  
SIGNAGE & STRIPING

SHEET NUMBER:

A8.40

PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



FOURTH FLOOR (LOWER / UPPER)

fourth floor striping plan  
1/8" = 1'-0"



## GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.
- B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.
- C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

## SIGNAGE LEGEND


- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
**SIGN Q - COMPACT SPACE SIGN**

## CODED NOTES - SIGNAGE PLAN


- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.
- 811 BIKE RACK.
- 813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.
- 827 BOLLARDS. SEE PLANS FOR LOCATIONS.
- 829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10.
- 830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10.
- 831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES.
- 832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10.
- 833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10.
- 834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10.
- 835 4" WIDE WHITE PTD STRIPE (TYP.)
- 836 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

## PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



5TH FLOOR (LOWER / UPPER)



fifth floor striping plan

1/8" = 1'-0"

STATUS:

PRELIMINARY  
NOT FOR CONSTRUCTION

REVISION:

PROJECT NUMBER:

2024.100.03

DATE:

28 AUGUST 2025

SHEET NAME:

FIFTH FLOOR PLAN -  
SIGNAGE & STRIPING

SHEET NUMBER:

A8.50



THE ELLIS GARAGE AT BRIDGE PARK

6545 COLWELL STREET | DUBLIN, OHIO 43017 |

GENERAL SIGNAGE NOTES

- A. REFER TO SHEETS A8.01 & A8.02 FOR ALL CODE RELATED SIGNAGE.  
B. ALL OTHER INTERIOR SIGNAGE WILL BE PROVIDED BY OWNER UNDER SEPARATE PACKAGE.  
C. CODE RELATED SIGNAGE CONTRACTOR(S) SHALL COORDINATE ALL SIGNAGE WITH INTERIOR SIGNAGE PACKAGE BY OWNER.

SIGNAGE LEGEND


- SIGN A - ACCESSIBLE PARKING SIGN  
SIGN B - PARKING LEVEL SIGN  
SIGN C - STAIRWELL ID SIGN  
SIGN D - GENERAL ROOM SIGN  
SIGN E - CLEARANCE BAR  
SIGN F - FIRE DEPARTMENT CONNECTION SIGN  
SIGN G - EXIT STAIR ID SIGN  
SIGN H - ELEVATOR SIGN  
SIGN I - ELEVATOR FLOOR LEVEL SIGN  
SIGN J - ELECTRIC VEHICLE CHARGING SIGN  
SIGN K - EXIT SIGN  
SIGN L - EXIT TO STREET SIGN  
SIGN M - FLOOR LEVEL SIGN  
SIGN N - STAIR TOWER FLOOR LEVEL SIGN  
SIGN O - FAMILY RESTROOM SIGN  
SIGN P - EXTERIOR BLADE SIGN  
SIGN Q - COMPACT SPACE SIGN

CODED NOTES - SIGNAGE PLAN

- 803 CONCRETE COLUMNS. SEE STRUCT. DWGS FOR ADDITIONAL INFORMATION.  
811 BIKE RACK  
813 BOLLARDS. G.C. TO COORDINATE AND SLEEVE ALL PENETRATIONS THROUGH THE POST TENSIONED CONCRETE SLAB AS NECESSARY.  
827 BOLLARDS. SEE PLANS FOR LOCATIONS.  
829 ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
830 VAN ACCESSIBLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
831 SURFACE SHALL NOT EXCEED 2% SLOPE IN ALL DIRECTIONS WITHIN ACCESSIBLE PARKING SPACE AND ADJACENT ACCESS AISLES  
832 ELECTRIC VEHICLE PARKING SPACE - SEE SITE DETAILS ON SHEET A1.10  
833 PAINTED MULTI-DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10  
834 PAINTED DIRECTIONAL ARROW - SEE SITE DETAILS ON SHEET A1.10  
835 4" WIDE WHITE PTD STRIPE (TYP.)  
858 DIAGONALLY STRIPED PAINTED AREA DENOTING RESTRICTED VEHICLE ACCESS. PAINT WHITE.

PARKING COUNT MATRIX

LEVEL	STANDARD SPACES	COMPACT SPACES	ACCESSIBLE SPACES	VAN ACCESSIBLE SPACES	EV CHARGING SPACES	ACCESSIBLE EV SPACES	TOTAL SPACES PER LEVEL
FIRST	76	9	4	2	1	2	94
SECOND	88	10	1	0	5	0	96
THIRD	77	9	1	0	5	0	92
FOURTH	80	10	1	0	6	0	97
FIFTH	83	10	1	0	5	0	99
ROOF	14	2	1	0	3	0	20
TOTALS	418	50	9	2	25	2	498



ROOF LEVEL UPPER AREA



roof stripping plan (upper)

1/8" = 1'-0"