

Epic Group S Riverview St

Quote #: AHXPC1N

A Proposal for Window and Door Products prepared for:

End Customer:

EPIC HOME GROUP OHIO

Job Site:

43017

Shipping Address:

SPECIALTY NORTH AMERICAN-NWD WAREHOUSE
2740 ROSEDALE PLAIN CITY RD
PLAIN CITY, OH 43064-9606

Project Description:

Laird residence

Featuring products from:

Marvin Windows and Doors



VERN ELLIS
SPECIALTY NORTH AMERICAN-NWD
WAREHOUSE
893 EASTWIND DR
WESTERVILLE, OH 43081-3328
Phone: (614) 505-7336

Email: vellis@snaohio.com

This report was generated on 8/12/2025 2:46:04 PM using the Marvin Order Management System, version 0004.16.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 36		TOTAL UNIT QTY: 42		EXT NET PRICE: USD		134,563.09
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	Gym	Ultimate	Marvin Assembly RO 73" X 71 5/8" Entered as Size by Units	3,858.51	1	3,858.51
2	Living	Ultimate	Casement CN 3696 RO 37" X 95 5/8" Entered as CN 3696	2,718.54	1	2,718.54
3	Living	Ultimate	Sliding Door (3" Stiles) CN 6080 RO 73 5/8" X 98 1/2" Entered as CN 6080	6,180.70	1	6,180.70
4	Living	Ultimate	Casement CN 3696 RO 37" X 95 5/8" Entered as CN 3696	2,718.54	1	2,718.54
5	Living	Ultimate	Casement CN 3672 RO 37" X 71 5/8" Entered as CN 3672	1,937.32	1	1,937.32
6	Living	Ultimate	Marvin Assembly RO 73" X 71 5/8" Entered as Size by Units	3,588.11	1	3,588.11
7	Living	Ultimate	Casement CN 3672 RO 37" X 71 5/8" Entered as CN 3672	1,937.32	1	1,937.32
8	Powder	Ultimate	Marvin Assembly RO 73" X 71 5/8" Entered as Size by Units	3,858.51	1	3,858.51
9	Storage	Ultimate	Casement CN 3672 RO 37" X 71 5/8" Entered as CN 3672	1,802.12	1	1,802.12
10	Primary Bath	Ultimate	Casement CN 3672 RO 37" X 71 5/8" Entered as CN 3672	1,937.32	1	1,937.32
11	Primary Closet	Ultimate	Casement CN 3672 RO 37" X 71 5/8"	1,802.12	1	1,802.12


12	Garage	Ultimate	Entered as CN 3672 Casement CN 3672 RO 37" X 71 5/8" Entered as CN 3672	1,802.12	2	3,604.24
13	Pantry	Ultimate	Marvin Assembly RO 65" X 59 5/8" Entered as Size by Units	2,528.05	1	2,528.05
14	Kitchen	Ultimate	Casement CN 3260 RO 33" X 59 5/8" Entered as CN 3260	1,267.48	1	1,267.48
15	Dining	Ultimate	Casement CN 3260 RO 33" X 59 5/8" Entered as CN 3260	1,267.48	1	1,267.48
16	Dining	Ultimate	Casement CN 3696 RO 37" X 95 5/8" Entered as CN 3696	2,718.54	1	2,718.54
17	Dining	Ultimate	Sliding Door (3" Stiles) CN 6080 RO 73 5/8" X 98 1/2" Entered as CN 6080	6,180.70	1	6,180.70
18	Living	Ultimate	Marvin Assembly RO 37" X 123 5/8" Entered as Size by Units	3,874.64	1	3,874.64
19	Living	Ultimate	Marvin Assembly RO 73 5/8" X 126 1/2" Entered as Size by Units	8,671.87	1	8,671.87
20	Living	Ultimate	Marvin Assembly RO 37" X 123 5/8" Entered as Size by Units	3,874.64	1	3,874.64
21	Living	Ultimate	Direct Glaze Round Top RO 31" X 31" Entered as FS 30" X 30"	4,821.02	1	4,821.02
22	Sunroom Entry	Ultimate	Sliding Door (3" Stiles) CN 5080 RO 61 5/8" X 98 1/2" Entered as CN 5080	5,776.63	1	5,776.63
23	Sun Room	Ultimate	Casement CN 3296 RO 33" X 95 5/8" Entered as CN 3296	2,737.75	1	2,737.75
24	Sunroom	Ultimate	Marvin Assembly RO 65" X 95 5/8" Entered as Size by Units	5,439.40	1	5,439.40
25	Sun Room	Ultimate	Casement CN 3296 RO 33" X 95 5/8"	2,737.75	1	2,737.75

26	Sunroom	Ultimate	Entered as CN 3296 Marvin Assembly RO 65" X 95 5/8"	5,439.40	3	16,318.20
27	Primary Bedroom	Ultimate	Entered as Size by Units Marvin Assembly RO 73" X 71 5/8"	3,858.51	1	3,858.51
28	Primary Bath	Ultimate	Entered as Size by Units Marvin Assembly RO 73" X 71 5/8"	3,858.51	1	3,858.51
29	Office Front / Rear	Ultimate	Entered as Size by Units Casement CN 2448 RO 25" X 47 5/8"	1,181.43	2	2,362.86
30	Office Front / Rear	Ultimate	Entered as CN 2448 Casement CN 3648 RO 37" X 47 5/8"	1,381.16	2	2,762.32
31	Office Front / Rear	Ultimate	Entered as CN 3648 Casement CN 2448 RO 25" X 47 5/8"	1,181.43	2	2,362.86
32	Bedroom	Ultimate	Entered as CN 2448 Casement CN 3260 RO 33" X 59 5/8"	1,563.23	1	1,563.23
33	Guest	Ultimate	Entered as CN 3260 Casement CN 3260 RO 33" X 59 5/8"	1,563.23	1	1,563.23
34	Office Side	Ultimate	Entered as CN 3260 Marvin Assembly RO 49" X 47 5/8"	1,748.35	1	1,748.35
35	Front Entry	Ultimate	Entered as Size by Units Inswing French Door G2 RO 73 5/8" X 98 1/2"	8,325.41	1	8,325.41
36	Owner Bedroom	Ultimate	Entered as FS 72 5/8" X CN 80 Casement CN 3672 RO 37" X 71 5/8"	2,000.31	1	2,000.31
			Entered as CN 3672			

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Gym	Net Price:		3,858.51
Qty: 1		Ext. Net Price:	USD	3,858.51




Entered As: Size by Units
MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior	
Primed Pine Interior	89.11
2W1H - Rectangle Assembly	
Assembly Rough Opening	
73" X 71 5/8"	
Unit: A1	1,091.57
Ultimate Casement - Left Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Unit: A2	1,091.57
Ultimate Casement - Right Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Standard Mull Charge	39.94
6 9/16" Jambs	112.92
Nailing Fin	
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and	

building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #2	Mark Unit: Living	Net Price:		2,718.54
Qty: 1		Ext. Net Price:	USD	2,718.54




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 95 3/8"
CN 3696
FS 36" X 95 1/8"
RO 37" X 95 5/8"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Primed Pine Interior44.55
Ultimate Casement - Stationary1,486.41
CN 3696
Rough Opening 37" X 95 5/8"
Frame Size 36" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4"590.72
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black493.16
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambes103.70
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #3	Mark Unit: Living	Net Price:		6,180.70
Qty: 1		Ext. Net Price:	USD	6,180.70



As Viewed From The Exterior

Entered As: CN
MO 73 1/8" X 98 1/4"
CN 6080
FS 72 5/8" X 98"

Ebony Clad Exterior
Primed Pine Interior119.83
Ultimate Sliding Door (3" Stiles) 4 9/16" - XO4,281.01
CN 6080
Rough Opening 73 5/8" X 98 1/2"
Left Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black424.03
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile98.33
Right Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar

RO 73 5/8" X 98 1/2"

Egress Information

Width: 28 3/4" Height: 94 3/8"

Net Clear Opening: 18.84 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.28

Visible Light Transmittance: 0.47

Condensation Resistance: 57

CPD Number: MAR-N-484-01651-00009


Paint Specification

Clad Exterior Color: AAMA 2605

7/8" SDL - With Spacer Bar - Black	424.03
Rectangular - Special Cut 2W4H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	98.33
Harp G2 Handle(s)	
Harp G2 Interior Handle(s)	
2 Point Multi-Point Lock on Active Panel	
Dark Bronze Active Exterior Handle Set on Active Panel Keyed	66.83
Dark Bronze Active Interior Handle Set on Active Panel	55.31
Keyed	
Keyed Alike - Keyed Alike Group 1	19.97
Exterior Ultimate Sliding Screen G2	487.02
Ebony Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Ebony Performance Sill	
Black Weather Strip	
6 9/16" Jambs	106.01
Thru Jamb Installation w/ Nailing Fin	

***Note: Unit Availability and Price is Subject to Change

Line #4	Mark Unit: Living	Net Price:		2,718.54
Qty: 1		Ext. Net Price:	USD	2,718.54



As Viewed From The Exterior

Entered As: CN

MO 36 1/2" X 95 3/8"

CN 3696

FS 36" X 95 1/8"

RO 37" X 95 5/8"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.26

Visible Light Transmittance: 0.44

Condensation Resistance: 58

CPD Number: MAR-N-342-60704-00009

Paint Specification


Clad Exterior Color: AAMA 2605

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Stationary	1,486.41
CN 3696	
Rough Opening 37" X 95 5/8"	
Frame Size 36" X 95 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	590.72
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	493.16
Rectangular - Special Cut 2W4H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
Solid Wood Covers	
6 9/16" Jambs	103.70
Nailing Fin	

***Note: Unit Availability and Price is Subject to Change

Line #5	Mark Unit: Living	Net Price:		1,937.32
Qty: 1		Ext. Net Price:	USD	1,937.32

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Left Hand	1,091.57
CN 3672	
Rough Opening 37" X 71 5/8"	




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 71 3/8"
CN 3672
FS 36" X 71 1/8"
RO 37" X 71 5/8"
Egress Information
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jambs 84.50
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #6	Mark Unit: Living	Net Price:		3,588.11
Qty: 1		Ext. Net Price:	USD	3,588.11



As Viewed From The Exterior

Entered As: Size by Units
MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification

Ebony Clad Exterior
Primed Pine Interior 89.11
2W1H - Rectangle Assembly
Assembly Rough Opening
73" X 71 5/8"


Unit: A1 956.37
Ultimate Casement - Stationary
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2 956.37
Ultimate Casement - Stationary
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior

Clad Exterior Color: AAMA 2605

Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
Solid Wood Covers	
Standard Mull Charge	39.94
6 9/16" Jambs	112.92
Nailing Fin	
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.	
***Note: Unit Availability and Price is Subject to Change	

Line #7	Mark Unit: Living	Net Price:		1,937.32
Qty: 1		Ext. Net Price:	USD	1,937.32




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 71 3/8"
CN 3672
FS 36" X 71 1/8"
RO 37" X 71 5/8"
Egress Information
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Right Hand	1,091.57
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
6 9/16" Jambs	84.50
Nailing Fin	
***Note: Unit Availability and Price is Subject to Change	

Line #8	Mark Unit: Powder	Net Price:		3,858.51
Qty: 1		Ext. Net Price:	USD	3,858.51

Ebony Clad Exterior	
Primed Pine Interior	89.11
2W1H - Rectangle Assembly	
Assembly Rough Opening	




As Viewed From The Exterior

Entered As: Size by Units
MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605

73" X 71 5/8"	
Unit: A1	1,091.57
Ultimate Casement - Left Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Unit: A2	1,091.57
Ultimate Casement - Right Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Standard Mull Charge	39.94
6 9/16" Jamb	112.92
Nailing Fin	
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.	
***Note: Unit Availability and Price is Subject to Change	

Line #9	Mark Unit: Storage	Net Price:		1,802.12
Qty: 1		Ext. Net Price:	USD	1,802.12

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Stationary	956.37
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 71 3/8"
CN 3672
FS 36" X 71 1/8"
RO 37" X 71 5/8"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jambes 84.50
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #10	Mark Unit: Primary Bath	Net Price:		1,937.32
Qty: 1		Ext. Net Price:	USD	1,937.32



As Viewed From The Exterior


Entered As: CN
MO 36 1/2" X 71 3/8"
CN 3672
FS 36" X 71 1/8"
RO 37" X 71 5/8"
Egress Information
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001

Ebony Clad Exterior
Primed Pine Interior 44.55
Ultimate Casement - Left Hand 1,091.57
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jambes 84.50
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Paint Specification

Clad Exterior Color: AAMA 2605

Line #11	Mark Unit: Primary Closet	Net Price:		1,802.12
Qty: 1		Ext. Net Price:	USD	1,802.12



As Viewed From The Exterior

Entered As: CN

MO 36 1/2" X 71 3/8"

CN 3672

FS 36" X 71 1/8"

RO 37" X 71 5/8"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.26

Visible Light Transmittance: 0.44

Condensation Resistance: 57

CPD Number: MAR-N-342-60717-00001


Paint Specification

Clad Exterior Color: AAMA 2605

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Stationary	956.37
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
Solid Wood Covers	
6 9/16" Jambs	84.50
Nailing Fin	

***Note: Unit Availability and Price is Subject to Change

Line #12	Mark Unit: Garage	Net Price:		1,802.12
Qty: 2		Ext. Net Price:	USD	3,604.24



As Viewed From The Exterior

Entered As: CN

MO 36 1/2" X 71 3/8"

CN 3672

FS 36" X 71 1/8"

RO 37" X 71 5/8"

Egress Information

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Stationary	956.37
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
Solid Wood Covers	
6 9/16" Jambs	84.50
Nailing Fin	


***Note: Unit Availability and Price is Subject to Change

No Egress Information available.

Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001

Paint Specification
Clad Exterior Color: AAMA 2605

Line #13	Mark Unit: Pantry	Net Price:		2,528.05
Qty: 1		Ext. Net Price:	USD	2,528.05



Entered As: Size by Units
MO 64 1/2" X 59 3/8"
FS 64" X 59 1/8"
RO 65" X 59 5/8"
Egress Information A1, A2
Width: 24 57/64" Height: 54 1/64"
Net Clear Opening: 9.34 SqFt

Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001

Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605


Ebony Clad Exterior	
Primed Pine Interior	89.11
2W1H - Rectangle Assembly	
Assembly Rough Opening	
65" X 59 5/8"	
Unit: A1	885.70
Ultimate Casement - Left Hand	
CN 3260	
Rough Opening 33" X 59 5/8"	
Frame Size 32" X 59 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	
Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	265.02
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Unit: A2	885.70
Ultimate Casement - Right Hand	
CN 3260	
Rough Opening 33" X 59 5/8"	
Frame Size 32" X 59 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	
Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	265.02
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Standard Mull Charge	39.94
6 9/16" Jamb	97.56

Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #14	Mark Unit: Kitchen	Net Price:		1,267.48
Qty: 1		Ext. Net Price:	USD	1,267.48



As Viewed From The Exterior

Entered As: CN

MO 32 1/2" X 59 3/8"

CN 3260

FS 32" X 59 1/8"

RO 33" X 59 5/8"

Egress Information

Width: 24 57/64" Height: 54 1/64"

Net Clear Opening: 9.34 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.26

Visible Light Transmittance: 0.44

Condensation Resistance: 57

CPD Number: MAR-N-342-60717-00001


Paint Specification

Clad Exterior Color: AAMA 2605

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Left Hand	885.70
CN 3260	
Rough Opening 33" X 59 5/8"	
Frame Size 32" X 59 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	
Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	265.02
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
6 9/16" Jamb	72.21
Nailing Fin	

***Note: Unit Availability and Price is Subject to Change

Line #15	Mark Unit: Dining	Net Price:		1,267.48
Qty: 1		Ext. Net Price:	USD	1,267.48




As Viewed From The Exterior

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Right Hand	885.70
CN 3260	
Rough Opening 33" X 59 5/8"	
Frame Size 32" X 59 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	
Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	265.02
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	

Entered As: CN
MO 32 1/2" X 59 3/8"
CN 3260
FS 32" X 59 1/8"
RO 33" X 59 5/8"
Egress Information
Width: 24 57/64" Height: 54 1/64"
Net Clear Opening: 9.34 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jamb's 72.21
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #16	Mark Unit: Dining	Net Price:		2,718.54
Qty: 1		Ext. Net Price:	USD	2,718.54




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 95 3/8"
CN 3696
FS 36" X 95 1/8"
RO 37" X 95 5/8"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Primed Pine Interior 44.55
Ultimate Casement - Stationary 1,486.41
CN 3696
Rough Opening 37" X 95 5/8"
Frame Size 36" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 590.72
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 493.16
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
6 9/16" Jamb's 103.70
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #17	Mark Unit: Dining	Net Price:		6,180.70
Qty: 1		Ext. Net Price:	USD	6,180.70

Ebony Clad Exterior
Primed Pine Interior 119.83
Ultimate Sliding Door (3" Stiles) 4 9/16" - OX 4,281.01
CN 6080
Rough Opening 73 5/8" X 98 1/2"
Left Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon




As Viewed From The Exterior

Entered As: CN
MO 73 1/8" X 98 1/4"
CN 6080
FS 72 5/8" X 98"
RO 73 5/8" X 98 1/2"
Egress Information
Width: 28 3/4" Height: 94 3/8"
Net Clear Opening: 18.84 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.47
Condensation Resistance: 57
CPD Number: MAR-N-484-01651-00009
Paint Specification
Clad Exterior Color: AAMA 2605

Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 424.03
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile 98.33
Right Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 424.03
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile 98.33
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed 66.83
Dark Bronze Active Interior Handle Set on Active Panel 55.31
Keyed
Keyed Alike - Keyed Alike Group 1 19.97
Exterior Ultimate Sliding Screen G2 487.02
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
6 9/16" Jamb 106.01
Thru Jamb Installation w/ Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #18	Mark Unit: Living	Net Price:		3,874.64
Qty: 1		Ext. Net Price:	USD	3,874.64



As Viewed From The Exterior

Entered As: Size by Units
MO 36 1/2" X 123 3/8"
FS 36" X 123 1/8"
RO 37" X 123 5/8"
Egress Information A1
No Egress Information available.
Egress Information B1
Width: 28 57/64" Height: 90 1/64"
Net Clear Opening: 18.06 SqFt
Performance Information A1
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44


Ebony Clad Exterior
Primed Pine Interior 89.11
1W2H - Rectangle Assembly
Assembly Rough Opening
37" X 123 5/8"

Unit: A1 648.33
Ultimate Casement - Stationary
CN 36 X Basic Frame 26"
Rough Opening 37" X 26 1/2"
Frame Size 36" X 26"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4"
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 72.98
Rectangular - Special Cut 2W1H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: B1 1,650.80
Ultimate Casement - Left Hand
CN 3696
Rough Opening 37" X 95 5/8"
Frame Size 36" X 95 1/8"
Ebony Clad Sash Exterior

Condensation Resistance: 57	Primed Pine Sash Interior	
CPD Number: MAR-N-342-60717-00001	IG - 3/4"	590.72
Performance Information B1	Tempered Low E2 w/Argon	
U-Factor: 0.29	Black Perimeter and Spacer Bar	
Solar Heat Gain Coefficient: 0.26	7/8" SDL - With Spacer Bar - Black	493.16
Visible Light Transmittance: 0.44	Rectangular - Special Cut 2W4H	
Condensation Resistance: 58	Ebony Clad Ext - Primed Pine Int	
CPD Number: MAR-N-342-60704-00009	Putty Exterior Glazing Profile	
Paint Specification	Ogee Interior Glazing Profile	
Clad Exterior Color: AAMA 2605	Standard Bottom Rail	
	Black Weather Strip	
	White Folding Handle	
	***Handles/Covers Ship Loose	
	White Multi - Point Lock	
	Extruded Aluminum Screen	
	White Surround	
	Bright View Mesh	
	***Screen/Combo Ship Loose	
	Horizontal Solid Space Mull 2"	164.39
	Standard Mull Charge	39.94
	6 9/16" Jamb	125.21
	Nailing Fin	
	***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.	
	***Note: Unit Availability and Price is Subject to Change	

Line #19	Mark Unit: Living	Net Price:		8,671.87
Qty: 1		Ext. Net Price:	USD	8,671.87




As Viewed From The Exterior

Entered As: Size by Units	Feature Mismatch: Configuration	
MO 73 1/8" X 126 1/4"	Ebony Clad Exterior	
FS 72 5/8" X 126"	Primed Pine Interior	164.39
RO 73 5/8" X 126 1/2"	1W2H - Rectangle Assembly	
Egress Information A1	Assembly Rough Opening	
No Egress Information available.	73 5/8" X 126 1/2"	
Egress Information B1	Unit: A1	1,873.56
Width: 28 3/4" Height: 94 3/8"	Ultimate Sliding Door Transom (3" Stiles) - 4 9/16" Above O	
Net Clear Opening: 18.84 SqFt	Basic Frame 72 5/8" X 26"	
Performance Information A1	Rough Opening 73 5/8" X 26 1/2"	
U-Factor: 0.29	**Extended Size Unit**	
Solar Heat Gain Coefficient: 0.28	Ebony Clad Sash Exterior	
Visible Light Transmittance: 0.48	Primed Pine Sash Interior	
Condensation Resistance: 61	IG	
CPD Number: MAR-N-481-00954-00001	Low E2 w/Argon	
Performance Information B1	Black Perimeter and Spacer Bar	
U-Factor: 0.29	7/8" SDL - With Spacer Bar - Black	146.72
Solar Heat Gain Coefficient: 0.28	Rectangular - Special Cut 4W1H	
Visible Light Transmittance: 0.47	Ebony Clad Ext - Primed Pine Int	
	Putty Exterior Glazing Profile	
	Ogee Interior Glazing Profile	39.94
	Unit: B1	4,281.01
	Ultimate Sliding Door (3" Stiles) 4 9/16" - OX	
	CN 6080	
	Rough Opening 73 5/8" X 98 1/2"	
	**Operator Panels Ship Separate	
	Left Panel	
	Ebony Clad Sash Exterior	
	Primed Pine Sash Interior	
	IG	
	Tempered Low E2 w/Argon	
	Black Perimeter and Spacer Bar	
	7/8" SDL - With Spacer Bar - Black	424.03
	Rectangular - Special Cut 2W4H	
	Ebony Clad Ext - Primed Pine Int	
	Putty Exterior Glazing Profile	

Condensation Resistance: 57	Ogee Interior Glazing Profile	98.33
CPD Number: MAR-N-484-01651-00009	Right Panel	
Paint Specification	Ebony Clad Sash Exterior	
Clad Exterior Color: AAMA 2605	Primed Pine Sash Interior	
	IG	
	Tempered Low E2 w/Argon	
	Black Perimeter and Spacer Bar	
	7/8" SDL - With Spacer Bar - Black	424.03
	Rectangular - Special Cut 2W4H	
	Ebony Clad Ext - Primed Pine Int	
	Putty Exterior Glazing Profile	
	Ogee Interior Glazing Profile	98.33
	Harp G2 Handle(s)	
	Harp G2 Interior Handle(s)	
	2 Point Multi-Point Lock on Active Panel	
	Dark Bronze Active Exterior Handle Set on Active Panel Keyed	66.83
	Dark Bronze Active Interior Handle Set on Active Panel	55.31
	Keyed	
	Keyed Alike - Keyed Alike Group 1	19.97
	Exterior Ultimate Sliding Screen G2	487.02
	Ebony Surround	
	Bright View Mesh	
	***Screen/Combo Ship Loose	
	Ebony Performance Sill	
	Black Weather Strip	
	Horizontal Structural Mull 2"	324.17
	Standard Mull Charge	168.23
	4 9/16" Jamb	
	Thru Jamb Installation w/ Nailing Fin	
	***Note: Unit Availability and Price is Subject to Change	

Line #20	Mark Unit: Living	Net Price:		3,874.64
Qty: 1		Ext. Net Price:	USD	3,874.64



As Viewed From The Exterior

Entered As: Size by Units
MO 36 1/2" X 123 3/8"
FS 36" X 123 1/8"
RO 37" X 123 5/8"
Egress Information A1
No Egress Information available.
Egress Information B1
Width: 28 57/64" Height: 90 1/64"
Net Clear Opening: 18.06 SqFt
Performance Information A1
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information B1
U-Factor: 0.29


Ebony Clad Exterior	
Primed Pine Interior	89.11
1W2H - Rectangle Assembly	
Assembly Rough Opening	
37" X 123 5/8"	
Unit: A1	648.33
Ultimate Casement - Stationary	
CN 36 X Basic Frame 26"	
Rough Opening 37" X 26 1/2"	
Frame Size 36" X 26"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	
Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	72.98
Rectangular - Special Cut 2W1H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
Solid Wood Covers	
Unit: B1	1,650.80
Ultimate Casement - Right Hand	
CN 3696	
Rough Opening 37" X 95 5/8"	
Frame Size 36" X 95 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	590.72
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	493.16

Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009

Paint Specification
Clad Exterior Color: AAMA 2605

Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
Horizontal Solid Space Mull 2"164.39
Standard Mull Charge39.94
6 9/16" Jambs125.21
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Unit Availability and Price is Subject to Change

Line #21	Mark Unit: Living	Net Price:		4,821.02
Qty: 1		Ext. Net Price:	USD	4,821.02




As Viewed From The Exterior

Entered As: FS
MO 30 1/2" X 30 1/2"
FS 30" X 30"
RO 31" X 31"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 53
CPD Number: MAR-N-420-10628-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Primed Pine Interior44.55
Ultimate Direct Glaze Round Top - RT273,968.36
Frame Size 30" X 30"
Rough Opening 31" X 31"
IG
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black236.60
Rectangular - Special Cut 2W2H
4 Rect Lites
Ebony Clad Ext - Primed Pine Int
W1144 Interior Trim Primed Pine455.52
6 9/16" Jambs115.99
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #22	Mark Unit: Sunroom Entry	Net Price:		5,776.63
Qty: 1		Ext. Net Price:	USD	5,776.63

Ebony Clad Exterior
Primed Pine Interior119.83
Ultimate Sliding Door (3" Stiles) 4 9/16" - XO3,892.31
CN 5080




As Viewed From The Exterior

Entered As: CN
MO 61 1/8" X 98 1/4"
CN 5080
FS 60 5/8" X 98"
RO 61 5/8" X 98 1/2"
Egress Information
Width: 22 3/4" Height: 94 3/8"
Net Clear Opening: 14.91 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.47
Condensation Resistance: 57
CPD Number: MAR-N-484-01651-00009
Paint Specification
Clad Exterior Color: AAMA 2605

Rough Opening 61 5/8" X 98 1/2"
Left Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 424.03
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile 98.33
Right Panel
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 424.03
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile 98.33
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed 66.83
Dark Bronze Active Interior Handle Set on Active Panel 55.31
Keyed
Keyed Alike - Keyed Alike Group 1 19.97
Exterior Ultimate Sliding Screen G2 477.03
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
6 9/16" Jamb 100.63
Thru Jamb Installation w/ Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #23	Mark Unit: Sun Room	Net Price:		2,737.75
Qty: 1		Ext. Net Price:	USD	2,737.75



As Viewed From The Exterior

Entered As: CN
MO 32 1/2" X 95 3/8"
CN 3296
FS 32" X 95 1/8"
RO 33" X 95 5/8"
Egress Information
Width: 24 57/64" Height: 90 1/64"
Net Clear Opening: 15.56 SqFt

Ebony Clad Exterior
Primed Pine Interior 44.55
Ultimate Casement - Left Hand 1,527.89
CN 3296
Rough Opening 33" X 95 5/8"
Frame Size 32" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 543.86
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 457.83
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Sash Limiter - 3" Travel 62.99
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jamb 100.63

Sash Limiters and Window Opening Control
Devices, when engaged, may reduce the egress
opening dimensions of windows.

Performance Information

U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009


Paint Specification

Clad Exterior Color: AAMA 2605

Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #24	Mark Unit: Sunroom	Net Price:		5,439.40
Qty: 1		Ext. Net Price:	USD	5,439.40



As Viewed From The Exterior

Entered As: Size by Units

MO 64 1/2" X 95 3/8"

FS 64" X 95 1/8"

RO 65" X 95 5/8"

Egress Information A1, A2

Width: 24 57/64" Height: 90 1/64"

Net Clear Opening: 15.56 SqFt

Sash Limiters and Window Opening Control
Devices, when engaged, may reduce the egress
opening dimensions of windows.

Performance Information A1, A2

U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009

Performance Information OA

Paint Specification

Clad Exterior Color: AAMA 2605


Ebony Clad Exterior
Primed Pine Interior89.11
2W1H - Rectangle Assembly
Assembly Rough Opening
65" X 95 5/8"

Unit: A1 1,527.89
Ultimate Casement - Left Hand
CN 3296
Rough Opening 33" X 95 5/8"
Frame Size 32" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 543.86
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black457.83
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Sash Limiter - 3" Travel 62.99
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2 1,527.89
Ultimate Casement - Right Hand
CN 3296
Rough Opening 33" X 95 5/8"
Frame Size 32" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 543.86
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black457.83
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Sash Limiter - 3" Travel 62.99
Extruded Aluminum Screen

White Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge 39.94
6 9/16" Jamb 125.21
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20
through either physical testing or calculations in accordance with AAMA 450 and
building code requirements. Mull certification ratings may vary from individual
unit certification ratings. Reference the mulling chapter of the ADM for
additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #25	Mark Unit: Sun Room	Net Price:		2,737.75
Qty: 1		Ext. Net Price:	USD	2,737.75



As Viewed From The Exterior

Entered As: CN
MO 32 1/2" X 95 3/8"
CN 3296
FS 32" X 95 1/8"
RO 33" X 95 5/8"

Egress Information

Width: 24 57/64" Height: 90 1/64"
Net Clear Opening: 15.56 SqFt
Sash Limiters and Window Opening Control
Devices, when engaged, may reduce the egress
opening dimensions of windows.

Performance Information

U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009

Paint Specification


Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Primed Pine Interior 44.55
Ultimate Casement - Right Hand 1,527.89
CN 3296
Rough Opening 33" X 95 5/8"
Frame Size 32" X 95 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 543.86
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 457.83
Rectangular - Special Cut 2W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Sash Limiter - 3" Travel 62.99
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jamb 100.63
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #26	Mark Unit: Sunroom	Net Price:		5,439.40
Qty: 3		Ext. Net Price:	USD	16,318.20

Ebony Clad Exterior
Primed Pine Interior 89.11
2W1H - Rectangle Assembly
Assembly Rough Opening
65" X 95 5/8"

Unit: A1 1,527.89
Ultimate Casement - Left Hand
CN 3296
Rough Opening 33" X 95 5/8"




As Viewed From The Exterior

Entered As: Size by Units
MO 64 1/2" X 95 3/8"
FS 64" X 95 1/8"
RO 65" X 95 5/8"
Egress Information A1, A2
Width: 24 57/64" Height: 90 1/64"
Net Clear Opening: 15.56 SqFt
Sash Limiters and Window Opening Control
Devices, when engaged, may reduce the egress
opening dimensions of windows.
Performance Information A1, A2
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 58
CPD Number: MAR-N-342-60704-00009
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605

Frame Size 32" X 95 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	543.86
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	457.83
Rectangular - Special Cut 2W4H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Sash Limiter - 3" Travel	62.99
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Unit: A2	1,527.89
Ultimate Casement - Right Hand	
CN 3296	
Rough Opening 33" X 95 5/8"	
Frame Size 32" X 95 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	543.86
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	457.83
Rectangular - Special Cut 2W4H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Sash Limiter - 3" Travel	62.99
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Standard Mull Charge	39.94
6 9/16" Jamb	125.21
Nailing Fin	
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.	
***Note: Unit Availability and Price is Subject to Change	

Line #27	Mark Unit: Primary Bedroom	Net Price:		3,858.51
Qty: 1		Ext. Net Price:	USD	3,858.51

Ebony Clad Exterior	
Primed Pine Interior	89.11
2W1H - Rectangle Assembly	
Assembly Rough Opening	
73" X 71 5/8"	
Unit: A1	1,091.57
Ultimate Casement - Left Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	



As Viewed From The Exterior

Entered As: Size by Units
MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605

Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2 1,091.57
Ultimate Casement - Right Hand
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 391.00
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 325.70
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose

Standard Mull Charge 39.94
6 9/16" Jambs 112.92
Nailing Fin


***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #28	Mark Unit: Primary Bath	Net Price:		3,858.51
Qty: 1		Ext. Net Price:	USD	3,858.51

Ebony Clad Exterior
Primed Pine Interior 89.11
2W1H - Rectangle Assembly
Assembly Rough Opening
73" X 71 5/8"

Unit: A1 1,091.57
Ultimate Casement - Left Hand
CN 3672
Rough Opening 37" X 71 5/8"
Frame Size 36" X 71 1/8"
Ebony Clad Sash Exterior




As Viewed From The Exterior

Entered As: Size by Units
MO 72 1/2" X 71 3/8"
FS 72" X 71 1/8"
RO 73" X 71 5/8"
Egress Information A1, A2
Width: 28 57/64" Height: 66 1/64"
Net Clear Opening: 13.24 SqFt
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605

Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Unit: A2	1,091.57
Ultimate Casement - Right Hand	
CN 3672	
Rough Opening 37" X 71 5/8"	
Frame Size 36" X 71 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	391.00
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	325.70
Rectangular - Special Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	
Putty Exterior Glazing Profile	
Ogee Interior Glazing Profile	
Standard Bottom Rail	
Black Weather Strip	
White Folding Handle	
***Handles/Covers Ship Loose	
White Multi - Point Lock	
Extruded Aluminum Screen	
White Surround	
Bright View Mesh	
***Screen/Combo Ship Loose	
Standard Mull Charge	39.94
6 9/16" Jambs	112.92
Nailing Fin	
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.	
***Note: Unit Availability and Price is Subject to Change	

Line #29	Mark Unit: Office Front / Rear	Net Price:		1,181.43
Qty: 2		Ext. Net Price:	USD	2,362.86

Ebony Clad Exterior	
Primed Pine Interior	44.55
Ultimate Casement - Left Hand	685.21
CN 2448	
Rough Opening 25" X 47 5/8"	
Frame Size 24" X 47 1/8"	
Ebony Clad Sash Exterior	
Primed Pine Sash Interior	
IG - 3/4"	191.27
Tempered Low E2 w/Argon	
Black Perimeter and Spacer Bar	
7/8" SDL - With Spacer Bar - Black	203.56
Rectangular - Standard Cut 2W3H	
Ebony Clad Ext - Primed Pine Int	




As Viewed From The Exterior

Entered As: CN
MO 24 1/2" X 47 3/8"
CN 2448
FS 24" X 47 1/8"
RO 25" X 47 5/8"
Egress Information
Width: 16 57/64" Height: 42 1/64"
Net Clear Opening: 4.93 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jambs 56.84
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #30	Mark Unit: Office Front / Rear	Net Price:		1,381.16
Qty: 2		Ext. Net Price:	USD	2,762.32




As Viewed From The Exterior

Entered As: CN
MO 36 1/2" X 47 3/8"
CN 3648
FS 36" X 47 1/8"
RO 37" X 47 5/8"
Egress Information
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57

Ebony Clad Exterior
Primed Pine Interior 44.55
Ultimate Casement - Left Hand 788.14
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" 248.12
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 234.29
Rectangular - Standard Cut 3W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jambs 66.06
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Line #31	Mark Unit: Office Front / Rear	Net Price:		1,181.43
Qty: 2		Ext. Net Price:	USD	2,362.86




As Viewed From The Exterior

Entered As: CN
MO 24 1/2" X 47 3/8"
CN 2448
FS 24" X 47 1/8"
RO 25" X 47 5/8"
Egress Information
Width: 16 57/64" Height: 42 1/64"
Net Clear Opening: 4.93 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Primed Pine Interior44.55
Ultimate Casement - Right Hand685.21
CN 2448
Rough Opening 25" X 47 5/8"
Frame Size 24" X 47 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4"191.27
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black203.56
Rectangular - Standard Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
***Screen/Combo Ship Loose
6 9/16" Jamb's56.84
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #32	Mark Unit: Bedroom	Net Price:		1,563.23
Qty: 1		Ext. Net Price:	USD	1,563.23



As Viewed From The Exterior

Entered As: CN
MO 32 1/2" X 59 3/8"
CN 3260
FS 32" X 59 1/8"

Ebony Clad Exterior
Primed Pine Interior44.55
Ultimate Casement - Right Hand885.70
CN 3260
Rough Opening 33" X 59 5/8"
Frame Size 32" X 59 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4"295.75
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black265.02
Rectangular - Special Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
White Folding Handle
***Handles/Covers Ship Loose
White Multi - Point Lock
Extruded Aluminum Screen

RO 33" X 59 5/8"

Egress Information

Width: 24 57/64" Height: 54 1/64"

Net Clear Opening: 9.34 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.26

Visible Light Transmittance: 0.44

Condensation Resistance: 57

CPD Number: MAR-N-342-60717-00001

Paint Specification

Clad Exterior Color: AAMA 2605

White Surround

Bright View Mesh


***Screen/Combo Ship Loose

6 9/16" Jamb 72.21

Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #33	Mark Unit: Guest	Net Price:		1,563.23
Qty: 1		Ext. Net Price:	USD	1,563.23



As Viewed From The Exterior

Entered As: CN

MO 32 1/2" X 59 3/8"

CN 3260

FS 32" X 59 1/8"

RO 33" X 59 5/8"

Egress Information

Width: 24 57/64" Height: 54 1/64"

Net Clear Opening: 9.34 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.26

Visible Light Transmittance: 0.44

Condensation Resistance: 57

CPD Number: MAR-N-342-60717-00001

Paint Specification

Clad Exterior Color: AAMA 2605

Ebony Clad Exterior

Primed Pine Interior 44.55

Ultimate Casement - Right Hand 885.70

CN 3260

Rough Opening 33" X 59 5/8"

Frame Size 32" X 59 1/8"

Ebony Clad Sash Exterior

Primed Pine Sash Interior

IG - 3/4" 295.75

Tempered Low E2 w/Argon

Black Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Black 265.02

Rectangular - Special Cut 2W3H

Ebony Clad Ext - Primed Pine Int

Putty Exterior Glazing Profile

Ogee Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

White Folding Handle

***Handles/Covers Ship Loose

White Multi - Point Lock

Extruded Aluminum Screen

White Surround

Bright View Mesh

***Screen/Combo Ship Loose

6 9/16" Jamb 72.21

Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #34	Mark Unit: Office Side	Net Price:		1,748.35
Qty: 1		Ext. Net Price:	USD	1,748.35

Ebony Clad Exterior

Primed Pine Interior 89.11

2W1H - Rectangle Assembly

Assembly Rough Opening

49" X 47 5/8"

Unit: A1 568.45

Ultimate Casement - Stationary


CN 2448

Rough Opening 25" X 47 5/8"

Frame Size 24" X 47 1/8"

Ebony Clad Sash Exterior

Primed Pine Sash Interior



As Viewed From The Exterior

Entered As: Size by Units
MO 48 1/2" X 47 3/8"
FS 48" X 47 1/8"
RO 49" X 47 5/8"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Performance Information OA
Paint Specification
Clad Exterior Color: AAMA 2605


IG - 3/4"
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 203.56
Rectangular - Standard Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers

Unit: A2 568.45
Ultimate Casement - Stationary
CN 2448
Rough Opening 25" X 47 5/8"
Frame Size 24" X 47 1/8"
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4"
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 203.56
Rectangular - Standard Cut 2W3H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Solid Wood Covers
Standard Mull Charge 39.94
6 9/16" Jambes 75.28
Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

***Note: Unit Availability and Price is Subject to Change

Line #35	Mark Unit: Front Entry	Net Price:		8,325.41
Qty: 1		Ext. Net Price:	USD	8,325.41




As Viewed From The Exterior

Entered As: FS x CN
MO 73 1/8" X 98 1/4"
FS 72 5/8" X 98"
RO 73 5/8" X 98 1/2"
Egress Information
Width: 32 1/16" Height: 94 3/8"
Net Clear Opening: 21.02 SqFt
Performance Information

Ebony Clad Exterior
Primed Pine Interior 179.75
Ultimate Inswing French Door G2 6 9/16" - SLXSL Left Hand 6,822.88
Frame Size 72 5/8" X Call Number 80
Rough Opening 73 5/8" X 98 1/2"
Unequal Standard Panels
Left Panel
CN 1680
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 212.01
Rectangular - Special Cut 1W4H
Ebony Clad Ext - Primed Pine Int
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Center Panel
CN 3080
Ebony Clad Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 424.03

U-Factor: 0.3	Rectangular - Special Cut 2W4H
Solar Heat Gain Coefficient: 0.21	Ebony Clad Ext - Primed Pine Int
Visible Light Transmittance: 0.35	Putty Exterior Glazing Profile
CPD Number: MAR-N-476-02976-00009	Ogee Interior Glazing Profile
Paint Specification	Standard Bottom Rail
Clad Exterior Color: AAMA 2605	Right Panel
	CN 1680
	Ebony Clad Sash Exterior
	Primed Pine Sash Interior
	IG
	Tempered Low E2 w/Argon
	Black Perimeter and Spacer Bar
	7/8" SDL - With Spacer Bar - Black.....212.01
	Rectangular - Special Cut 1W4H
	Ebony Clad Ext - Primed Pine Int
	Putty Exterior Glazing Profile
	Ogee Interior Glazing Profile
	Standard Bottom Rail
	Non Finger-Jointed Door Option for Secondary Surface.....166.69
	Traditional Lever(s)
	Multi-Point Lock on Active Panel
	Dark Bronze Active Exterior Handle Set on Active Panel Keyed.....175.91
	Dark Bronze Active Interior Handle Set on Active Panel
	Keyed
	Keyed Alike - Keyed Alike Group 1.....19.97
	Dark Bronze Adjustable Hinges 3 Per Panel.....39.18
	Ebony Performance Sill
	Black Weather Strip
	6 9/16" Jambs
	Thru Jamb Installation w/ AL Nailing Fin.....72.98
	Skid Plate Applied
	***Note: Unit Availability and Price is Subject to Change

Line #36	Mark Unit: Owner Bedroom	Net Price:		2,000.31
Qty: 1		Ext. Net Price:	USD	2,000.31



As Viewed From The Exterior

Entered As: CN	Ebony Clad Exterior
MO 36 1/2" X 71 3/8"	Primed Pine Interior.....44.55
CN 3672	Ultimate Casement - Left Hand.....1,091.57
FS 36" X 71 1/8"	CN 3672
RO 37" X 71 5/8"	Rough Opening 37" X 71 5/8"
Egress Information	Frame Size 36" X 71 1/8"
Width: 28 57/64" Height: 66 1/64"	Ebony Clad Sash Exterior
Net Clear Opening: 13.24 SqFt	Primed Pine Sash Interior
Sash Limiters and Window Opening Control	IG - 3/4".....391.00
Devices, when engaged, may reduce the egress	Tempered Low E2 w/Argon
opening dimensions of windows.	Black Perimeter and Spacer Bar
Performance Information	7/8" SDL - With Spacer Bar - Black.....325.70
U-Factor: 0.3	Rectangular - Special Cut 2W3H
Solar Heat Gain Coefficient: 0.26	Ebony Clad Ext - Primed Pine Int
Visible Light Transmittance: 0.44	Putty Exterior Glazing Profile
	Ogee Interior Glazing Profile
	Standard Bottom Rail
	Black Weather Strip
	White Folding Handle
	***Handles/Covers Ship Loose
	White Multi - Point Lock
	Sash Limiter - 3" Travel.....62.99
	Extruded Aluminum Screen
	White Surround
	Bright View Mesh
	***Screen/Combo Ship Loose
	6 9/16" Jambs.....84.50
	Nailing Fin
	***Note: Unit Availability and Price is Subject to Change

Condensation Resistance: 57
CPD Number: MAR-N-342-60717-00001
Paint Specification
Clad Exterior Color: AAMA 2605

Project Subtotal Net Price: USD	134,563.09
8.000% Sales Tax: USD	10,765.05
Project Total Net Price: USD	145,328.14

TERMS AND CONDITIONS

Net 15 days from delivery to site, not to exceed 30 days from receipt of goods at SNA facilities.

Accounts past due will incur interest charges of 1.5% per month. Said charges are enforceable under the lien laws in the state of Ohio.

A builder and or homeowner signature is required prior to the order being placed with our manufacturer. I/we agree the information provided in the quotation and listed above is correct and that this order is being placed with the criteria listed both above and on the final quotation. My/our signature below indicates that we have reviewed and agree with all the aspects of the order. All orders are understood to be custom and changes cannot be made after the order has been placed with the manufacturer. Any errors or changes on my part will be charged to me or my account in full. Any damages or shortages must be reported within 24 hours; reports can be made by calling (614) 505-7336. Returns are not permitted. A Delivery charge of \$135.00 may apply.

Homeowner _____ Date _____

Builder _____ Date _____

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:

NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.