

Coil and Sheet

COATED METALS GROUP

- * 18" RIB SPACING
- * DOUBLE LOCKED
- * WEATHERED ZINC FINISH

Coated Metals Group is a leading manufacturer of prepainted coil and flat sheet to the building construction industry. Coils are processed to the customer's precise specifications, including custom widths and exact lineal footages.

Matching flat sheets are available in a standard 4'x10' dimension, or processed to specified sizes upon special request. Protective strippable film can be applied to coils or sheets for protection during fabrication.

All materials are proudly sourced and manufactured in the USA All products are produced from tension leveled, extra smooth substrate in a wide variety of gauges, paint finishes and colors. In addition to our standard colors, we also have the capability to custom color match virtually any request.

Color Selection Guide



ULTRA-CLAD[™] with **COOL** technology.

Cool coating with premium heat-reflective technology from Dura Coat.

KYNAR 500 or HYLAR 5000 Pre-Finished Steel & Aluminum Flat Sheets & Coil.

Deep Black	Matte Black	Charcoal Gray	Musket Gray	Slate Gray	Ash Gray
Almond	Bright White	Bone White	Stone White	Cityscape	Pebble Clay
Sandstone	Sierra Tan	Medium Bronze	Mansard Brown	Burnished Slate	Dark Bronze
Harford Green	Classic Green	Hemlock Green	Teal	Slate Blue	Royal Blue
Regal Red	Colonial Red	Burgundy	Terra Cotta	Galvalume Plus	* Vintage
* Western Rust	*Copper Penny	*Weathered Zinc	* Silver	* Champagne	* Aged Copper
*Premium Color					

Colors represented on this electronic chart may not exactly match actual material. All colors should be verified using actual metal samples. Mismatch of electronic color representations and actual material shall not be accepted as a cause for rejection.

GUTTERS AND DOWNSPOUTS



4" ROUND DOWNSPOUT - GALVALUME FINISH


Trim

About Boral TruExterior® Trim

Designed to be used in non-load-bearing applications, Boral TruExterior[®] Trim is suitable for ground contact and moistureprone areas, which makes it ideal for exterior trim applications such as fascia, door trim, soffits, rake boards and a variety of other exterior applications. Because of its high level of dimensional stability[†], there is no need to prime ends or field cuts. Plus, it can be painted any color. Boral TruExterior[®] Trim accepts a wide variety of fasteners and can be installed using standard woodworking tools and methods.

All images below depict Boral TruExterior® Trim





5/8 Tri	im Sizes	1X Tri	m Sizes	5/4 Tri	m Sizes	2X Tr	im Sizes
Nominal	Actual	Nominal	Actual	Nominal	Actual	Nominal	Actual
- 24	-	-	-		14	2 × 2	1 ½* x 1 ½*
- 20		1 x 3	%*×2 ½*	5/4 x 3	1" x 2 ½"	3	-
5/8 x 4	5/8* x 3 ½*	1 x 4	¾" x 3 ½*	5/4 x 4	1" x 3 ½"	2 x 4	1 ½* x 3 ½*
	-	1 x 5	34" x 4 ½"	5/4 x 5	1° x 4 ½°	-	1.77
5/8 x 6	5/8* x 5 ½*	1 x 6	¾* x 5 ½*	5/4 x 6	1" x 5 ½"	2 x 6	1 ½* x 5 ½*
5/8 x 8	5/8° x 7 ¼*	1 x 8	₩* x 7 ¼*	5/4 x 8	1* x 7 ¾*	2 x 8	1 ½* x 7 ¼*
5/8 x 10	5/8° x 9 ¼°	1 x 10	34" x 9 %"	5/4 x 10	1" x 9 ¼"	2 x 10	1 ½* x 9 ¼*
5/8 x 12	5/8" x 11 1/4"	1 x 12	¾" x 11 ¼"	5/4 x 12	1" x 11 ¼"	2 x 12	1 ½* x 11 ¼*


Boral TruExterior[®] Trim is reversible with wood grain on one side and a smooth finish on the reverse. 16' lengths are available in all sizes with 12' and 20' lengths available in 4/4, 5/4 and 2x Trim.

Available Finishes: (Reversible)



smooth

EXTERIOR PAINT COLORS



SHERWIN WILLIAMS #6168 - MODERNE WHITE BORAL SIDING AND TRIM



SHERWIN WILLIAMS #7069 - IRON ORE GARAGE DOORS AND SHUTTERS



WOOD

Architect Series $^{\circ}$ Reserve $^{\scriptscriptstyle{\mathrm{M}}}$

\$\$\$\$-\$\$\$\$\$

	FEATURES	Exceptional	durability with ex	xtruded alumin	etailed craftsman ium cladding , sizes and colors	·
	WINDOW STYLES	Special shap	Des, custom sizes	and fixed conf	igurations are als	SO available.
Architect Series Reserve double-hung window	PATIO DOOR Styles					

SLIDING





HINGED



Colors & Finishes Architect Series® Reserve™

WOOD TYPES

Choose the wood species that best complements your home's interior. White oak, red oak, cherry and maple are available as custom solutions.




PREFINISHED PINE INTERIOR COLORS

When you select pine, we can prefinish in your choice of seven stains or three paint colors. Unfinished or primed and ready-to-paint are also available.



ALUMINUM-CLAD EXTERIOR COLORS

Our low-maintenance EnduraClad[®] exterior finish resists fading. Take durability one step further with EnduraClad Plus which also resists chalking and corrosion.¹ Custom colors are also available.



ANODIZED EXTERIOR FINISHES

Choose a premium matte look with a decorative, durable exterior. Custom champagne, medium bronze, extra dark bronze and copper anodized finishes are also available.




¹ EnduraClad Plus protective finish is not available with all colors. See your local Pella sales representative for availability.

Grilles architect series reserve


GRILLES

Choose the look of true divided light, removable roomside grilles or make cleaning easier by selecting grilles-between-the-glass.



GRILLE PATTERNS

In addition to the patterns shown here, custom grille patterns are available.



¹ Color-matched to your product's interior and exterior color.

² Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

³ Only available with matching interior and exterior colors.
 ⁴ Only available with a curved product or curved glass.



Return to Patio Doors Overview (/doors)

Architect Series[®] Reserve In-Swing Hinged Patio Door

Downloads

(Aluminum-Clad Wood)

2D Cross Section (Aluminum-Clad Wood)	읊 🔜 🔨
2D Elevation (Aluminum-Clad Wood)	ک 🔜 💫
3D & BIM (Aluminum-Clad Wood)	R
3D & BIM (Aluminum-Clad Wood)	2
Specifications	RTF

- · Available in three wood types: Pine, Mahogany, and Douglas Fir.
- · Configured as single- or double-panel doors with available sidelights and transoms.
- Operable sizes up to 9' 11-1/2" x 8' for double doors.
- · Putty Glaze sash profile available with matching grilles.
- Exclusive hardware styles in 12 finishes.
- · Exceptional energy efficiency.

A local Pella team member is ready to help you with your project.

Get A Quote (http://info.pella.com/ProPellaContactUsQuote)

Custom Door Solutions (/doors/product-details/custom-reserve) Installation Guides (http://www.installpella.com) Warranty Info (/warranties)

Features & Options

<u>Sizes and Shapes</u>	Grilles - Architect Se	ries Reserve In-Swing	Hinged Patio Door
Performance Values	Three grille types are ava	ilable on Architect Series	in-swing hinged patio doors.
Wood Types	Integral Light Techn exterior and interior f		ically accurate; adhered to the
Interior Finishes		-glass are permanent alu panes of glass to provide	minum grilles that are factory easy cleaning.
Exterior Finishes	Removable Interior	grilles can be removed fo	or glass cleaning.
Glazing		A Mar	
Impact Resistant			
Grilles			
Hardware			1
Screens	Integral Light Technology® Grilles	Grilles- between-the- glass	Removable Interior Grilles
	Integral Light Technolog	gy [®] (ILT) Grilles	

- · Combine the historical look of true divided lights with today's energy efficiency, structural integrity and water-resistant performance.
- · Grilles are adhered to the outside of the glass wood on the interior and aluminum on the exterior.







Find potential LEED credits for this project (/support/leed)support/leed)

Order Pella Replacement Parts Online » (http://parts.pella.com/OA_HTML/ibeCZzpHc sitex=10040)

- · Window Parts
- · Patio Door Parts
- Supplies

- Between-the-glass nonglare foam spacers, which are aligned with the interior and exterior grilles, replicate the appearance of true divided lights – and offer thermal performance vastly superior to metal spacers.
- Grilles have been approved the National Park Service on a project-by-project basis for use on historic projects involving federal tax credits.

Q

¢/(

Ogee Grilles Ciad Exterior, Wood Interior 7/8*, 1 1/4*, and 2* widths Triple-Pane

Glass

10



00

Ogee Grilles Wood Exterior, Wood Interior 7/8", 1 1/4", and 2" widths

00

Ogee Grilles Wood Exterior, Wood Interior 7/8", 1 1/4", and 2" widths Triple-Pane Glass

G=D

D

Putty Glaze and Ogee Grilles Clad Exterior, Wood Interior 5/8", 7/8", and 1 1/4" widths

00 3000

Putty Glaze and Ogee Grilles Clad Exterior, Wood Interior 5/8", 7/8", and 1 1/4" widths Triple-Pane Glass

collection **4-LAYER CONSTRUCTION**



America's Favorite Garage Doors®



Model CGU/CG/CD12 with ARCH3 Windows. Shown with Sandtone Steel Base and Standard White Composite Overlays; Standard Spade Handles and Step Plates.




11

Series ONE

11

SERIES ONE of the Coachman® Collection proves that in simplicity, there is sophistication. Architectural home designs such as Mission, Shaker, Country and Prairie look beautiful with the understated elegance of this classic look. Your choice of rectangular, square, arched windows or a solid top section provides that finishing touch.

SERIES ONE DESIGNS



9' wide × 7" high; shown with Sandtone base and Standard White overlays, Consult your Clopay Dealer or clopay.com for additional sizes



TRADITIONAL HARDWARE



Pintel on Plate

- · Sold in pairs
- Pintel plate size 1-1/2" x 3-1/2" x 1/8"
 Pin diameter 3/8"
- Stainless steel with a matte black powder coat finish
- Offsets: 1/2", 1-1/2", 2-1/4", 3-1/2"




Flat Hinge

- Sold in pairs
- Stainless Steel with a matte black powder coat finish
- · Offsets: 0", 1/2", 1-1/2", 2-1/4"

HOUSE OF ANTIQUE HARDWARE

www.HouseofAntiqueHardware.com (888) 223-2545 9:00 am - 8:30 pm M-F, Eastern

PAIR OF LARGE FORGED IRON GEORGETOWN STYLE SHUTTER DOGS - LAG MOUNTED





This item is part of...

WILLIAMSBURG PERIOD HOME COLLECTION >>

See All Period Home Collections

Features

- Hand Forged Iron for Authentic Appearance
- Authentic Colonial-Era Design
- Enhances Historic Look and Feel
- Complete Set for One Window
- Galvanized and Powder Coated to Resist Rust

Details

Style	Colonial
Item Sold As	Pair
Included Hardware	All necessary mounting accessories
Usually Ships In	1 to 2 Business Days More info >
Warranty	5 Year Warranty

2 Reviews Write a Review

100% of respondents would recommend this to a friend

5

Read Product Questions & Answers

Item #: R-09JW-267

Price: \$26.79

Description & Dimensions

Popular throughout the Mid-Atlantic, these Georgetown style shutter dogs are distinguished by their artful curl. Hand-forged from heavy duty iron, they're powder coated to resist rust. Easily mounted to masonry with the included lag bolt (anchors recommended - not included).

Dimensions. Tie back: 6 1/2" H x 2 1/4" W x 1" projection (at curl). Bolt: 4" L x 5/16".

Instructions & Documentation

<u>Shutter Hardware Details</u> How to install this product in a typical situation.

REJUVENATION



Carson Gooseneck Wall Sconce Item #A2949 https://www.rejuvenation.com/s/4zit

Specification	Detail
Item #	A2949
Web Configuration ID	59473d12bbddbd4f31ee9f
Finish	Carbon
Socket Type	Incandescent
Projection	18 inches wall to center socket
Selected Shade(s)	B1700 GX 20 in
Wire Bulb Guard	None
Max Wattage Per Socket	300 W
UL Listed	UL Listed Wet
Canopy Width	5"
Overall Width	20.01"
Overall Length	22.79"
Overall Projection	28.005"
Shade Height	9"

Base price: \$299.00 Selected options total: \$200.00 Total price as shown^{*}: \$499.00

*Shipping and handling fees apply