

ASHWOOD

Available



Available

- 1-ft. Sample - FREE
- 2-ft. Sample - \$5.00

DECKING

PRO Legacy Collection

A premium composite that blends beauty with technology for the ultimate low-maintenance deck. Four-sided capping makes it extremely resistant to moisture damage, and its protective surface resists everyday stains and scratches.

Details

Dimensions

Installation &
Warranty

FAQs

Reviews

Steadfast Color

Colors are engineered to stay true over time and come with a 30-Year Fade & Stain warranty. Choose from the widest range of rich hues.

Four-Sided Protection

Each board is capped on all four sides, all the way down into the grooves, Capping is made with 100% synthetic materials for total immunity against moisture.

Say No to Stains

The easy-to-clean surface thwarts stains, so oils, sauces, and other household products won't cause any permanent damage.

Install the Easy Way

Installations go more smoothly thanks to strong fasteners that don't require pre-drilled holes. The result is a deck with a flawless, fastener-free surface.

Solid Underfoot Feel


A flat, full profile bottom offers strength and a more solid feel underfoot, similar to traditional lumber.

Configure Your Impression Rail System

A railing is actually the sum of its parts—and we give you so many ways to customize yours! Use the icons below to see how the components of your Impression Rail System come together.


Need help choosing? [See our tips.](#)

VISIT A DEALER



Impression Rail

BLACK



Post Sleeves ensure you get the best experience.

LEARN MORE

BLACK

GOT IT

♡ SAVE ALL ITEMS

↑ SHARE

The Final Touch: Lighting

Aside from adding functionality, lighting is a design element on par with color, material, and railing choices. Consider how you use your deck to choose from our many styles of integrated deck and railing lighting.

[SEE ALL LIGHTING](#)



There will be no lights in the post caps

This site uses cookies to ensure you get the best experience.


[LEARN MORE](#)

GOT IT

1 1/2" SNAP-LOCK PANEL



Hilliard, Ohio
 PH: 614-876-4280 / FX: 614-771-7625
 www.metalformedgoods.com



Advantages

- ◆ Nominal 1 1/2" seam height with hidden fasteners
- ◆ Interlocking design reduces installation time
- ◆ Available widths from 11.5" to 19.5"
- ◆ 1 piece floating clip allows for thermal expansion
- ◆ Integral locking seams do not require mechanical seaming
- ◆ 30 Year Finish Warranty
- ◆ 24 gauge Kynar steel standard

Materials:

24 gauge galvanized / galvalume steel (Standard)
 22 & 26 gauge galvanized / galvalume steel
 .032 Aluminum (Kynar or Anodized)
 16 & 20 ounce copper

Performance:

ASTM 1592 Wind Uplift
 ASTM 283 Air Infiltration
 ASTM 331 Water Penetration
 ASTM 330 Structural Performance


Load Span Table for 1 1/2" Snap Lock Panel
 16" Width

Material	24 Gauge		
SPAN	THREE EQUAL SPANS		
(FT)	W (PSF)	RE	RI
2	27.59	22.1	60.7
2.5	25.64	25.6	70.5
3	24.3	29.2	80.2
3.5	23.38	32.7	90
4	22.68	36.3	99.8

W = Allowable Uniform Load

RE = End Support Reaction (#/ft)

RI = Intermediate Support Reaction (#/ft)





METAL ROOFING SYSTEMS

LIKE US on Facebook

METAL FORMED GOODS
CORPORATE OFFICE
5070 NIKE DRIVE
HILLIARD, OH 43026
PHONE: 614-876-4280
FAX: 614-876-8850
[Email Us](#)

About	Benefits of Metal Roofing	Gallery	Products	Colors	Contact Us	Resources	
-----------------------	---	-------------------------	--------------------------	------------------------	----------------------------	---------------------------	--

Colors

Metal Roofing panels are available in a wide spectrum of color options. These rich and vibrant colors are produced with either Kynar 500® or Hylar 5000® resins, which provide superior color retention, and allow us to offer non-prorated coating warranties for most applications. Please contact us for more information and for a more accurate printed color booklet.

[Virtual Roof Builder](#)

See how available colors will look with the [COOLR Virtual Roof Builder](#).



[Print a PDF version of available colors](#)

*Available at a slight price premium.

Colors shown are matched as accurately as possible, but may vary slightly from finished product. Coating warranty varies for Regal Red, Matte Black, Copper, Silver, Champagne, and Pre-Weathered Galvalume. Metallics are warranted for chip, crack, and peel only. Please call for details.

LANDMARK®

For homeowners seeking true peace of mind, Landmark® shingles are the high-quality, reliable choice for beautifying and protecting a home. With a dual-layered design that emulates the dimensionality of true wood shake, Landmark asphalt shingles offer the heaviest weight and widest array of color options in their class, allowing you to create or re-create the ideal look for your home with confidence. Backed by a 100+ year legacy of trusted manufacturing performance, all Landmark shingles include CertainTeed's industry-leading, lifetime-limited warranty.

- Certified as meeting the industry's toughest third-party (UL) manufacturing quality standards
- Dual-layered construction provides extra protection from the elements
- Ten year StreakFighter® algae-resistance warranty
- Class A fire-resistance rating

Due to variation in computer monitors and printers, the color samples seen on your computer screen may not exactly match the corresponding color. To verify actual product color, ask to see the actual product, available through a CertainTeed contractor or distributor.

PRODUCT OVERVIEW


- [Landmark Series Brochure - Lake Central](#)
 - [Integrity Roof System Brochure](#)
 - [StreakFighter Algae-Resistant Shingles Brochure](#)
 - [NailTrack Sell Sheet](#)
- [\(More Info\)](#)

TECHNICAL SPECS

- [Data Sheet - Landmark Series](#)
 - [SDS - Asphalt Shingle - AR](#)
 - [SDS - Asphalt Shingle - non-AR](#)
 - [3-Part Spec - Landmark](#)
- [\(More Info\)](#)

INSTALLATION

- [Landmark Installation Instructions](#)
- [Video:Installing Landmark - five course pattern, alternate closed cut valley & skylight flashing](#)



MOIRE BLACK

LANDMARK®

[OVERVIEW](#)

[TECHNICAL INFO](#)

[INSTALLATION](#)

[WARRANTY](#)

[FIND A PRO](#)



HARDIETRIM® BOARDS


4/4 RUSTIC

With a wood-like texture, this trim has vintage appeal—and it's warp- and rot-resistant. Available in Statement Collection products, Dream Collection products, or primed for paint.



THE STATEMENT COLLECTION™

Classic shades—engineered with long-lasting ColorPlus® Technology—will make a statement that resonates for generations. The tried and true colors of James Hardie's Statement Collection™ products were designed for every home. They're our most popular hues. And they are readily available in your region.



TRIM COLORS

Monterey Taupe





HARDIESHINGLE® SIDING

STRAIGHT EDGE PANEL

A clean-lined shingle can soften contemporary-looking designs or add refinement to rustic styles. Make your selection from our Statement Collection products or Dream Collection products.




THE STATEMENT COLLECTION™

Classic shades—engineered with long-lasting ColorPlus® Technology—will make a statement that resonates for generations. The tried and true colors of James Hardie’s Statement Collection™ products were designed for every home. They’re our most popular hues. And they are readily available in your region.



SIDING COLORS


Monterey Taupe




HardiePanel® Vertical Siding Product Description

HardiePanel® vertical siding is factory-primed fiber-cement vertical siding available in a variety of sizes and textures. Examples of these are shown below. Textures include smooth, stucco, Cedarmill® and Sierra 8. HardiePanel vertical siding is 5/16 in. thick and is available in 4x8, 4x9 and 4x10 sizes. Please see your local James Hardie dealer for texture and size availability.

HardiePanel vertical siding is available as a prefinished James Hardie® product with ColorPlus® Technology. The ColorPlus coating is a factory applied, oven baked finish available on a variety of James Hardie siding and trim products. See your local dealer for availability of products, color and accessories.



Stucco



Cedarmill®



Sierra 8



Smooth




BLEND



(<https://www.casadisassi.com/sites/default/files/styles/colorbox/public/2019-04/BL%20-%20BIANCO.jpg?h=778fb1ee&itok=h3gluOD6>)

Blends are unique combinations of a variety of stones. This exclusive blend creates a natural feel with significant size variations. With rough textures and dimensions, Blends add an authentic warm ambiance to any project. Stones are figured for a 1/2" grout joint.

PROFILE COLOR



TILT-WASH DOUBLE-HUNG WINDOWS

Andersen® 400 Series tilt-wash double-hung windows are engineered to provide outstanding performance and style. Combined with the tilt-to-clean sash, it's easy to see why it's our best selling double-hung. Exteriors use three different levels of protection from the elements. On the inside you have the choice of natural pine or low-maintenance white, dark bronze or black* finish. For added style there is a wide range of grille patterns and hardware options.

DURABLE

- Virtually maintenance-free
- Perma-Shield® exteriors never need painting and won't peel, blister, flake or corrode**
- Frame exterior is protected by a tough vinyl cover that resists dents and repels water and provides long-lasting protection
- Available with Stormwatch® protection for coastal areas

ENERGY EFFICIENT

- Weather-resistant construction for greater comfort and energy efficiency
- Weatherstripping is designed to seal out drafts, wind and water
- Variety of Low-E4® glass options are available to help control heating and cooling costs in any climate
- Many 400 Series tilt-wash double-hung windows have options that make them ENERGY STAR® v. 6.0 certified throughout the U.S.



BEAUTIFUL

- Seven exterior color options
- Natural pine, white, dark bronze or black* interiors
- Add style with grilles, exterior trim or patterned glass

EXTERIOR COLORS



*Dark Bronze and Black interiors are only available with Dark Bronze and Black exteriors respectively. See your Andersen dealer for availability. **Visit andersenwindows.com/warranty for details. "ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency.

Grille Types

Andersen windows and doors are offered with the following grille type options. See your local dealer for availability.



Full Divided Light

Give your window an authentic look with grilles that are permanently applied to the interior and exterior of your window with an aluminum spacer between the glass.

An Energy Spacer option is also available to help achieve ENERGY STAR® certification in the Northern climate zone (A-Series only.)



Simulated Divided Light



Simulated divided light offers permanent grilles on the exterior and a choice of permanent or removable wood interior grilles, with no spacer between the glass.



Removable Interior Grille

Removable interior wood grilles are secured via a fastener or grille clip and can be removed enabling you to easily clean the glass surface.

Not available on 100 Series products.



[Live Chat](#) [Contact Us](#)

[Find a Showroom](#) [Subscribe](#)

[Search Products](#)

HINKLEY
L I G H T I N G

[Favorites](#) [Create an Account](#)

[Products](#)

[Style](#)

[Where to Buy](#)

[Blog](#)

[For Professionals](#)

[About Us](#)

Explore **Regency Ceiling Fans**, a new division of Hinkley Lighting



ADAIR 2930DZ

HINKLEY LIGHTING

Small Wall Mount Lantern

US \$249.00

Products Style Where to Buy Blog For Professionals

Buy Local About Us Buy Online

Add to Favorites

Inspired by the early American coach lights popular throughout New England, Adair features a clean and stately form composed of hardy aluminum. An Aged Zinc finish accented by either Heritage Brass or Antique Nickel candle sleeves is complemented with robust construction details.

FINISH: Aged Zinc with Heritage Brass accents

WIDTH: 7.5"

HEIGHT: 16.5"

GLASS: Clear

MATERIAL: Aluminum

BRAND: Hinkley Lighting

FINISH OPTIONS



Overview Details Resources

FINISH: Aged Zinc with Heritage Brass accents

WIDTH: 7.5"

HEIGHT: 16.5"

GLASS: Clear

LIGHT SOURCE: Socket

WATTAGE: 1-100w Med.

VOLTAGE: 120v

FEATURES



80" Tall Thermally Broken 4-Lite, Simulated Divided Lites (SDL), 3/4 Lite Iron Double Entry Doors

Brand: GlassCraft (/m-6-glasscraft.aspx) Item #: 7058

Model: ThermaPlus 4-Lite SDL 3/4 Lite DBL

Door Size (WxH)

72"x80" (6'-0"x6'-8")

Select a Finish [Help]

(https://d3smgug4r5d3e.cloudfront.net/images/GlassCraft/iron-doors/GlassCraft-Wrought-Iron-Color-Options-Popup.jpg)

Black Satin

Glass Option [Help]

(https://d3smgug4r5d3e.cloudfront.net/images/GlassCraft/ThermaPlus/Glass-Options-Pop-Up.jpg)

Clear Glass

Pre-Hanging [Help]

(https://d2c3qrlfno0567.cloudfront.net/prehungyesno.jpg)

No

EXPERT ADVICE!

Call us for fast and friendly service!

We are here to help!

1-877-929-3667

Monday - Friday, 9am-6pm CST

WE ♥ WORKING WITH BUILDERS AND DESIGNERS

CONTACT US

Volume discounts are available!

\$3,140.00

ADD TO CART

GROUND DELIVERY SURCHARGE: \$300.00

Delivery surcharge for each additional door \$35.00.

Like 0 Tweet Save

Houzz Project: Save

PRODUCT DESCRIPTION

FACTORY PRE-HANGING

FACTORY FINISH COLORS

WARRANTY

PRODUCT DESCRIPTION

> Thermally broken 4-lite SDL 3/4 lite double entry door

SHIPPING & LEAD TIMES

We ship directly to your job site in the 48 contiguous United States!

- > Double insulated tempered glass panels for energy efficiency and security
- > Constructed with inter-locking SDL (simulated divided lite) bars that lock into place for a stronger, more structurally sound assembly
- > Divided Lite muntin bars give the look and feel of historic and traditional divided lite doors
- > Muntin bars are permanently fixed to the glass surface allowing for superior energy efficiency
- > Internal grid bars are inserted inside of the IG glass unit, with these bars perfectly matching the design of the external bars
- > Built strong and secure with thick 18-gauge dent-resistant and kick-proof steel
- > Both sides of the door incorporate one-piece solid steel 18-gauge plates
- > Thermally broken to prevent heat and cold transfer from exterior to interior
- > The core of the door panels are filled with patented BioFoam, GlassCraft's unique insulating foam produced by utilizing plant-based oil sources
- > LSL-Laminated Strand Lumber beams used on door stiles and rails provide the strongest steel door available!
- > All four door edges utilize 100% recycled composite content that is completely rot-resistant and waterproof
- > Door is a full 1-3/4" thick which is thicker than other so-called premium steel doors to allow for the use of standard door hardware or you can use multi-point locks
- > Field-trimmable for an exact fit, edges can be trimmed up to 1/4 inch on both sides. Top rail can be trimmed 1/4 inch and bottom rail by 1-1/2 inches
- > Door is sold with your choice of three satin finishes or three antique finishes
- > Pictured door has Antique Pale Bronze finish

HOW LONG WILL IT TAKE FOR MY ORDER TO SHIP?

- > Door/slab (unprepped door without a frame): 2-3 business days
- > Pre-hung doors (door with a frame): 5-7 weeks

HOW IS MY ORDER SHIPPED?

Your order will be shipped ground via freight company (LTL). Our shipping is a curbside delivery with lift-gate and pallet jack service. Curbside delivery service provides delivery of your order to the curb at the end of your driveway. This service does not include set up or assembly of items or removal of packaging materials.

We will provide you with all necessary delivery information to prepare you for delivery, including: full carrier information, contact numbers, a link to the freight carrier's website and tracking numbers. You will be able to track your shipment online from departure to arrival. The delivery terminal will call you when your item arrives to schedule a delivery appointment.

Orders are shipped on a solid and secure crate. The crate is designed to protect your door and ensure that it will arrive in perfect condition. We only ship with freight companies who provide our customers with an online tracking system and superior service.

Door Type:	Exterior
Core:	Core: BioFoam Stiles and Rails: LSL (Laminated Strand Lumber)
Door Thickness:	1-3/4"
Glass:	Dual pane, insulated and tempered
Warranty:	Door: 10 year limited warranty Glass: 5 year limited warranty



Shown in accents woodtones dark oak with optional plain glass, madison window inserts and spade hardware.

5916 STAMPED CARRIAGE LONG

COLORS¹




ACCENTS WOODTONES¹



¹ Refer to your local C.H.I. Dealer for exact color and woodtones match.

EXTERIOR HARDWARE




SPECIFICATIONS


Insulation Type	1-7/8" Polyurethane
R-value	R-16.55
Backing	Steel
Construction Type	Heavy Duty
Wind Load	Non Impact and Impact Rated
Warranty	Limited Lifetime on sections 3 Years on Springs 6 Years on Hardware
Extended Coverage	Appearance and Lifetime Package




WINDOW INSERTS



GLASS



DESIGNER GLASS



LaSalle not available in 18" sections

Your Local Garage Door Professional