

The **Architectural** Collection

Raised Panel | Midnight Sky 639

# Raised Panel

Raised Panel shutters offer a clean, handsome and elegant look for a variety of historic or modern home styles. The artistic depth and curves on the panels dramatically catch sunlight and impart alluring shadows. Popular two-panel and three-panel designs bring deep texture and solid, artistic appeal. A wealth of options is available for added sophistication, limited only by your imagination.



Standard



Single Panel



Extra Panel



Flat Panel



Custom Rail Location



Providing full utility, our durable hardware is forged from 304 series stainless steel with a matte black, powder coat finish. From depth-enhancing Slide Bolts to smoothly attractive “S” Holdbacks and Rat-tail Holdbacks, hardware pieces amplify style with endearing simplicity.

When shutters are in the open position, our traditional hardware adds beautiful dimension by setting the shutters off from the home, allowing a hint of exterior cladding to be visible between each shutter leaf and the structure for a noticeable fine touch.



Design 11



Design 12



Design 13



Design 21



Design 23



Design 31



Design 32



Design 33



Design 35



Design 36



Design 37



Design 38

## COLORS



Medium Finish



Dark Finish



Walnut Finish



Slate Finish



Black Finish\*



White Finish\*



Primed (No Finish)

\*Black and White Finish available only on Imagogary cladding and overlays. Two-tone doors are available. To see all available options go to: [www.clopaydoor.com/door-imagination-system](http://www.clopaydoor.com/door-imagination-system).

Doors can be ordered Primed for those homeowners wishing to custom paint. When their door is stained, the color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary. To request a color sample, visit [www.clopaydoor.com/requestcolorsamples](http://www.clopaydoor.com/requestcolorsamples).

- 1 Composite Overlay
- 2 Composite Cladding
- 3 Steel
- 4 2" Intellcore® Polyurethane Insulation
- 5 Steel



2"  
POLYURETHANE  
INSULATION

COMPOSITE OVERLAY  
DELAMINATION  
LIMITED  
5YR  
WARRANTY

EFFICIENCY  
20.4  
R-VALUE

HARDWARE  
LIMITED  
5YR  
WARRANTY



Calculated door section R-value is in accordance with DASMA TDS-163.

# CARRIAGE HOUSE 5-LAYER CONSTRUCTION

- 5-layer faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 20 for specialty glass options.
- Attractive beveled edge, clip-in window grilles are removable for easy cleaning.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- 10-ball nylon rollers for quiet operation.
- Heavy-duty 14 gauge steel hinges for long-lasting performance.
- Clopay's Safe-T-Bracket® prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Comes complete with spade lift handles and step plates. See page 21 for details.

Doors designs shown in Dark Finish with Clear Cypress cladding and Clear Cypress overlay. Design 01 does not have an overlay.



Design 01




Design 22



Design 34

## WINDOW/TOP SECTIONS



Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38.  
Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".  
Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". To view additional designs, windows and top sections available, please visit [www.clopaydoor.com](http://www.clopaydoor.com).

## MATERIAL DESIGN OPTIONS

### COMPOSITE CLADDING MATERIALS



Clear Cypress (C)

Mahogany (M)

Pecky Cypress (P)

### COMPOSITE OVERLAY MATERIALS



Clear Cypress (C)

Mahogany (M)

**Note:** Cladding and overlay material options may be mixed and matched.

## Specifications: LP® SmartSide® Lap Siding Coverage

Lap Siding	Reveal (size)						
	Area (sq. ft.)	3-7/8" (5")	4-7/8" (6")	5 -7/8" (7")	6 -7/8" (8")	8 1/2" (9-1/2")	10-7/8" (12")
100		20 pcs.	16 pcs.	13 pcs.	11 pcs.	9 pcs.	7 pcs.
200		39 pcs.	31 pcs.	26 pcs.	22 pcs.	18 pcs.	14 pcs.
300		59 pcs.	47 pcs.	39 pcs.	33 pcs.	27 pcs.	21 pcs.
400		78 pcs.	62 pcs.	52 pcs.	44 pcs.	35 pcs.	28 pcs.
500		97 pcs.	77 pcs.	64 pcs.	55 pcs.	44 pcs.	35 pcs.
600		117 pcs.	93 pcs.	77 pcs.	66 pcs.	53 pcs.	42 pcs.
700		136 pcs.	108 pcs.	90 pcs.	77 pcs.	62 pcs.	49 pcs.
800		155 pcs.	124 pcs.	103 pcs.	88 pcs.	71 pcs.	56 pcs.
900		175 pcs.	139 pcs.	115 pcs.	99 pcs.	79 pcs.	63 pcs.
1000		194 pcs.	154 pcs.	128 pcs.	110 pcs.	88 pcs.	69 pcs.
1500		291 pcs.	231 pcs.	192 pcs.	164 pcs.	132 pcs.	104 pcs.
2000		388 pcs.	308 pcs.	256 pcs.	219 pcs.	177 pcs.	138 pcs.
2500		484 pcs.	385 pcs.	320 pcs.	273 pcs.	221 pcs.	173 pcs.
3000		581 pcs.	462 pcs.	383 pcs.	328 pcs.	265 pcs.	207 pcs.
3500		678 pcs.	539 pcs.	447 pcs.	382 pcs.	309 pcs.	242 pcs.
4000		755 pcs.	616 pcs.	511 pcs.	437 pcs.	353 pcs.	276 pcs.
4500		871 pcs.	693 pcs.	575 pcs.	491 pcs.	397 pcs.	311 pcs.
5000		968 pcs.	770 pcs.	639 pcs.	546 pcs.	441 pcs.	345 pcs.

Cedar Texture Shakes	Reveal (size)		
	Area (sq. ft.)	9" (12")	10" (12")
100		34 pcs.	30 pcs.
200		67 pcs.	60 pcs.
300		100 pcs.	90 pcs.
400		134 pcs.	120 pcs.
500		167 pcs.	150 pcs.
600		200 pcs.	180 pcs.
700		234 pcs.	210 pcs.
800		267 pcs.	240 pcs.
900		300 pcs.	270 pcs.
1000		334 pcs.	300 pcs.
1500		500 pcs.	450 pcs.
2000		667 pcs.	600 pcs.
2500		834 pcs.	750 pcs.
3000		1000 pcs.	900 pcs.
3500		1167 pcs.	1050 pcs.
4000		1334 pcs.	1200 pcs.
4500		1500 pcs.	1350 pcs.
5000		1667 pcs.	1500 pcs.

Cedar texture shakes offer more options for the designer and craftsman. We've included coverage for the two most common applications, 9" and 10" exposures, for your convenience.



## Specifications: LP® SmartSide® Shakes

### CEDAR TEXTURE SHAKES

#### THE LUXURIOUS APPEAL OF CEDAR

- The look of traditional cedar with easier maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used on all exterior walls or as a decorative accent
- Shiplap ends for seamless appearance
- Reversible staggered or straight edge offers exceptional design versatility
- Treated engineered wood strand substrate


#### CEDAR TEXTURE SHAKES



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
Cedar Texture Shakes	4ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm)	0.315 in. (8 mm)	42092	2 PSF



Staggered



Straight

## SMOOTH FINISH TRIM


### SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Holds up in extreme weather, including moisture, hail, freeze/thaw cycles, and up to 200 mph wind gusts
- Treated with the SmartGuard® process for superior protection against the weather, fungal decay and termites
- 16' ft length can result in faster installation and fewer seams
- Pre-primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty
- Treated engineered wood strand substrate




Smooth Finish

#### 440 SERIES SMOOTH FINISH TRIM



#### 540 SERIES SMOOTH FINISH TRIM



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.625 in. (15.9 mm)	41640	2 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.625 in. (15.9 mm)	41627	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41420	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41422	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41423	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41492	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41490	2 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41629	3 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.910 in. (23.1 mm)	41628	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41342	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41343	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41344	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41345	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41494	3 PSF

## CEDAR TEXTURE SOFFIT

### THE FINISHING TOUCH

- The perfect alternative to MDO and plywood soffits
- Cut-to-width eliminates time spent ripping full sheets
- 38 Series engineered for closed soffit applications
- 76 Series and 190 Series are ideal for use as the starter course for roofs with exposed eaves
- Treated engineered wood strand substrate




Cedar Texture


#### 38 SERIES 4' x 8' CEDAR TEXTURE SOFFIT




#### 38 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



#### 76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



#### 76 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



#### 190 SERIES 4' x 8' CEDAR TEXTURE SOFFIT




DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	25813	-
76 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.375 in. (9.5 mm)	25814	-
190 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.530 in. (13.5 mm)	25816 *	-
38 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	25805	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	25806	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (60.8 cm)	0.315 in. (8 mm)	25807	-
76 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.375 in. (9.5 mm)	25808	-

## VENTED SOFFIT

### ENGINEERED TO CUT OUT PROBLEMS

- The perfect alternative to MDO, plywood or hand-installed metal vents
- Precisely cut vents offer 10 square inches of ventilation per linear foot, making it easier to meet code requirements while adding architectural beauty
- Designed to minimize paint buildup and promote continuous airflow
- 1/8" vents to help keep hornets and bees out
- Eliminates time spent ripping full sheets
- Treated engineered wood strand substrate

### 38 SERIES VENTED CEDAR TEXTURE SOFFIT – CUT-TO-WIDTH



Cedar Texture


DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Vented Cedar Texture Soffit – Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	25822	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	25823	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (60.8 cm)	0.315 in. (8 mm)	25824	-

## NEW SMOOTH FINISH SOFFIT

### THE PERFECT MATCH

- Installs quickly and easily
- Cut-to-width eliminates time spent ripping full sheets
- Pre-primed for exceptional paint adhesion
- Smooth finish
- Treated engineered wood strand substrate

### 38 SERIES SMOOTH FINISH SOFFIT - CUT-TO-WIDTH



Smooth Finish


DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Smooth Finish Soffit - Cut-to-Width	16 ft. (192 in.) (4.96 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	42127	-

# Specifications: LP® SmartSide® Vertical Siding

## NEW VERTICAL SIDING


### CHARMING STYLE FOR AMERICAN HOMES

- Re-creates the stylish appearance of board & batten
- 16' lengths eliminate horizontal joints
- Coordinates with LP SmartSide Trim
- Pre-primed for exceptional paint adhesion
- Not rated for structural use
- Treated engineered wood strand substrate



Cedar Texture      Smooth Finish

### VERTICAL SIDING




DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	40503	1.5 PSF
38 Series Smooth Finish Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	42126	1.5 PSF

# Specifications: LP® SmartSide® Trim

## CEDAR TEXTURE TRIM


### THE CLASSIC APPEARANCE OF CEDAR

- Interior or exterior use, including corner boards, windows and doors
- Narrow widths save cutting time
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood strand substrate




Cedar Texture


### 190 SERIES CEDAR TEXTURE TRIM




### 440 SERIES CEDAR TEXTURE TRIM



### 540 SERIES CEDAR TEXTURE TRIM



### 440 SERIES CEDAR TEXTURE PLOUGHED FASCIA



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.530 in. (13.5 mm)	28448	2 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.530 in. (13.5 mm)	28450	2 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.530 in. (13.5 mm)	28452	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.5 in. (3.8 cm)	0.625 in. (15.9 mm)	25877	2 PSF
	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.625 in. (15.9 mm)	25878	2 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.625 in. (15.9 mm)	25880	2 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.625 in. (15.9 mm)	25882	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	25883	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	25884	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	25885	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.5 in. (3.8 cm)	0.910 in. (23.1 mm)	25886 *	3 PSF
	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.910 in. (23.1 mm)	25887 *	3 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.910 in. (23.1 mm)	25888	3 PSF
	16 ft. (192 in.)(4.9 m)	4.5 in. (11.4 cm)	0.910 in. (23.1 mm)	25889 *	3 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.910 in. (23.1 mm)	25890	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	25891	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	25892	3 PSF
440 Series Cedar Texture Ploughed Fascia	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.625 in. (15.9 mm)	27240 *	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	27819 *	2 PSF





[Responding to COVID-19. Learn More.](#)



INTERIOR

EXTERIOR

## Features of the Ultimate Double Hung G2 Window

- Available in heights up to 10.5 feet or widths up to 5.5 feet
- Marvin's exclusive auto-lock activates when sashes are closed for convenient security
- Unique wash mode allows cleaning of both sides of glass from indoors
- Narrow checkrail maximizes view, while maintaining historical accuracy
- Retractable screen option is nearly invisible when the screen is not in use
- Available with the same features in a single hung style, with optional Lift Lock
- Additional configurations include round top, stationary transom or picture window
- Hidden Lock Status Sensor option connects with your smart home to indicate when windows are closed and locked
- Available with IZ3 coastal/hurricane certification
- Available with Commercial Windows Performance certification
- CE certified

[Products](#) > [Veneer Stone](#) > [Olen Valley® Split Veneer](#)



## OLEN VALLEY® SPLIT VENEER

For an instant expression of age and permanence, no other stone delivers better results. With a rugged texture, light buff/gray color and unique fossil characteristics, Olen Valley® Split Veneer is a well suited stone for everything from the grandest estate home to the coziest back yard fire pit.

Characteristics:

Stone Type: Limestone

Color: Buff to soft brown, fossils

Shape: Standard Split Veneer,  
2" to 6" rise x 12" to 24" lengths

4" to 5" bed depth

Finish: Natural Split



Save



Save



Share

1

### Material:

Veneer Stone

### Application:

Building Stone  
Stone Homes

### Color Range:

Browns

Color of stone may vary from your screen. To see actual stone color, please visit one of our locations.

## Veneer Stone

[Types of Veneer Stone](#)

[Why Choose Stone for Your Building Material](#)

[Importance of Proper Installation](#)


[Laying Patterns & Joint Treatment](#)

## Related Products



## Contact Us

Interested in a product?  
Get in touch with us!



**SKU:**

**Panel:** PCP110, PCP120, PCP150, PCP999

**Seam:** PCS114

**Batten:** PCB001, PCB002

**Copper:** PCP147

**Material:**

.032, .040 aluminum;  
22\*, 24 ga. metallic coated steel;  
16 oz. copper\* (PCP147 only)

**Panel Coverage:**

11 1/4", 12 5/8", 14 5/8" †, 15 1/4"

Custom widths available

†Copper and Dark Bronze Anodized only

**Minimum Panel Length:**

2'-0" for straight, 3'-0" for curved

**Seam Height:**

**Standing Seam:** 1"

**Batten Seam:** 1" x 1 1/2" or 2" x 1 1/2"

**Available:**

Straight, Tapered, Curved‡ (Concave, Convex)

‡Available in standing seam only

**Texture:**

Smooth or Embossed

**Minimum Slope:**

3:12


\*Subject to minimum quantities and longer lead time.  
Inquire for availability.

**Application:**

- Two-part system that consists of the flat panel, and a separate seam or batten
- Seam is snapped over the clips, concealing the fastening system
- PC™ System panels are not structural and must be applied to a solid substrate
- Precision leveling prior to forming
- Fasteners and clips allow panels to float without causing stress
- Crating for job site handling/staging

**Performance Standards:**

- Tested in accordance with UL 790/ASTM E 108, UL 580, ASTM E 283, ASTM E 331, UL 2218, ASTM E 84 Flame Spread
- High reflectivity of panels which increases energy efficiency



Mix and match colors of the flat panel and standing seam or batten seam for a unique aesthetic.



SMOOTH



EMBOSSED



**For more information:** Visit [www.atas.com/pc](http://www.atas.com/pc)

# COLOR CHART

## Stock Colors | 70% PVDF Finish

Black (02)	Classic Bronze (01)	Medium Bronze (03)	Hartford Green (27)	Forest Green (11)	Teal (19)
Hemlock Green (30)	Patina Green (12)	Chocolate Brown (04)	Boysenberry (25)	Redwood (07)	Mission Red (08)
Sierra Tan (09)	Rawhide (15)	Concord Cream (05)	Almond (36)	Sandstone (06)	Regal Blue (18)
Slate Blue (21)	Siam Blue (14)	Rocky Grey (16)	Charcoal Grey (62)	Slate Grey (20)	Dove Grey (13)
		<b>Oxide Series</b> .....			
Ascot White (10)	Bone White (26)			Copper Brown (42)	Tarnished Red (47)

## Premium Colors | 70% PVDF Finish

Antique Patina (24)	Brite Red (17)	Champagne (31)	Coppertone (23)	Silversmith (28)	Titanium (35)

## Natural Metals

Clear Satin Anodized (70)	Dark Bronze Anodized (71)	Acrylic Coated Galvalume® (97)	Copper (49)*	Classic Stainless Steel (40)*	Terne Coated Stainless Steel (41)*
Grey Zinc (91)*	Dark Zinc (92)*	Brown Zinc (89)*	Blue Zinc (94)*	Red Zinc (95)*	Green Zinc (96)*

For additional color offerings, visit [www.atas.com/colors](http://www.atas.com/colors). For current SRI values and agency listings refer to our Color and Reference Guide: [www.atas.com/sri](http://www.atas.com/sri).

\*Special material. Pricing and availability dependent upon project specifics. Color chips available upon request.

[www.atas.com](http://www.atas.com) | ATAS International, Inc.  
800.468.1441 | Allentown, PA | Mesa, AZ



\*Subject to minimum quantities and extended lead time. Inquire for material and panel width availability. Dutch Seam® is a registered trademark of ATAS International, Inc. Colors are as close to the actual colors as modern printing allows. Exact color chips on request; this is a requirement for all premium colors. If you have requirements or preference for colors or finishes other than shown, contact ATAS. Color availability varies by material, gauge and profile. ATAS is not responsible for colors selected from color chart. ATAS reserves the right to modify, eliminate and/or change its products without prior notification. Contact ATAS for more information. Every project is different. To the full extent permissible by law, ATAS disclaims all warranties, express or implied, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. A qualified engineer, architect or contractor should review suitability of use. Please visit [www.atas.com](http://www.atas.com) for the most up-to-date information.