

LUMINAIRE SCHEDULE

TYPE	FINISH	INSTALLATION	DESCRIPTION AND NOTES	LAMP	BALLAST	WATTAGE
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W
RECESSED	WOOD GRAIN	RECESSED	RECESSED LIGHT FIXTURE	XX LUMENS	ELECTRONIC 0.15A	15W



Trespa Perspectives Longevity

Weather resistant & color stable - Solid & sturdy -
Low maintenance

TRESPA®

DISCLAIMER

General

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms.

The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative.

Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility.

Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party.

This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colors used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colors of the Trespa products to be supplied. Samples are not intended for use in product tests

CONTACT US

Trespa International B.V.
P.O. Box 110, 6000 AC Weert
Wetering 20, 6002 SM Weert
The Netherlands
www.trespa.com

**Customer Service Desk
EMEA Export**
Tel: +31 (0) 495 458 359 / 573
Fax: +31 (0) 495 458 383
infoexport@trespa.com

Trespa North America Ltd.
12267 Crosthwaite Circle
Poway, CA 92064
United States of America
Tel: 1-800-487-3772
Fax: 1-858-679-9568
info.northamerica@trespa.com

and are not representative of characteristics of the Trespa products. Trespa's products and samples are produced within the specified color tolerances and the colors (of production batches) may differ, even if the same color is used.

The viewing angle also influences the color perception. Metallic panels feature a surface whose color appears to change based on the direction from which it is viewed. The specified color stability and color specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides.

Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above.

The most recent version of the current delivery program and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Properties Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

Trespa China Co. Ltd.
Room 2604-05, HuaiHai Plaza
No. 1045 HuaiHai Road (central)
ShangHai 200031
P.R. China
Tel.: +86 (0) 21 6288 1299
Fax: +86 (0) 21 6288 1296
infochina@trespa.com

**Customer Service Desk Asia/
Pacific**
Tel: +86 (0) 21 5465 8388
Fax: +86 (0) 21 5465 6989
infoapac@trespa.com

Liability

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

General conditions

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the "Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*)" filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on 11 April 2007 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com.

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa North

America Ltd. website, www.trespa.com/na. A copy of these general conditions of sale will be provided free of charge on request.

All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

Intellectual property

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. © Trespa, Meteon, Athlon, TopLab, TopLab^{PLUS}, TopLab^{ECCO-FIBRE}, Virtuon, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

Questions

Should you have any questions or comments, please do not hesitate to contact Trespa.

www.trespa.com

VISIT US

**Trespa Design Centre
New York**
62 Greene Street (Ground Floor)
New York, NY 10012
United States of America
Tel: 1-212-334-6888
Fax: 1-866-298-3499
info.ny@trespa.com
www.trespa-ny.com

**Trespa Design Centre
Barcelona**
Calle Ribera 5,
08003 Barcelona
Spain
info.barcelona@trespa.com
www.trespa-barcelona.com

Projects on cover:
Arch. J. Fabrè, Spain

Please visit www.trespa.com
for the most up to date version
of this document.

Project Centre de Càlcul, Spain. Built in 1990, revisited in 2011.

Enduring
the test
of time,
think Trespa

Weather resistant
& color stable

Direct sunshine, rain – even acid rain – have little or no effect on Trespa® Meteon®. As a result, most colors will not change significantly for at least ten years, keeping facades looking as good as new.

Solid & sturdy

Strong and impact resistant Trespa® Meteon® can be installed quickly and easily. Yet, it is designed to retain its shape and color, even in demanding exterior applications under the toughest conditions.

Low maintenance

Trespa® Meteon® has a smooth and closed, pore-free surface. So it needs no coatings or protective cover to contribute to beautiful and enduring facades.



Project
Police office
Location
Rotterdam, The Netherlands
Function
Public Building
Architect
C. van Strien
Color
A12.6.3 Wine Red,
A03.4.0 Silver Grey




“Trespa® Meteon® was the right choice”

“The building is close to a main road and near a metro station, a typical location that places high demands on a facade in terms of pollution and dirt. In 1988, we selected Trespa® panels. In 2008 when we started work on extending the building, we realized that this was the right choice, as brand-new Trespa® panels made in 2008, perfectly matched the original panels. Overall, the insulation, back construction and panels were still in perfect shape.”

Facility Manager Zuidplein Police Station

1988



2011




“Trespa helps to deliver timeless designs”

Project
UMC St. Radboud
Location
Nijmegen, The Netherlands
Function
Hospital
Architect
Croonen Architecten Ingenieurs,
Fred Meerdink
Color
M51.0.1 Aluminium Grey,
A22.4.4 Brilliant Blue,
A.32.7.2 Dark Green,
A.90.0.0 Black

“Hospital environments are very dynamic, and at the time, speed and economics were key considerations for our client. When a further extension was built ten years later, Trespa® Meteon® was chosen again, for the same practical reasons and to retain the overall openness of the facility. Since then, many new hospital facilities have been added, yet the original building is still as timeless as it was designed to be. In addition, I have always found Trespa’s close affinity with the architectural community impressive and inspiring.”

Fred Meerdink – Croonen Architecten



2011

1990



Project
Informatic Centre - University
Location
Barcelona, Spain
Function
University
Architect
Jordi Fabré
Color
A.25.7.1 Iron Grey

“Looking good with noble ageing”



“Overall, the building still looks good, similar to the way it looked on the first day, with noble ageing. I would say that the image still matches the conceptual design. I felt comfortable with Trespa® Meteon® at the time – and looking at the building again, the material has performed very well.”

Jordi Fabré - Architect



2011

1991

Longevity

Long life appearance and quality*

Architects who are looking to create exciting, highly individual facades have long recognized Trespa® Meteon® as a unique material. Trespa® Meteon® has inspired architects and designers to create outstanding and innovative buildings all over the world. But will these buildings still look as good, many years later*?

In order to demonstrate the exceptionally long life performance of its panels, Trespa revisited a number of 1980s and 1990s projects in Europe. We compared samples of the original facades to newly produced Trespa® Meteon® panels. The results of this investigation revealed that for the examined projects there was little or no discernible difference, confirming that Trespa® Meteon® can retain its outstanding good looks over the years.

The right choice for the future

Trespa® Meteon® is ideal for prolonged exposure. Created for low maintenance exterior cladding, it is solid and sturdy, as well as weather resistant. Trespa® Meteon® remains the material of choice for architects today, because they can be sure that it will still define the urban landscape tomorrow.



Project
Denny International Middle School /
Chief Sealth International High School
Location
Seattle, USA
Function
School
Architect
Ross Parker of Bassetti Architects
Color
A05.0.0 Pure White,
A21.1.0 Winter Grey,
A05.1.2 Champagne,
M21.8.1 Graphite Grey

2010

“Attractive and durable”



“This is the first major expansion of a school that was built in the 1950s. Durability was a key consideration - the next upgrade may well be 50 years away - and as funds are limited, long-term maintenance costs are equally important. This addition has been part of a major upgrade which has boosted students’ pride in their school and resulted in markedly higher enrollment and fewer behavioral issues.”

**Ross Parker
Bassetti Architects**

Read the complete interview with Mr. Parker and other architects at www.trespa.com

* Note: the most recent version of the current delivery program and the material properties datasheet can be found at www.trespa.info. Trespa offers a conditional 10-year warranty for its products. Please refer to your local sales representative for more information.